



Piston | Piston Rings | Liners | Piston Set | Block Kits  
Coolant | Engine Valves



Wiper Blades | Ignition Coil | Coolant



Brake Linings | Brake Pads | Brake Fluid



Gasket



Engine Bearings



**COMMERCIAL**



**E-CATALOGUE**



## Brake Pads



Part Number	Name	Pad FMSI Number	Abutment Hardware included	Friction Thickness Inner Pad (inch)	Friction Thickness Outer Pad (inch)	Front or Rear Pads	OEM Replacement	Package Quantity	Pad Material	Shims Included	Wear Sensors Included	Performance	Chamfers	Slot	Application
FCV4378BFE	Volvo Bus-B9R	FCV4378BFE	Yes			FR/RR		4					Yes	Yes	VOLVO VOLVO-B7R



## Brake Lining



Part Number	Name	Lining Size	Grade	Rivet Size	Rivet Holes	Rivet Per Set	Rivet Type	Position To Be Added	Application
FHB-K47-TT.0-SM-1	CV Linings -Tata 1210/1612/1510	STD		10	80	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-TT.1-SM-1	CV Linings -Tata 1210/1612/1510	10/S		10	80	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-TT.2-SM-1	CV Linings -Tata 1210/1612/1510	20/S		10	80	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-TT.0-SM-2	CV Linings -Tata 1210/1612/1510	STD		10	80	L10 (Br & Al), L12 (Al)	REAR		
FHB-K47-TT.1-SM-2	CV Linings -Tata 1210/1612/1510	10/S		10	80	L10 (Br & Al), L12 (Al)	REAR		
FHB-K47-TT.2-SM-2	CV Linings -Tata 1210/1612/1510	20/S		10	80	L10 (Br & Al), L12 (Al)	REAR		
FHB-K47-TT.0-WTP-1	CV Linings -Tata Prima/ World Truck	STD		14	112	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-TT.1-WTP-1	CV Linings -Tata Prima/ World Truck	10/S		14	112	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-TT.2-WTP-1	CV Linings -Tata Prima/ World Truck	20/S		14	112	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-TT.0-WTP-2	CV Linings -Tata Prima/ World Truck	STD		14	112	L10 (Br & Al), L12 (Al)	REAR		
FHB-K47-TT.1-WTP-2	CV Linings -Tata Prima/ World Truck	10/S		14	112	L10 (Br & Al), L12 (Al)	REAR		
FHB-K47-TT.2-WTP-2	CV Linings -Tata Prima/ World Truck	2 MM	L10	14	112	L10 (Br & Al), L12 (Al)	REAR		
FHB-K46-TT.0-SM-1	CV Linings -Tata 1210/1612/1510	STD	L12	10	80	AL	FRONT		
FHB-K46-TT.1-SM-1	CV Linings -Tata 1210/1612/1510	10/S	L12	10	80	AL	FRONT		
FHB-K46-TT.2-SM-1	CV Linings -Tata 1210/1612/1510	20/S	L12	10	80	AL	FRONT		
FHB-K46-TT.0-SM-2	CV Linings -Tata 1210/1612/1510	STD	L12	10	80	AL	REAR		
FHB-K46-TT.1-SM-2	CV Linings -Tata 1210/1612/1510	10/S	L12	10	80	AL	REAR		
FHB-K46-TT.2-SM-2	CV Linings -Tata 1210/1612/1510	20/S	L12	10	80	AL	REAR		
FFB-K47-T709.0-1	CV Linings -Tata 709 STD	STD	L10	12	48	AL	FRONT/REAR	TATA TATA 709	
FFB-K47-T709.1-1	CV Linings -Tata 709 1 O/S	10/S	L10	12	48	AL	FRONT/REAR	TATA TATA 709	

Part Number	Name	Lining Size	Grade	Rivet Size	Rivet Holes	Rivet Per Set	Rivet Type	Position To Be Added	Application
FFB-K47-T709.2-1	CV Linings -Tata 709 2 O/S	20/S	L10	12	48	AL	FRONT/REAR	TATA TATA 709	
FFB-K47-T909.0-1	CV Linings -Tata 909 STD	STD	L10	12	48	AL	FRONT/REAR	TATA TATA 909	
FFB-K47-T909.1-1	CV Linings -Tata 909 1 O/S	10/S	L10	12	48	AL	FRONT/REAR	TATA TATA 909	
FFB-K47-T909.2-1	CV LININGS TATA 909 2 O/S	20/S	L10	12	48	AL	FRONT/REAR	TATA TATA 909	
FFB-K47-T1109.0-1	CV Linings -Tata 1109 STD	STD		12	48		FRONT/REAR	TATA TATA 1109	
FFB-K47-T1109.1-1	CV Linings -Tata 1109 1 o/s	10/S		12	48		FRONT/REAR	TATA TATA 1109	
FFB-K47-T1109.2-1	CV Linings TATA 1109 2 o/s	20/S		12	48		FRONT/REAR	TATA TATA 1109	
FHB-K47-AL.0-HLP-6	ashok leyland HLP 6"	STD		10	80	L10 (Br & Al), L12 (Al)	FRONT	ASHOK LEYLAND LEYLAND HLP-6	
FHB-K47-AL.1-HLP-6	ashok leyland HLP 6" 1 O/S	10/S		10	80	L10 (Br & Al), L12 (Al)	FRONT	ASHOK LEYLAND LEYLAND HLP-6	
FHB-K47-AL.2-HLP-6	Ashok Leyland HLP 6" 2 O/S	20/S		10	80	L10 (Br & Al), L12 (Al)	FRONT	ASHOK LEYLAND LEYLAND HLP-6	
FHB-K47-AL.0-HLP-7	Ashok Leyland HLP 7"	STD		10	80	L10 (Br & Al), L12 (Al)	FRONT/REAR	ASHOK LEYLAND LEYLAND HLP-7	
FHB-K47-AL.1-HLP-7	Ashok Leyland HLP 7" 1 O/S	10/S		10	80	L10 (Br & Al), L12 (Al)	FRONT/REAR	ASHOK LEYLAND LEYLAND HLP-7	
FHB-K47-AL.2-HLP-7	Ashok Leyland HLP 7" 2 O/S	20/S		10	80	L10 (Br & Al), L12 (Al)	FRONT/REAR	ASHOK LEYLAND LEYLAND HLP-7	
FHB-K47-AL.0-HLP8A	Ashok Leyland HLP 8A	STD		10	80	L10 (Br & Al), L12 (Al)	REAR	ASHOK LEYLAND LEYLAND HLP MERITOR-8	
FHB-K47-AL.1-HLP8A	Ashok Leyland HLP 8A 1 O/S	10/S		10	80	L10 (Br & Al), L12 (Al)	REAR	ASHOK LEYLAND LEYLAND HLP MERITOR-8	
FHB-K47-AL.2-HLP8A	Ashok Leyland HLP 8A 2 O/S	20/S		10	80	L10 (Br & Al), L12 (Al)	REAR	ASHOK LEYLAND LEYLAND HLP GIRLING-8	
FHB-K47-AL.0-HLP8B	Ashok Leyland HLP 8B	STD		12	96	L10 (Br & Al), L12 (Al)	REAR	ASHOK LEYLAND LEYLAND HLP GIRLING-8	
FHB-K47-AL.1-HLP8B	Ashok Leyland HLP 8B 1 O/S	10/S		12	96		REAR		
FHB-K47-AL.2-HLP8B	Ashok Leyland HLP 8B 2 O/S	20/S		12	96	L10 (Br & Al), L12 (Al)	REAR	ASHOK LEYLAND LEYLAND HLP GIRLING-8	
FHB-K47-AL.0-SM-5	Ashok Leyland Iveco 1412- 5"	STD		10	80	L10 (Br & Al), L12 (Al)	FRONT	ASHOK LEYLAND LEYLAND-5	
FHB-K47-AL.1-SM-5	Ashok Leyland Iveco 1412- 5" 1 O/S	STD		10	80	L10 (Br & Al), L12 (Al)	FRONT	ASHOK LEYLAND LEYLAND-5	
FHB-K47-AL.2-SM-5	Ashok Leyland Iveco 1412- 5" 2 O/S	20/S		10	80	L10 (Br & Al), L12 (Al)	FRONT	ASHOK LEYLAND LEYLAND-5	

Part Number	Name	Lining Size	Grade	Rivet Size	Rivet Holes	Rivet Per Set	Rivet Type	Position To Be Added	Application
FHB-K47-AL.0-SM-6	Ashok Leyland Comet-6"	STD		10	80	L10 (Br & Al), L12 (Al)	FRONT	ASHOK LEYLAND LEYLAND-6	
FHB-K47-AL.1-SM-6	Ashok Leyland Comet-6" 1 O/S	10/S		10	80	L10 (Br & Al), L12 (Al)	FRONT	ASHOK LEYLAND LEYLAND-6	
FHB-K47-AL.2-SM-6	Ashok Leyland Comet-6" 2 O/S	20/S		10	80	L10 (Br & Al), L12 (Al)	FRONT	ASHOK LEYLAND LEYLAND-6	
FHB-K47-AL.0-SM-7	Ashok Leyland Comet-7"	STD		10	80	L10 (Br & Al), L12 (Al)	REAR	ASHOK LEYLAND LEYLAND-7	
FHB-K47-AL.1-SM-7	Ashok Leyland Comet-7" 1 O/S	10/S		10	80	L10 (Br & Al), L12 (Al)	REAR	ASHOK LEYLAND LEYLAND-7	
FHB-K47-AL.2-SM-7	Ashok Leyland Comet-7" 2 O/S	20/S		10	80	L10 (Br & Al), L12 (Al)	REAR	ASHOK LEYLAND LEYLAND-7	
FHB-K47-UT6.0-1	Ashok Leyland Ultra Truck Front	STD		10	80	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-UT6.1-1	Ashok Leyland Ultra Truck Front	10/S		10	80	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-UT6.2-1	Ashok Leyland Ultra Truck Front 2 O/S	20/S		10	80	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-UT7.0-1	Ashok Leyland Ultra truck rear	STD		10	80	L10 (Br & Al), L12 (Al)	REAR		
FHB-K47-UT7.1-1	Ashok Leyland Ultra truck rear 1 O/S	10/S		10	80	L10 (Br & Al), L12 (Al)	REAR		
FHB-K47-UT7.2-1	Ashok Leyland Ultra truck rear 2 O/S	20/S		10	80	L10 (Br & Al), L12 (Al)	REAR		
FHB-K47-UT8.0-1	Ashok Leland Ultra Truck Rear Rear	STD		12	96	L10 (Br & Al), L12 (Al)	REAR REAR		
FHB-K47-UT8.1-1	Ashok Leyland Ultra Truck Rear Rear 1 O/S	10/S		12	96	L10 (Br & Al), L12 (Al)	REAR REAR		
FHB-K47-UT8.2-1	Ashok Leyland Ultra Truck Rear Rear 2 O/S	20/S		12	96	L10 (Br & Al), L12 (Al)	REAR REAR		
FHB-K47-UT1.0-1	Ashok Leyland Ultra Truck Front	STD		14	112	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-UT1.1-1	Ashok Leyland Ultra Truck Front 1 O/S	10/S		14	112	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-UT1.2-1	Ashok Leyland Ultra Truck Front 2 O/S	20/S		14	112	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-UT2.0-1	Ashok Leyland Ultra Truck Rear			14	112		REAR	ASHOK LEYLAND LEYLAND COMET 1613 H	

Part Number	Name	Lining Size	Grade	Rivet Size	Rivet Holes	Rivet Per Set	Rivet Type	Position To Be Added	Application
FHB-K47-UT2.1-1	Ashok Leyland Ultra truck Rear 1 O/S			14	112		REAR	ASHOK LEYLAND LEYLAND COMET 1616 H	
FHB-K47-UT2.2-1	Ashok Leyland Ultra Truck Rear 2 O/S			14	112		REAR	ASHOK LEYLAND LEYLAND COMET 1613 H	
FHB-K47-AMW.0-M-1	AMW Meritor Front	STD		10	80	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-AMW.1-M-1	AMW Meritor Front 1 O/S	10/S		10	80	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-AMW.2-M-1	AMW Meritor Front 2 O/S	20/S		10	80	L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-AMW.0-M-3	AMW Meritor Rear	STD		14	112	L10 (Br & Al), L12 (Al)	REAR	AMW AMW MERITOR	
FHB-K47-AMW.1-M-3	AMW Meritor Rear 1 O/S	10/S		14	112	L10 (Br & Al), L12 (Al)	REAR	AMW AMW MERITOR	
FHB-K47-AMW.2-M-3	AMW Meritor Rear 2 O/S	20/S		14	112	L10 (Br & Al), L12 (Al)	REAR	AMW AMW MERITOR	
FHB-K47-SML.0-IS-1	SML Isuzu Rear	STD		10	80	L10 (Br & Al), L12 (Al)	REAR		
FHB-K47-SML.1-IS-1	SML Isuzu Rear 1 O/S	10/S		10	80	L10 (Br & Al), L12 (Al)	REAR		
FHB-K47-SML.2-IS-1	SML Isuzu Rear 2 O/S	20/S		10	80	L10 (Br & Al), L12 (Al)	REAR		
FHB-K47-SML.0-IS-2	SML Isuzu Front	STD		14	112	L10 (Br & Al), L12 (Al)	FRONT	ISUZU ISUZU-SML	
FHB-K47-SML.1-IS-2	SML Isuzu Front 1 O/S	10/S		14	112	L10 (Br & Al), L12 (Al)	FRONT	ISUZU ISUZU-SML	
FHB-K47-SML.2-IS-2	SML Isuzu Front 2 O/S	20/S		14	112	L10 (Br & Al), L12 (Al)	FRONT	ISUZU ISUZU-SML	
FHB-K47-MN.0-1	Mahindra Navistar Front	STD		14	112	L10 (Br & Al), L12 (Al)	FRONT	MAHINDRA NAVISTAR MAHINDRA NAVISTAR	
FHB-K47-MN.1-1	Mahindra Navistar Front 1 O/S	10/S		14	112	L10 (Br & Al), L12 (Al)	FRONT	MAHINDRA NAVISTAR MAHINDRA NAVISTAR	
FHB-K47-MN.2-1	Mahindra Navistar Front 2 O/S	20/S		14	112	L10 (Br & Al), L12 (Al)	FRONT	MAHINDRA NAVISTAR MAHINDRA NAVISTAR	
FHB-K47-MN.0-2	Mahindra Navistar Rear	STD		14	112	L10 (Br & Al), L12 (Al)	REAR	MAHINDRA NAVISTAR MAHINDRA NAVISTAR	
FHB-K47-MN.1-2	Mahindra Navistar Rear 1 O/S	10/S		14	112	L10 (Br & Al), L12 (Al)	REAR	MAHINDRA NAVISTAR MAHINDRA NAVISTAR	

Part Number	Name	Lining Size	Grade	Rivet Size	Rivet Holes	Rivet Per Set	Rivet Type	Position To Be Added	Application
FHB-K47-MN.2-2	Mahindra Navistar Rear 2 O/S	20/S		14	112	L10 (Br & Al), L12 (Al)	REAR	MAHINDRA NAVISTAR MAHINDRA NAVISTAR	
FHB-K46-AL.0-SM-6	Ashok Leyland Comet-6"	STD	L12	10	80	AL	FRONT	ASHOK LEYLAND LEYLAND-6	
FHB-K46-AL.1-SM-6	Ashok Leyland Comet-6" 1 O/S	10/S	L12	10	80	AL	FRONT	ASHOK LEYLAND LEYLAND-6	
FHB-K46-AL.2-SM-6	Ashok Leyland Comet-6" 2 O/S	20/S	L12	10	80	AL	FRONT	ASHOK LEYLAND LEYLAND-6	
FHB-K46-AL.0-SM-7	Ashok Leyland Comet-7"	STD	L12	10	80	AL	REAR	ASHOK LEYLAND LEYLAND-7	
FHB-K46-AL.1-SM-7	Ashok Leyland Comet-7" 1 O/S	10/S	L12	10	80	AL	REAR	ASHOK LEYLAND LEYLAND-7	
FHB-K46-AL.2-SM-7	Ashok Leyland Comet-7" 2 O/S	20/S	L12	10	80	AL	REAR	ASHOK LEYLAND LEYLAND-7	
FHB-K47-UT2.0-2	Ashok Leyland U Truck 410*220	STD		14		L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-UT2.1-2	Ashok Leyland U Truck 410*220	10/S		14		L10 (Br & Al), L12 (Al)	FRONT		
FHB-K47-UT2.2-2	Ashok Leyland U Truck 410*220	20/S		14		L10 (Br & Al), L12 (Al)	FRONT		
FHB-K46-AL.0-SM-5	Ashok Leyland 5	STD	L12	10		AL	FRONT	ASHOK LEYLAND LEYLAND-5	
FHB-K46-AL.1-SM-5	Ashok Leyland 5	10/S	L12	10		AL	FRONT	ASHOK LEYLAND LEYLAND-5	
FHB-K46-AL.2-SM-5	Ashok Leyland 5	20/S	L12	10		AL	FRONT	ASHOK LEYLAND LEYLAND-5	



## Engine Bearing



Part Number	Name	Components Per Set	Size Available	Material	Shaft Diameter	Bore Diameter	Length	Wall Thickness	Application
H1212/7	F/C/R Main Bearing I/Main Bearing	14	STD, 0.25, 0.50, 0.75, 1.00	A/T	3.5 Inches	3.664 Inches	1.60-1.80 Inches	0.080 Inches	
H1212/7	Main Bearing - Leyland	14	STD,0.25,0.50,0.75,1.00	A/T	3.5000 Inches	3.6640 Inches	1.600 Inches	0.080 Inches	ASHOK LEYLAND LEYLAND-370
01-4398/6	Con Rod Bearing-Leyland	12	STD,0.25,0.50,0.75,1.00	A/T	2.3994 Inches	2.5434 Inches	1.370 Inches	0.071 Inches	
H1213/7	F/C/R Main Bearing-Leyland	14	STD,0.25,0.50,0.75,1.00	C/L	3.5000 Inches	3.6640 Inches	1.600 Inches	0.080 Inches	
H1215/7	F/C/R Main Bearing-Leyland	14	STD,0.25,0.50	C/L	3.5000 Inches	3.6640 Inches	1.600 Inches	0.081 Inches	
A250/4	Thrust Washer - Leyland	4	STD, 0.005, 0.010	C/L	3.6380 Inches	4.3980 Inches		0.132 Inches	
71-4398/6	Con Rod Bearing-Leyland	12	STD,0.25,0.50,0.75,1.00	C/L	2.3994 Inches	2.5434 Inches	1.370 Inches	0.071 Inches	
55-4416/6	Con Rod Bush Bearing-Leyland	6	SEMI, 0.010, 0.020	C/L	1.3000 Inches	1.4508 Inches	1.406 Inches		
55-4419/6	Con Rod Bush Bearing-Leyland	6	SEMI, 0.010, 0.020	C/L	1.3000 Inches	1.7790 Inches	1.406 Inches		
N188/2	Cam Shaft Bush-Leyland	2	SEMI	C/L	2.1902 Inches	2.3510 Inches	0.905 Inches		
57-4441/12	Valve Rocker Bush-Leyland	12	STD	C/L	0.8750 Inches	0.9755 Inches	0.900 Inches		
H1214/7	Main Bearing - Leyland	14	STD,0.25,0.50,0.75,1.00	C/L	2.8714 Inches	3.0714 Inches	0.989 Inches	0.098 Inches	ASHOK LEYLAND LEYLAND HINO
57-4617/12	Rocker Lever Arm Bush -Leyland	12	STD	C/L	0.8750 Inches	0.9730 Inches	0.994 Inches		
57-4439/8	Spring Eye Bush - Leyland	8	SEMI	C/L	0.9987 Inches	1.1212 Inches	2.945 Inches		
57-4442	Idler Gear Bush - Leyland	1	SEMI	C/L	1.7488 Inches	2.0008 Inches	1.040 Inches		
57-4618/2	Clutch Withdrawal Sleeve Bush - Leyland	2	SEMI	C/L	1.7488 Inches	0.8750 Inches	0.787 Inches		



Part Number	Name	Components Per Set	Size Available	Material	Shaft Diameter	Bore Diameter	Length	Wall Thickness	Application
57-4443	Differential Trunion Bush -Leyland	1	SEMI	C/L	2.9980 Inches	3.1260 Inches	2.000 Inches		
A251/4	Thrust Washer - Leyland Hino	4	STD, 0.10	C/L	2.9790 Inches	3.2382 Inches		0.980 Inches	ASHOK LEYLAND LEYLAND HINO
71-4399/6	Con Rod Bearing - Leyland	12	STD,0.25,0.50,0.75,1.00	C/L	2.4382 Inches	2.5984 Inches	1.107 Inches	0.079 Inches	ASHOK LEYLAND LEYLAND HINO
01-4399/6	Con Rod Bearing - Leyland	12	STD,0.25,0.50,0.75,1.00	A/T	2.4382 Inches	2.5984 Inches	1.107 Inches	0.079 Inches	ASHOK LEYLAND LEYLAND HINO
55-4417/6	Cod Rod Bush-Leyland	6	SEMI, 0.010, 0.020	C/L	1.3779 Inches	1.5364 Inches	1.516 Inches		ASHOK LEYLAND LEYLAND HINO
55-4418/6	Con Rod Bearing - Leyland	6	SEMI, 0.010, 0.020	C/L	1.3779 Inches	1.5364 Inches	1.516 Inches		ASHOK LEYLAND LEYLAND HINO
57-4619	Oil Pump Drive Shaft Bush-Leyland	1	SEMI	C/L	0.7488 Inches	0.8276 Inches	1.075 Inches		ASHOK LEYLAND LEYLAND HINO
N189/4	Cam Shaft Bush-Leyland	4	SEMI	C/L	2.2042 Inches	2.3656 Inches	1.073 Inches		ASHOK LEYLAND LEYLAND HINO
H1258/5	Main Bearing - Leyland	10	STD	C/L	3.0000 Inches	3.1735 Inches	0.984 inches	0.085 Inches	ASHOK LEYLAND LEYLAND IVECO
71-4624/4	Con Rod Bearing-Leyland	8	STD	C/L	2.2258 Inches	2.3758 Inches	0.975 Inches	0.074 Inches	ASHOK LEYLAND LEYLAND IVECO
57-4621/4	Spindle Pin Bush Rear-Leyland	4	SEMI	C/L	1.4408 Inches	1.5620 Inches	2.010 Inches		ASHOK LEYLAND LEYLAND IVECO
57-4625/2	Steering Knuckle Bush-Leyland	2	SEMI	C/L	1.2508 Inches	1.4072 Inches	1.440 Inches		ASHOK LEYLAND LEYLAND IVECO
57-4626/2	King Pin Bush - Leyland	2	SEMI	C/L	1.6503 Inches	1.7822 Inches	1.573 Inches		ASHOK LEYLAND LEYLAND IVECO
H1275/7	Main Bearing-Tata Cummins	14	STD,0.25,0.50,0.75,1.00	A/T	3.2683 Inches	3.4653 Inches	1.143 Inches	0.097 Inches	TATA TATA- CUMMINS 6BT
71-4573/6	Con Rod Bearing-Tata Cummins	12	STD,0.25,0.50,0.75,1.00	C/L	2.7169 Inches	2.8745 Inches	1.225 Inches	0.077 Inches	TATA TATA- CUMMINS 6BT
55-4706/6	Cod Rod Bush-Tata Cummins	6	SEMI	C/L	1.5620 Inches	1.6968 Inches	1.510 Inches		TATA TATA- CUMMINS 6BT
53-4707	Cam Shaft Bush-Tata Cummins	1	STD	C/L	2.1265 Inches	2.2535 Inches	1.010 Inches		TATA TATA- CUMMINS 6BT
72-4411H	Main Bearing -Tata Motors	2	0.25, 9.50, 0.75	C/L	3.4650 Inches	3.6623 Inches	1.252 Inches		TATA TATA-OM 352
55-4609	Cod Rod-Tata motors	1	SEMI	C/L	1.4980 Inches	1.7488 Inches	1.095 Inches		TATA TATA- OM-352

Part Number	Name	Components Per Set	Size Available	Material	Shaft Diameter	Bore Diameter	Length	Wall Thickness	Application
N187/4	Cam Shaft Bush-Tata Motors	4	SEMI	C/L	2.2032 Inches	2.3634 Inches	1.035 Inches		TATA TATA-OM 352
H1206/7	Main Bearing -Tata Motors	14	STD,0.125,0.25,0.50,0.75,1.00	A/T	3.4650 Inches	3.6623 Inches	0.949 Inches	0.097 Inches	
01-4400/6	Con Rod Bearing - Tata motors	12	STD,0.125,0.25,0.50,0.75,1.00	A/T	2.3628 Inches	2.5598 Inches	1.264 Inches	0.097 Inches	
H1210/7	Main Bearing -Tata Motors	14	STD,0.25,0.50,0.75,1.00	C/L	3.4650 Inches	3.6623 Inches	0.949 Inches	0.097 Inches	
H1207/7	Main Bearing -Tata Motors	14	STD,0.10,0.125,0.25,0.50,0.75,1.00	C/L	3.4650 Inches	3.6623 Inches	0.949 Inches	0.097 Inches	
A252/4	Thrust Washer -Tata Motors	4	STD, 0.005, 0.009	C/L	3.7480 Inches	4.5670 Inches		0.094 Inches	
71-4400/6	Con Rod Bearing - Tata Motors	12	STD,0.125,0.25,0.50,0.75,1.00	C/L	2.3628 Inches	2.5598 Inches	1.264 Inches	0.097 Inches	
55-4597/6	Cod Rod Bush- Tata Motors	6	SEMI, 0.010, 0.020	C/L	1.4173 Inches	1.5364 Inches	1.358 Inches		
55-4598/6	Cod Rod -Tata Motors	6	SEMI, 0.010, 0.020	C/L	1.4173 Inches	1.5364 Inches	1.358 Inches		
55-4420/6	Cod Rod Bush-Tata Motors	6	SEMI, 0.010, 0.020	C/L	1.4173 Inches	1.5364 Inches	1.358 Inches		
55-4414/6	Con Rod Bush-Tata Motors	6	SEMI, 0.010, 0.020	C/L	1.4173 Inches	1.5364 Inches	1.358 Inches		
71-4450	AC Cod Rod Bearing-Tata Motors	2	STD,0.25,0.50,0.75,1.00	C/L	3.5404 Inches	3.6623 Inches	0.826 Inches	0.059 Inches	
55-4415/6	Cod Rod -Tata 352	6	SEMI, 0.010, 0.020	C/L	1.2616 Inches	1.4577 Inches	1.358 Inches		TATA TATA-OM 352 E/SE
55-4596/6	Cod Rod Bush-Tata Motors	6	SEMI, 0.010, 0.020	C/L	1.4173 Inches	1.5364 Inches	1.358 Inches		TATA TATA-OM 352 E/SE
H1210/5	Main Bearing-Tata	10	STD,0.25,0.50,0.75,1.00	C/L	3.4650 Inches	3.6623 Inches	0.949 Inches	0.097 Inches	
55-4420/4	Cod Rod Bush-Tata	4	SEMI, 0.010, 0.020	C/L	1.4173 Inches	1.5364 Inches	1.358 Inches		
H1218/7	Main Bearing-Tata	14	STD,0.25,0.50,0.75,1.00	C/L	2.8724 Inches	3.0716 Inches	1.253 Inches	0.098 Inches	
72-4410H	Main Bearing-Tata	2	0.250	C/L	2.8744 Inches	3.0716 Inches	1.256 Inches		
72-4456H	Main Bearing-Tata	1	STD, 0.50,0.75, 1.00, 1.25, 1.50	C/L	2.8744 Inches	3.0716 Inches	1.253 Inches		

Part Number	Name	Components Per Set	Size Available	Material	Shaft Diameter	Bore Diameter	Length	Wall Thickness	Application
71-4397/6	Con Rod Bearing - Tata	12	STD,0.10,0.125,0.25,0.50,0.75,1.00,1.25,1.50	C/L	2.3628 Inches	2.5992 Inches	1.264 Inches	0.117 Inches	
71-4449	Cod Rod Bush-Tata Motors	2	STD,0.25,0.50,0.75,1.00	C/L	1.2585 Inches	1.3786 Inches	0.669 Inches	0.059 Inches	
55-4413/6	Cod Rod Bush-Tata Motors	6	SEMI, 0.010, 0.020	C/L	1.2598 Inches	1.4577 Inches	1.358 Inches		
55-4595/6	Cod Rod Bush-Tata Motors	6	SEMI, 0.010, 0.020	C/L	1.2598 Inches	1.3789 Inches	1.358 Inches		
N175/4	Cam Shaft Bush-Tata	4	SEMI, 0.060	C/L	2.2032 Inches	2.3634 Inches	1.035 Inches		
N176/5	Cam Shaft Bush-Tata	4	SEMI	C/L	2.2032 Inches	2.3634 Inches	1.035 Inches		
N185/4	Cam Shaft Bush-Tata	4	SEMI	C/L	2.2032 Inches	2.3634 Inches	1.035 Inches		
N185/3	Cam Shaft Bush-Tata	3	SEMI	C/L	2.2032 Inches	2.3634 Inches	1.035 Inches		
57-4440/12	Valve Rocker Bush-Tata	12	SEMI	C/L	0.7860 Inches	0.8682 Inches	0.906 Inches		
N186/4	Bushes-Tata	4	SEMI	C/L	2.1933 Inches	2.3634 Inches	1.029 Inches		
01-4397/6	Con Rod Bearing-Tata	12	STD,0.125,0.25,0.50,0.75,1.00	A/T	2.3628 Inches	2.5992 Inches	1.264 Inches	0.117 Inches	
H1202/7	Main Bearing-Tata	14	STD,0.25,0.50,0.75,1.00	A/T	2.8724 Inches	3.0716 Inches	0.949 Inches	0.098 Inches	TATA TATA-608 E/SE
H1203/7	Main Bearing -Tata	14	STD,0.25,0.50,0.75,1.00,1.25, 1.50	C/L	2.8724 Inches	3.0716 Inches	0.949 Inches	0.098 Inches	TATA TATA-608 E/SE
71-4397/6	Con Rod Bearing - Tata	12	STD, 0.10, 0.125, 0.25, 0.50,0.75, 1.00, 1.25, 1.50	C/L	2.3628 Inches	2.5992 Inches	1.264 Inches	0.117 Inches	TATA TATA-608 E/SE
A248/4	Thrust Washer -Tata	4	STD, 0.005, 0.009	C/L	3.2300 Inches	4.0980 Inches		0.127 Inches	TATA TATA-608 E/SE
55-4599	AC Cod Rod Bush-Tata	1	SEMI	C/L	0.6302 Inches	0.7488 Inches	0.868 Inches		TATA TATA-692 E/SE
H1257/7	Main Bearing-Tata	14	STD,0.25,0.50,0.75,1.00	C/L	2.8724 Inches	3.0716 Inches	0.949 Inches	0.098 Inches	TATA TATA-692 E/SE
H1255/7	Main Bearing-Tata	14	STD, 0.125, 0.25, 0.50,0.75, 1.00	C/L	2.8724 Inches	3.0716 Inches	0.949 Inches	0.098 Inches	TATA TATA-692 E/SE
A249/4	Thrust Washer-Tata	4	STD, 0.005, 0.009	C/L	3.2300 Inches	4.0980 Inches		0.127 Inches	TATA TATA-692 E/SE

Part Number	Name	Components Per Set	Size Available	Material	Shaft Diameter	Bore Diameter	Length	Wall Thickness	Application
A247/4	Thrust Washer -Tata	4	STD, 0.005, 0.009	C/L	3.2300 Inches	4.0980 Inches		0.127 Inches	TATA TATA-692 E/SE
71-4397/6	Con Rod Bearing - Tata	12	STD,0.10,0.125,0.25,0.50,0.75,1.00,1.25,1.50	C/L	2.3628 Inches	2.5992 Inches	1.264 Inches	0.117 Inches	TATA TATA-692 E/SE
55-4412/6	Cod Rod Bush-Tata	6	SEMI, 0.010, 0.020	C/L	1.2598 Inches	1.3789 Inches	1.358 Inches		TATA TATA-608 E/SE
57-4604	Bearing Bush-Tata	1	SEMI	C/L	1.1810 Inches	1.4580 Inches	1.344 Inches		TATA TATA-692 E/SE
57-4605	Steering Gear Bush-Tata	1	SEMI	C/L	1.8236 Inches	1.9695 Inches	0.875 Inches		TATA TATA-692 E/SE
57-4606	Reverse Idler Gear Bush-Tata	1	SEMI	C/L	1.1878 Inches	1.3001 Inches	2.225 Inches		TATA TATA-692 E/SE
H1202/5	Main Bearing-Tata	10	STD,0.125,0.25,0.50,0.75,1.00	A/T	2.8724 Inches	3.0716 Inches	0.949 Inches	0.098 Inches	
H1203/5	Main Bearing -Tata	10	STD,0.10,0.125,0.25,0.50,0.75,1.00,1.25,1.50	C/L	2.8724 Inches	3.0716 Inches	0.949 Inches	0.098 Inches	
01-4400/4	Con Rod Bearing-Tata	8	STD,0.125,0.25,0.50,0.75,1.00	A/T	2.3628 Inches	2.5598 Inches	1.264 Inches	0.097 Inches	
55-4414/4	Cod Rod Bush-Tata	4	SEMI, 0.010, 0.020	C/L	1.4173 Inches	1.5364 Inches	1.358 Inches		
A248/4	Thrust Washer Bearing-Tata	4	STD, 0.005, 0.009	C/L	3.2300 Inches	4.0980 Inches		0.127 Inches	
H1206/5	Main Bearing -Tata	10	STD,0.125,0.25,0.50,0.75,1.00	A/T	3.4650 Inches	3.6623 Inches	0.949 Inches	0.097 Inches	
01-4400/4	Con Rod Bearing-Tata	8	STD,0.125,0.25,0.50,0.75,1.00	A/T	2.3628 Inches	2.5598 Inches	1.264 Inches	0.097 Inches	
H1207/5	Main Bearing -Tata	10	STD,0.10,0.125,0.25,0.50,0.75,1.00	C/L	3.4650 Inches	3.6623 Inches	0.949 Inches	0.097 Inches	
71-4400/4	Con Rod Bearing-Tata	8	STD,0.125,0.25,0.50,0.75,1.00	C/L	2.3628 Inches	2.5598 Inches	1.264 Inches	0.097 Inches	
55-4420/4	CR Bush-Tata	4	SEMI, 0.010, 0.020	C/L	1.4173 Inches	1.5364 Inches	1.358 Inches		



Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6851 CP	BAJAJ TEMPO MATADOR - 5RV Ring Set	78	4	STD,0.010, 0.020, 0.030, 0.040	Type	Material	Axial Height (mm)	End Gap (mm)	0451 PPC		BAJAJ TEMPO BAJAJ MATADOR-5RV
					1st (Chrome Plated)	STD	2.500	0.20-0.35			
					2nd (Phosphated)	STD	2.500	0.20-0.35			
					3rd (Phosphated)	STD	2.500	0.20-0.35			
					4th (Phosphated)	STD	5.000	0.20-0.35			
6851 DCESM	BAJAJ TEMPO MATADOR - 5RV Ring Set	78	4	STD, 0.020,0.030, 0.040	Type	Material	Axial Height (mm)	End Gap (mm)			BAJAJ TEMPO BAJAJ MATADOR-5RV
					1st (Chrome Plated)	STD	2.500	0.20-0.35			
					2nd (Phosphated)	STD	2.500	0.20-0.35			
					3rd (Phosphated)	STD	2.500	0.20-0.35			
					4th(Chrome Plated)	STD	5.000	0.25-0.40			
					5th (Phosphated)	STD	5.000	0.20-0.35			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification	Matching Piston	Matching Liner	Application																
1950 TIDCES	BAJAJ TEMPO MINIDOR - 3RV Ring Set	85	1	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st(Chrome Plated)</td> <td>IKA</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd (Phosphated)</td> <td>STD</td> <td>2.000</td> <td>0.35-0.55</td> </tr> <tr> <td>3rd (Chrome Plated)</td> <td>STD</td> <td>4.000</td> <td>0.25-0.50</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st(Chrome Plated)	IKA	2.500	0.20-0.35	2nd (Phosphated)	STD	2.000	0.35-0.55	3rd (Chrome Plated)	STD	4.000	0.25-0.50	01951, 0195 PPC, 0180PPC, 0113PPC, 0123 PPC		BAJAJ TEMPO BAJAJ MINIDOR BAJAJ TEMPO BAJAJ MINIDOR DI-RC BAJAJ TEMPO BAJAJ MINIDOR DI 15DI E-II BAJAJ TEMPO BAJAJ MINIDOR TD499LC BAJAJ TEMPO BAJAJ MINIDOR EURO-I BAJAJ TEMPO BAJAJ MINIDOR CNG
Type	Material	Axial Height (mm)	End Gap (mm)																					
1st(Chrome Plated)	IKA	2.500	0.20-0.35																					
2nd (Phosphated)	STD	2.000	0.35-0.55																					
3rd (Chrome Plated)	STD	4.000	0.25-0.50																					
1950 SHAKTI	BAJAJ TEMPO MINIDOR - 3RV Ring Set	85	1	STD, 0.25, 0.50	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>IKA</td> <td>2.500</td> <td>0.20-0.40</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>2.000</td> <td>0.80-1.00</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>4.000</td> <td>0.25-0.50</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	IKA	2.500	0.20-0.40	2nd	STD	2.000	0.80-1.00	3rd	STD	4.000	0.25-0.50	01801PPC, 0123 PPC		BAJAJ TEMPO BAJAJ MINIDOR BAJAJ TEMPO BAJAJ MINIDOR DI-RC BAJAJ TEMPO BAJAJ MINIDOR DI 15DI E-II BAJAJ TEMPO BAJAJ MINIDOR TD499LC BAJAJ TEMPO BAJAJ MINIDOR EURO-I BAJAJ TEMPO BAJAJ MINIDOR CNG
Type	Material	Axial Height (mm)	End Gap (mm)																					
1st	IKA	2.500	0.20-0.40																					
2nd	STD	2.000	0.80-1.00																					
3rd	STD	4.000	0.25-0.50																					

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6852 TKDCES	BAJAJ TEMPO OM616 IDI/ TEMPO TRAVELLER/ TRAX Ring Set	90.90	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0455 PPC, 0454PPC, 0455 PPC, 0454PPC, 0455 PPC, 0454PPC	0040, 0040, 0040	BAJAJ TEMPO BAJAJ OM-616 IDI TEMPO TRAVELLER BAJAJ TEMPO BAJAJ TRAX AUTO THERMATIC PISTON 2399cc BAJAJ TEMPO BAJAJ OM-616 DI CNG
					1st (Chrome Plated)	KV1	3.000	0.20-0.40			
					2nd ((Phosphated)	IKA	2.000	0.80-1.00			
					3rd (Chrome Plated)	STD	4.000	0.20-0.40			
6853 PLASMA	BAJAJ TEMPO OM616 IDI/ TEMPO TRAVELLER/ TRAX Ring Set	90.90	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0453PPC, 0452 PPC, 0442 PPC		BAJAJ TEMPO BAJAJ OM-616 IDI TEMPO TRAVELLER BAJAJ TEMPO BAJAJ TRAX AUTO THERMATIC PISTON 2399cc BAJAJ TEMPO BAJAJ OM-616 DI TD 2400F BAJAJ TEMPO BAJAJ OM-616 TC
					1st	KV1	3.000	0.20-0.45			
					2nd (Phosphated)	IKA	2.000	0.80-1.00			
					3rd	STD	4.000	0.20-0.40			
6852 SHAKTI	BAJAJ TEMPO OM616 IDI/ TEMPO TRAVELLER/ TRAX Ring Set	90.90	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0455 PPC		BAJAJ TEMPO BAJAJ OM-616 IDI TEMPO TRAVELLER BAJAJ TEMPO BAJAJ TRAX AUTO THERMATIC PISTON 2399cc BAJAJ TEMPO BAJAJ OM-616 DI TD 2400F
					1st	KV1	3.000	0.20-0.40			
					2nd	IKA	2.000	0.20-0.40			
					3rd	STD	4.000	0.20-0.40			
5104 C	BEDFORD DIESEL 330 Ring Set	103.17	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0412 PPC, 0412 PPC		BEDFORD BEDFORD DIESEL 330
					1st (Chrome Plated)	STD	2.385	0.31-0.44			
					2nd (Phosphated)	STD	2.385	0.31-0.44			
					3rd (Phosphated)	STD	4.760	0.31-0.44			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6883 TKTGES	EICHER CANTER Ring Set	100	4	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0441 PPC, 0441 PPC, 0441 PPC	0034	EICHER EICHER CANTER 3297CC
					1st(Chrome Plated)	KV1	3.000	0.30-0.50			
					2nd(Chrome Plated)	STD	2.000	0.30-0.50			
					3rd(Chrome Plated)	STD	5.000	0.30-0.50			
6882TKITGES	EICHER AVL/ TCI EURO III Ring Set	100	4	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			
					1st	KV1	3.000	0.30-0.50			
					2nd	IKA	2.000	0.30-0.50			
					3rd	STEEL	4.000	0.30-0.50			
6115ES	LEYLAND 400 (RC) CHEETAH Ring Set	107.30	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0414 PPC, 0414 PPC	0053	ASHOK LEYLAND LEYLAND 400 RC
					1st	STD	3.390	0.25-0.40			
					2nd	STD	6.360	0.25-0.40			
					3rd	STD	6.360	0.25-0.40			
6115CES	LEYLAND 400 (RC) CHEETAH Ring Set	107.30	6	STD,0.005	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			ASHOK LEYLAND LEYLAND 400 RC
					1st (Chrome Plated)	STD	3.390	0.25-0.40			
					2nd (Phosphated)	STD	3.390	0.25-0.40			
					3rd	STD	6.350	0.25-0.40			
					4th (Phosphated)	STD	6.350	0.25-0.40			



Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6122 DICES	LEYLAND 401 (RC) VIKING/TUSKER/SUPER Ring Set	107.30	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0419 PPC, 0420 PPC, 0419 PPC, 0420 PPC, 0420 PPC	0053, 0053	ASHOK LEYLAND LEYLAND VIKING ASHOK LEYLAND LEYLAND-401 RC ASHOK LEYLAND LEYLAND 402 RC
					1st (PHOSPHATED)	IKA	2.390	0.30-0.45			
					2nd (PHOSPHATED)	IKA	2.390	0.30-0.45			
					3rd (CHROME PLATED)	STD	4.770	0.30-0.45			
					4th	STD	4.770	0.30-0.45			
6122 DICUCES	LEYLAND 401 (RC) VIKING/TUSKER/SUPER Ring Set	107.30	6	STD, 0.1	Type	Material	Axial Height (mm)	End Gap (mm)			ASHOK LEYLAND LEYLAND VIKING ASHOK LEYLAND LEYLAND-401 RC ASHOK LEYLAND LEYLAND 402 RC
					1st (Copper flash)	IKA	2.390	0.30-0.45			
					2nd (Copper flash)	IKA	2.390	0.30-0.45			
					3rd (Chrome Plated)	STD	4.770	0.30-0.45			
					4th (Phosphated)	STD	4.770	0.30-0.45			
6120 DICUCES	LEYLAND 401 (RC) VIKING/TUSKER/SUPER 3 RV Ring Set	107.30	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0406 PPC		ASHOK LEYLAND LEYLAND VIKING ASHOK LEYLAND LEYLAND-401 RC
					1st (COPPER FLASH)	IKA	2.390	0.30-0.45			
					2nd (COPPER FLASH)	IKA	2.390	0.55-0.70			
					3rd (CHROME PLATED)	STD	4.770	0.30-0.45			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6129 Plasma	Leyland 401(RC) 6.65 Euro -I Ring Set	107.30	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0405 PPC, 0405 PPC, 0723 PPC, 0433 PPC, 0429 PPC, 0727 PPC	0053	ASHOK LEYLAND LEYLAND-401 RC ASHOK LEYLAND LEYLAND EURO-I ASHOK LEYLAND LEYLAND 402 LTC ASHOK LEYLAND LEYLAND 412 TCAC ASHOK LEYLAND LEYLAND-402
					1st (PLASMA FILLED)	IKA	3.190	0.30-0.45			
					2nd (Phosphated)	IKA	2.390	0.30-0.45			
					3rd ((CHROME PLATED)	STD	4.770	0.30-0.45			
6137 TKIDCES	LEYLAND IVECO 8040 EURO-I Ring Set	104	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0407 PPC		ASHOK LEYLAND LEYLAND IVECO-8060 ASHOK LEYLAND LEYLAND EURO-I
					1st (CHROME PLATED)	KV1	3.500	0.30-0.45			
					2nd	IKA	2.500	0.35-0.55			
					3rd(CHROME PLATED)	STD	4.000	0.30-0.55			
6141 PLASMA	LEYLAND IVECO- 8040-8060 CNG Ring Set	104	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0713 PPC, 0713 PPC		ASHOK LEYLAND LEYLAND IVECO-8060 ASHOK LEYLAND LEYLAND IVECO-8040
					1st (PLASMA FILLED)	KV1	2.500	0.30-0.45			
					2nd (Phosphated)	IKA	2.000	0.45-0.60			
					3rd(CHROME PLATED)	STD	4.000	0.30-0.55			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6135 TKDCES	LEYLAND HINO WO 6D Ring set	104	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0427 PPC, 0704 PPC, 0712 PPC, 0712 PPC		ASHOK LEYLAND LEYLAND 1612 ASHOK LEYLAND LEYLAND LEYLAND HINO WO 6DTI EURO-I ASHOK LEYLAND LEYLAND 2516 ASHOK LEYLAND LEYLAND HINO WO 6E
					1st (CHROME PLATED)	KV1	2.500	0.30-0.42			
					2nd (PHOSPHATED)	CRO3	2.000	0.30-0.50			
					3rd(CHROME PLATED)	std	5.000	0.30-0.42			
6134 PLASMA	LEYLAND HINO WO 6E Ring Set	104	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0708 PPC, 0716 PPC, 0708 PPC, 0717 PPC, 0708 PPC		ASHOK LEYLAND LEYLAND 1612 ASHOK LEYLAND LEYLAND LEYLAND HINO WO 6E RC TUSKAR 2214 ASHOK LEYLAND LEYLAND LEYLAND HINO WO 6DTI EURO-I ASHOK LEYLAND LEYLAND 2516 ASHOK LEYLAND LEYLAND HINO WO6DTI EURO-II
					1st (PLASMA FILLED)	KV1	3.000	0.30-0.45			
					2nd (Phosphated)	CRO3	2.500	0.30-0.45			
					3rd (NITRIDED )	STEEL	5.000	0.30-0.45			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application																
6133 PLASMA	LEYLAND HINO WO 6E Ring Set	104	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st (PLASMA FILLED)</td> <td>KV1</td> <td>3.000</td> <td>0.30-0.45</td> </tr> <tr> <td>2nd (Phosphated)</td> <td>CRO3</td> <td>2.500</td> <td>0.30-0.45</td> </tr> <tr> <td>3rd (CHROME PLATED)</td> <td>STD</td> <td>5.000</td> <td>0.30-0.45</td> </tr> </tbody> </table>				Type	Material	Axial Height (mm)	End Gap (mm)	1st (PLASMA FILLED)	KV1	3.000	0.30-0.45	2nd (Phosphated)	CRO3	2.500	0.30-0.45	3rd (CHROME PLATED)	STD	5.000	0.30-0.45			ASHOK LEYLAND LEYLAND 1612 ASHOK LEYLAND LEYLAND HINO WO 6E RC TUSKAR 2214 ASHOK LEYLAND LEYLAND 2516 ASHOK LEYLAND LEYLAND HINO WO 6DTI EURO-I ASHOK LEYLAND LEYLAND HINO WO6DTI EURO-II
Type	Material	Axial Height (mm)	End Gap (mm)																								
1st (PLASMA FILLED)	KV1	3.000	0.30-0.45																								
2nd (Phosphated)	CRO3	2.500	0.30-0.45																								
3rd (CHROME PLATED)	STD	5.000	0.30-0.45																								
6136 PLASMA	LEYLAND HINO WO6E Ring Set	104	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>KV1</td> <td>2.500</td> <td>0.30-0.45</td> </tr> <tr> <td>2nd</td> <td>CRO3</td> <td>2.000</td> <td>0.30-0.50</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>5.000</td> <td>0.30-0.45</td> </tr> </tbody> </table>				Type	Material	Axial Height (mm)	End Gap (mm)	1st	KV1	2.500	0.30-0.45	2nd	CRO3	2.000	0.30-0.50	3rd	STD	5.000	0.30-0.45			ASHOK LEYLAND LEYLAND HINO WO 6E
Type	Material	Axial Height (mm)	End Gap (mm)																								
1st	KV1	2.500	0.30-0.45																								
2nd	CRO3	2.000	0.30-0.50																								
3rd	STD	5.000	0.30-0.45																								
6125 DICES	LEYLAND 412 (RC) COMET Ring Set	107.30	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>IKA</td> <td>3.190</td> <td>0.30-0.45</td> </tr> <tr> <td>2nd</td> <td>IKA</td> <td>2.390`</td> <td>0.55-0.70</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>4.770</td> <td>0.30-0.45</td> </tr> </tbody> </table>				Type	Material	Axial Height (mm)	End Gap (mm)	1st	IKA	3.190	0.30-0.45	2nd	IKA	2.390`	0.55-0.70	3rd	STD	4.770	0.30-0.45	0425 PPC, 0425 PPC, 0428 PPC	0053	ASHOK LEYLAND LEYLAND-412 (RC) ASHOK LEYLAND LEYLAND-412
Type	Material	Axial Height (mm)	End Gap (mm)																								
1st	IKA	3.190	0.30-0.45																								
2nd	IKA	2.390`	0.55-0.70																								
3rd	STD	4.770	0.30-0.45																								

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application																				
6125 DICUCES	LEYLAND 412 (RC) COMET Ring Set	107.30	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1ST (COPPER FLASH)</td> <td>IKA</td> <td>3.190</td> <td>0.30-0.45</td> </tr> <tr> <td>2ND (COPPER FLASH)</td> <td>IKA</td> <td>2.390</td> <td>0.55-0.70</td> </tr> <tr> <td>3RD (CHROME PLATED)</td> <td>STD</td> <td>4.770</td> <td>0.30-0.45</td> </tr> </tbody> </table>				Type	Material	Axial Height (mm)	End Gap (mm)	1ST (COPPER FLASH)	IKA	3.190	0.30-0.45	2ND (COPPER FLASH)	IKA	2.390	0.55-0.70	3RD (CHROME PLATED)	STD	4.770	0.30-0.45			ASHOK LEYLAND LEYLAND-412 (RC)				
Type	Material	Axial Height (mm)	End Gap (mm)																												
1ST (COPPER FLASH)	IKA	3.190	0.30-0.45																												
2ND (COPPER FLASH)	IKA	2.390	0.55-0.70																												
3RD (CHROME PLATED)	STD	4.770	0.30-0.45																												
6112 ES	Leyland 680 Dumper /Beaver Ring Set	127.028	6	STD 0.25, 0.50, 0.75	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STD</td> <td>2.390</td> <td>0.60-0.80</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>3.185</td> <td>0.60-0.80</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>6.360</td> <td>0.45-0.65</td> </tr> <tr> <td>4rd</td> <td>STD</td> <td>6.360</td> <td>0.25-0.50</td> </tr> </tbody> </table>				Type	Material	Axial Height (mm)	End Gap (mm)	1st	STD	2.390	0.60-0.80	2nd	STD	3.185	0.60-0.80	3rd	STD	6.360	0.45-0.65	4rd	STD	6.360	0.25-0.50	0409 PPC		ASHOK LEYLAND LEYLAND-680 DUMPER ASHOK LEYLAND LEYLAND 680 BEAVER
Type	Material	Axial Height (mm)	End Gap (mm)																												
1st	STD	2.390	0.60-0.80																												
2nd	STD	3.185	0.60-0.80																												
3rd	STD	6.360	0.45-0.65																												
4rd	STD	6.360	0.25-0.50																												
6139 PLASMA	Leyland 680 TC AC Euro-I Ring Set	127.028	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st (PLASMA FILLED)</td> <td>IKA</td> <td>3.500</td> <td>0.35-0.60</td> </tr> <tr> <td>2nd (Phosphated)</td> <td>IKA</td> <td>3.000</td> <td>0.35-0.60</td> </tr> <tr> <td>3rd (CHROME PLATED)</td> <td>STD</td> <td>4.000</td> <td>0.35-0.60</td> </tr> </tbody> </table>				Type	Material	Axial Height (mm)	End Gap (mm)	1st (PLASMA FILLED)	IKA	3.500	0.35-0.60	2nd (Phosphated)	IKA	3.000	0.35-0.60	3rd (CHROME PLATED)	STD	4.000	0.35-0.60	0718 PPC, 07181 PPC, 07182 PPC, 0714 PPC, 0424 PPC		ASHOK LEYLAND LEYLAND 680 TC AC EURO-I ASHOK LEYLAND LEYLAND 680 INDUSTRIAL EURO-I ASHOK LEYLAND LEYLAND 680 TC AC EURO-II ASHOK LEYLAND LEYLAND-680 RC				
Type	Material	Axial Height (mm)	End Gap (mm)																												
1st (PLASMA FILLED)	IKA	3.500	0.35-0.60																												
2nd (Phosphated)	IKA	3.000	0.35-0.60																												
3rd (CHROME PLATED)	STD	4.000	0.35-0.60																												

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application														
6126 DIES	Leyland 690 RC Hippo TC Ring Set	127.028	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st (Phosphated)</td> <td>IKA</td> <td>3.540</td> <td>0.35-0.60</td> </tr> <tr> <td>2nd (Phosphated)</td> <td>STD</td> <td>6.360</td> <td>0.45-0.65</td> </tr> <tr> <td>3rd PHOSPHATED</td> <td>STD</td> <td>6.360</td> <td>0.25-0.50</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st (Phosphated)	IKA	3.540	0.35-0.60	2nd (Phosphated)	STD	6.360	0.45-0.65	3rd PHOSPHATED	STD	6.360	0.25-0.50				ASHOK LEYLAND LEYLAND 690 RC HIPPO TC
Type	Material	Axial Height (mm)	End Gap (mm)																						
1st (Phosphated)	IKA	3.540	0.35-0.60																						
2nd (Phosphated)	STD	6.360	0.45-0.65																						
3rd PHOSPHATED	STD	6.360	0.25-0.50																						
6885 TKTCES	Swaraj Mazda Euro III Ring Set	100	4	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st(Chrome Plated)</td> <td>KV1</td> <td>2.500</td> <td>0.30-0.50</td> </tr> <tr> <td>2nd (Chrome Plated)</td> <td>STD</td> <td>2.000</td> <td>0.40-0.55</td> </tr> <tr> <td>3rd (Chrome Plated)</td> <td>STD</td> <td>4.500</td> <td>0.20-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st(Chrome Plated)	KV1	2.500	0.30-0.50	2nd (Chrome Plated)	STD	2.000	0.40-0.55	3rd (Chrome Plated)	STD	4.500	0.20-0.40	0446 PPC, 04471 PPC, 04471 PPC, 0446 PPC, 04471 PPC, 0447 PPC, 0403 PPC	0041, 0041	SWARAJ MAZDA SWARAJ MAZDA SWARAJ MAZDA SWARAJ MAZDA EURO-III SWARAJ MAZDA SWARAJ MAZDA EURO-I SWARAJ MAZDA SWARAJ MAZDA CNG	
Type	Material	Axial Height (mm)	End Gap (mm)																						
1st(Chrome Plated)	KV1	2.500	0.30-0.50																						
2nd (Chrome Plated)	STD	2.000	0.40-0.55																						
3rd (Chrome Plated)	STD	4.500	0.20-0.40																						
5516TKTCES	Swaraj Mazda	100	4	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st (CHROME PLATED)</td> <td>KV1</td> <td>2.500</td> <td>0.30-0.50</td> </tr> <tr> <td>2nd (CHROME PLATED)</td> <td>STD</td> <td>2.000</td> <td>0.40-0.55</td> </tr> <tr> <td>3rd (Chrome Plated)</td> <td>STD</td> <td>4.500</td> <td>0.20-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st (CHROME PLATED)	KV1	2.500	0.30-0.50	2nd (CHROME PLATED)	STD	2.000	0.40-0.55	3rd (Chrome Plated)	STD	4.500	0.20-0.40			SWARAJ MAZDA SWARAJ MAZDA SWARAJ MAZDA SWARAJ MAZDA EURO-III SWARAJ MAZDA SWARAJ MAZDA EURO-I SWARAJ MAZDA SWARAJ MAZDA CNG	
Type	Material	Axial Height (mm)	End Gap (mm)																						
1st (CHROME PLATED)	KV1	2.500	0.30-0.50																						
2nd (CHROME PLATED)	STD	2.000	0.40-0.55																						
3rd (Chrome Plated)	STD	4.500	0.20-0.40																						

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
5316 TKDCPGES	TATA 1612/1510/1313/2213/697 NA Ring Set	97	6	STD, 0,020, 0,040	Type	Material	Axial Height (mm)	End Gap (mm)	0474PPC, 0474PPC	0097 FFM	TATA TATA-LPT 1612 TATA TATA-1510 TATA TATA-2213 TATA TATA-697 NA 5RV
					1st (Chrome Plated)	KV1	3.000	0.35-0.55			
					2nd & 3rd (Phosphated)	STD	3.000	0.35-0.55			
					4th (Chrome Plated)	STD	5.500	0.25-0.40			
					5th (Phosphated)	STD	5.500	0.25-0.40			
5317 TSDCPGES	TATA 1612/1510/1313/2213/697 NA 4RV Ring Set	97	6	STD, 0.10, 0.50, 1.00, 1.50	Type	Material	Axial Height (mm)	End Gap (mm)	0490PPC, 0490PPC	0097 SHP	TATA TATA-LPT 1612 TATA TATA-2213 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 4RV
					1st (Chrome Plated)	STEEL	3.000	0.35-0.55			
					2nd (Phosphated)	STD	3.000	0.35-0.55			
					3rd (Phosphated)	STD	3.000	0.35-0.55			
					4rd	STD	5.500	0.25-0.40			
5326TSMOICES	TATA 1612/1510/1313/2213/ 697 NA 4RV Ring Set	97	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0460PPC, 0460PPC	0097 M	TATA TATA-LPT 1612 TATA TATA-2213 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 4RV
					1st	STEEL	2.500	0.20-0.35			
					2nd	IKA	2.500	0.40-0.60			
					3rd	STD	4.000	0.25-0.40			
					4th	STD	4.000	0.30-0.55			
5326PLASMA GOLD	TATA 1612/1510/1313/2213/697 NA 4RV Ring Set	97	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)			TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 4RV
					1st	KV1	2.500	0.20-0.35			
					2nd	IKA	2.500	0.40-0.60			
					3rd	STD	4.000	0.25-0.40			
					4th	STD	4.000	0.20-0.35			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
5321MOLY PLUS	TATA 1612/1510/1313/2213/697 NA 3RV Ring Set	97	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0468PPC, 0468PPC	0097 FFM	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 3RV
					1st	STEEL	2.500	0.20-0.35			
					2nd	IKA	2.500	0.45-0.60			
					3rd	STD	4.000	0.25-0.40			
5321 PLASMA STEEL POWER	TATA 1612/1510/1313/2213/697 NA 3RV Ring Set	97	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 3RV
					1st	KV1	2.500	0.20-0.35			
					2nd	IKA	2.500	0.40-0.60			
					3rd	STEEL	4.000	0.25-0.40			
5321 PLASMA GOLD POWER	TATA 1612/1613/1313 697 NA Ring Set	97	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0777PPC, 0777PPC	0097 M	TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-697 NA 3RV
					1st	KV1	2.500	0.20-0.35			
					2nd	IKA	2.500	0.40-0.60			
					3rd	STEEL	4.000	0.25-0.40			
5321CHALLENGER	TATA 1612/1613/1313 697 NA Ring Set	97	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0711PPC, 0711PPC	0097 MB	TATA TATA-2213 TATA TATA-1612 TATA TATA-1510 TATA TATA-697 NA CNG
					1st	STEEL	2.500	0.20-0.35			
					2nd	IKA	2.500	0.45-0.60			
					3rd	STD	4.000	0.25-0.40			



Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6881 TSIDCES	TATA 1612/1313/1613/1510/2213/697 NA	97	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0888PPC, 0888PPC	0097 FFM	TATA TATA-LPT 1612 TATA TATA-2213 TATA TATA-1313 TATA TATA-1613 TATA TATA-1510 TATA TATA-697 NA 3RV
					1st	steel	2.500	0.20-0.35			
					2nd	IKA	2.500	0.30-0.55			
					3rd	STD	4.000	0.25-0.40			
5321 TSMOICES	TATA 1612/1510/2213/697	97	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0491PPC, 0491PPC	0097 SHP	TATA TATA-1516 TATA TATA-697 TC
					1st	STEEL	2.500	0.20-0.35			
					2nd	STD	2.500	0.20-0.35			
					3rd	STD	4.000	0.25-0.40			
5321 MOLY GOLD STAR	TATA 1516/697TC/HITACHI LOADER	97	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0715PPC, 0715PPC, 0710PPC	0097 M	TATA TATA-1516 TATA TATA-2213 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 3RV TATA TATA-612
					1st	STEEL	2.500	0.20-0.35			
					2nd	IKA	2.500	0.45-0.60			
					3rd	STD	4.000	0.25-0.40			
6850DCES	Bajaj Tempo Matador-3RV Ring		1	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0450PPC	0038	BAJAJ TEMPO BAJAJ MATADOR-3RV
					11	AS	2.50	0.20-0.35			
					RV	SGC	2.50	0.20-0.35			
6850DCES	Bajaj Tempo Matador-3RV Ring	48.00	1	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0450PPC	0038	BAJAJ TEMPO BAJAJ MATADOR-3RV
					11	AS	2.50	0.20-0.35			
					RV	SGC	2.50	0.20-0.35			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6882 STEEL	Eicher E483 TCI	100	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0413 PPC		EICHER EICHER E 483 TCI
					1st(Chrome Plated)	KV1	3.000	0.30-0.50			
					2nd(Chrome Plated)	STD	2.000	0.30-0.50			
					3rd(Chrome Plated)	STEEL	3.000	0.20-0.40			
6110	LEYLAND 350	100.62	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0408 PPC, 0408		ASHOK LEYLAND LEYLAND-350
					1st	STD	1.980	0.25-0.40			
					2nd	STD	2.385	0.25-0.40			
					3rd	STD	6.320	0.25-0.40			
6108 C	LEYLAND 350	100.62	6	STD 0.005	Type	Material	Axial Height (mm)	End Gap (mm)	0404 PPC, 0404		ASHOK LEYLAND LEYLAND-350
					1st	STD	3.370	0.25-0.40			
					2nd	STD	3.370	0.25-0.40			
					3rd	STD	6.320	0.25-0.40			
6117SPL	LEYLAND 370 ST	103.35	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0416 PPC	0050	ASHOK LEYLAND LEYLAND 370 ST
					1st	STD	2.390	0.25-0.40			
					2nd	STD	2.390	0.25-0.45			
					3rd	STD	2.390	0.25-0.45			
					4th	STD	6.360	0.25-0.45			
					5th	STD	6.360	0.25-0.45			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6111 ES	LEYLAND 370	103.35	6	STD 0.005	Type	Material	Axial Height (mm)	End Gap (mm)	0421PPC, 0421PPC	0049	ASHOK LEYLAND LEYLAND 370 RC
					1st	STD	3.420	0.25-0.40			
					2nd	STD	6.360	0.25-0.40			
					3rd	STD	6.360	0.25-0.40			
6755 TCES	NISSAN	87.70	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0360 PPC		NISSAN NISSAN AUTO THERMIC
					1st	STD	2.500	0.25-0.40			
					2nd	STD	2.500	0.15-0.30			
					3rd	STD	4.780	0.25-0.40			
5301 DCBSM	TATA OM-312 L3500	90	6	STD ,0.010,0.020,0.030,0.040,0.060	Type	Material	Axial Height (mm)	End Gap (mm)	0402 PPC, 0402 PPC	0091	TATA TATA OM-312 TATA TATA- L3500
					1st	STD	3.000	0.15-0.30			
					2nd	STD	3.000	0.15-0.30			
					3rd	STD	3.000	0.15-0.30			
					4th	STD	3.000	0.15-0.30			
					5th	STD	5.500	0.15-0.30			
					6th	STD	5.500	0.15-0.30			
5301 DCES	TATA OM-312 L3500	90	6	STD,0.010, 0.020, 0.030 ,0.040 ,0.060	Type	Material	Axial Height (mm)	End Gap (mm)	0472 PPC		TATA TATA OM-312 TATA TATA- L3500
					1st	STD	3.000	0.15-0.30			
					2nd	STD	3.000	0.15-0.30			
					3rd	STD	3.000	0.15-0.30			
					4th	STD	3.000	0.15-0.30			
					5th	STD	5.500	0.15-0.30			
					6th	STD	5.500	0.15-0.30			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification	Matching Piston	Matching Liner	Application			
5308 TSDCPGES	TATA 1210/692 5RV	92	6	STD 0.010 ,0.020, 0.030, 0.040, 0.050 ,0.060	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0470 PPC, 0470 PPC, 0469 PPC	0094	TATA TATA-1210SE TATA TATA-692 DI RC 5RV
					1st	STEEL	2.500	0.20-0.35			
					2nd	STD	2.500	0.20-0.35			
					3rd	STD	2.500	0.20-0.35			
					4th	STD	5.500	0.20-0.35			
					5th	STD	5.500	0.20-0.35			
5308 CPF	TATA 1210/692 DI RC 5RV	92	6	STD 0.010 ,0.020, 0.030, 0.040, 0.050 ,0.060	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0480 PPC, 0480 PPC	0094	TATA TATA-1210 TATA TATA-692 DI RC 5RV
					1st	STD	2.500	0.20-0.35			
					2nd	STD	2.500	0.20-0.35			
					3rd	STD	2.500	0.20-0.35			
					4th	STD	5.500	0.20-0.35			
					5th	STD	5.500	0.20-0.35			
5308 SHAKTI	TATA 1210/692 5RV	92	6	STD 0.010 ,0.020, 0.030, 0.040 ,0.060	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0492 PPC, 0492 PPC	0092 M	TATA TATA-1210 TATA TATA-692 DI RC 5RV
					1st	STD	2.500	0.20-0.35			
					2nd	STD	2.500	0.20-0.35			
					3rd	STD	2.500	0.20-0.35			
					4th	STD	5.500	0.20-0.35			
					5th	STD	5.500	0.20-0.35			
5310 CPF	TATA 1210/692 5RV	92	6	STD 0.25 ,0.50 ,0.75 ,1.00	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0488 PPC, 0488 PPC	0094	TATA TATA-1210 TATA TATA-692 DI 5RV
					1st	STD	3.000	0.20-0.35			
					2nd	STD	3.000	0.20-0.35			
					3rd	STD	3.000	0.20-0.35			
					4th	STD	5.500	0.20-0.35			
					5th	STD	5.500	0.20-0.35			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification	Matching Piston	Matching Liner	Application																								
5310 DCES	TATA 1210/692 5RV	92	6	STD 0.25 ,0.50 ,0.75 ,1.00 ,1.50	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STD</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>4th</td> <td>STD</td> <td>5.500</td> <td>0.25-0.40</td> </tr> <tr> <td>5th</td> <td>STD</td> <td>5.500</td> <td>0.20-0.35</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STD	3.000	0.20-0.35	2nd	STD	3.000	0.20-0.35	3rd	STD	3.000	0.20-0.35	4th	STD	5.500	0.25-0.40	5th	STD	5.500	0.20-0.35	0479 PPC, 0479 PPC	0092	TATA TATA-1210 TATA TATA-692 DI RC 5RV
Type	Material	Axial Height (mm)	End Gap (mm)																													
1st	STD	3.000	0.20-0.35																													
2nd	STD	3.000	0.20-0.35																													
3rd	STD	3.000	0.20-0.35																													
4th	STD	5.500	0.25-0.40																													
5th	STD	5.500	0.20-0.35																													
5310 TSDCPGES	TATA 1210/692 DI	92	6	STD 0.25 ,0.50 ,0.75 ,1.00 ,1.50	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STEEL</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>4th</td> <td>STD</td> <td>5.500</td> <td>0.25-0.40</td> </tr> <tr> <td>5th</td> <td>STD</td> <td>5.500</td> <td>0.20-0.35</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STEEL	3.000	0.20-0.35	2nd	STD	3.000	0.20-0.35	3rd	STD	3.000	0.20-0.35	4th	STD	5.500	0.25-0.40	5th	STD	5.500	0.20-0.35	0493 PPC, 0493 PPC	0092 M	TATA TATA-1210 TATA TATA-692 DI ST 5RV
Type	Material	Axial Height (mm)	End Gap (mm)																													
1st	STEEL	3.000	0.20-0.35																													
2nd	STD	3.000	0.20-0.35																													
3rd	STD	3.000	0.20-0.35																													
4th	STD	5.500	0.25-0.40																													
5th	STD	5.500	0.20-0.35																													
5306 SHAKTI	TATA 1210/692 DI	92	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STEEL</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>4th</td> <td>STD</td> <td>5.500</td> <td>0.20-0.35</td> </tr> <tr> <td>5th</td> <td>STD</td> <td>5.500</td> <td>0.20-0.35</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STEEL	3.000	0.20-0.35	2nd	STD	3.000	0.20-0.35	3rd	STD	3.000	0.20-0.35	4th	STD	5.500	0.20-0.35	5th	STD	5.500	0.20-0.35	0485 PPC, 0485 PPC	0094	TATA TATA-1210 TATA TATA-692 DI 4RV
Type	Material	Axial Height (mm)	End Gap (mm)																													
1st	STEEL	3.000	0.20-0.35																													
2nd	STD	3.000	0.20-0.35																													
3rd	STD	3.000	0.20-0.35																													
4th	STD	5.500	0.20-0.35																													
5th	STD	5.500	0.20-0.35																													
5306 DCES	TATA 1210/692 DI 4RV	92	6	STD 0.25 ,0.50 ,0.75 ,1.00 ,1.50	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>4th</td> <td>STD</td> <td>5.500</td> <td>0.25-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STD	2.500	0.20-0.35	2nd	STD	2.500	0.20-0.35	3rd	STD	2.500	0.20-0.35	4th	STD	5.500	0.25-0.40	0484 PPC, 0484 PPC	0094 M	TATA TATA-1210 TATA TATA-692 DI RC 4RV				
Type	Material	Axial Height (mm)	End Gap (mm)																													
1st	STD	2.500	0.20-0.35																													
2nd	STD	2.500	0.20-0.35																													
3rd	STD	2.500	0.20-0.35																													
4th	STD	5.500	0.25-0.40																													

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification	Matching Piston	Matching Liner	Application																								
5314 TSIDCPGES	TATA 1210/692 DI 3RV	92	6	STD 0.10	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STEEL</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>IKA</td> <td>2.500</td> <td>0.45-0.60</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>4.000</td> <td>0.25-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STEEL	2.500	0.20-0.35	2nd	IKA	2.500	0.45-0.60	3rd	STD	4.000	0.25-0.40	0482 PPC, 0482 PPC	0092 FF	TATA TATA-1210 TATA TATA-692 DI RC 3RV								
					Type	Material	Axial Height (mm)	End Gap (mm)																								
					1st	STEEL	2.500	0.20-0.35																								
					2nd	IKA	2.500	0.45-0.60																								
3rd	STD	4.000	0.25-0.40																													
1st	STEEL	2.500	0.20-0.35																													
2nd	IKA	2.500	0.45-0.60																													
3rd	STD	4.000	0.25-0.40																													
5314 SHAKTI	TATA 1210/692 DI 3RV	92`	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STEEL</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>IKA</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>4.000</td> <td>0.25-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STEEL	2.500	0.20-0.35	2nd	IKA	2.500	0.20-0.35	3rd	STD	4.000	0.25-0.40	0475 PPC, 0475 PPC	0092 MFF	TATA TATA-1210 TATA TATA-692 DI RC 4RV								
					Type	Material	Axial Height (mm)	End Gap (mm)																								
					1st	STEEL	2.500	0.20-0.35																								
					2nd	IKA	2.500	0.20-0.35																								
3rd	STD	4.000	0.25-0.40																													
1st	STEEL	2.500	0.20-0.35																													
2nd	IKA	2.500	0.20-0.35																													
3rd	STD	4.000	0.25-0.40																													
5314 TKIDCES	TATA 1210SE/692 3RV	92	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>KV1</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>IKA</td> <td>2.500</td> <td>0.45-0.60</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>4.000</td> <td>0.25-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	KV1	2.500	0.20-0.35	2nd	IKA	2.500	0.45-0.60	3rd	STD	4.000	0.25-0.40	0724 PPC, 0724 PPC	0094	TATA TATA-1210SE TATA TATA-692 CNG 3RV								
					Type	Material	Axial Height (mm)	End Gap (mm)																								
					1st	KV1	2.500	0.20-0.35																								
					2nd	IKA	2.500	0.45-0.60																								
3rd	STD	4.000	0.25-0.40																													
1st	KV1	2.500	0.20-0.35																													
2nd	IKA	2.500	0.45-0.60																													
3rd	STD	4.000	0.25-0.40																													
5308 DCES	TATA 1210/692 DI 5RV	92	6	STD 0.010 ,0.020, 0.030, 0.040 ,0.060	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>4th</td> <td>STD</td> <td>5.500</td> <td>0.20-0.35</td> </tr> <tr> <td>5th</td> <td>STD</td> <td>5.500</td> <td>0.20-0.35</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STD	2.500	0.20-0.35	2nd	STD	2.500	0.20-0.35	3rd	STD	2.500	0.20-0.35	4th	STD	5.500	0.20-0.35	5th	STD	5.500	0.20-0.35	0486 PPC, 0486 PPC	0092	TATA TATA-1210 TATA TATA-692 DI RC 5RV
					Type	Material	Axial Height (mm)	End Gap (mm)																								
					1st	STD	2.500	0.20-0.35																								
					2nd	STD	2.500	0.20-0.35																								
					3rd	STD	2.500	0.20-0.35																								
					4th	STD	5.500	0.20-0.35																								
5th	STD	5.500	0.20-0.35																													
1st	STD	2.500	0.20-0.35																													
2nd	STD	2.500	0.20-0.35																													
3rd	STD	2.500	0.20-0.35																													
4th	STD	5.500	0.20-0.35																													
5th	STD	5.500	0.20-0.35																													

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification	Matching Piston	Matching Liner	Application																								
5308 TSDCPG	TATA 1210SE 692 DI 5RV	92	6	STD 0.010 ,0.020, 0.030, 0.040, 0.050 ,0.060	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STEEL</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>4th</td> <td>STD</td> <td>5.500</td> <td>0.20-0.35</td> </tr> <tr> <td>5th</td> <td>STD</td> <td>5.500</td> <td>0.20-0.35</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STEEL	2.500	0.20-0.35	2nd	STD	2.500	0.20-0.35	3rd	STD	2.500	0.20-0.35	4th	STD	5.500	0.20-0.35	5th	STD	5.500	0.20-0.35	0469 PPC	0092 MFF	TATA TATA-1210SE TATA TATA-692 DI RC 5RV
					Type	Material	Axial Height (mm)	End Gap (mm)																								
					1st	STEEL	2.500	0.20-0.35																								
					2nd	STD	2.500	0.20-0.35																								
					3rd	STD	2.500	0.20-0.35																								
					4th	STD	5.500	0.20-0.35																								
5th	STD	5.500	0.20-0.35																													
1st	STEEL	2.500	0.20-0.35																													
2nd	STD	2.500	0.20-0.35																													
3rd	STD	2.500	0.20-0.35																													
4th	STD	5.500	0.20-0.35																													
5th	STD	5.500	0.20-0.35																													
6861 TSDCPGES	TATA 807/495 4RV	95	4	STD 0.075 ,0.125 ,0.25 ,0.50 ,0.75 ,1.00	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STEEL</td> <td>3.000</td> <td>0.35-0.55</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>3.000</td> <td>0.40-0.65</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>3.000</td> <td>0.40-0.65</td> </tr> <tr> <td>4th</td> <td>STD</td> <td>5.500</td> <td>0.25-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STEEL	3.000	0.35-0.55	2nd	STD	3.000	0.40-0.65	3rd	STD	3.000	0.40-0.65	4th	STD	5.500	0.25-0.40	0449 PPC, 0449 PPC	0063 M	TATA TATA-807 TATA TATA-495 RC 4RV				
					Type	Material	Axial Height (mm)	End Gap (mm)																								
					1st	STEEL	3.000	0.35-0.55																								
					2nd	STD	3.000	0.40-0.65																								
					3rd	STD	3.000	0.40-0.65																								
4th	STD	5.500	0.25-0.40																													
1st	STEEL	3.000	0.35-0.55																													
2nd	STD	3.000	0.40-0.65																													
3rd	STD	3.000	0.40-0.65																													
4th	STD	5.500	0.25-0.40																													
5318 TSDCPGES	TATA 1312/695 NA 4RV	95	6	STD 1.00	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STEEL</td> <td>3.000</td> <td>0.35-0.55</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>3.000</td> <td>0.40-0.65</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>3.000</td> <td>0.40-0.65</td> </tr> <tr> <td>4th</td> <td>STD</td> <td>5.500</td> <td>0.25-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STEEL	3.000	0.35-0.55	2nd	STD	3.000	0.40-0.65	3rd	STD	3.000	0.40-0.65	4th	STD	5.500	0.25-0.40	0489 PPC		TATA TATA-1312 TATA TATA-695 NA 4RV				
					Type	Material	Axial Height (mm)	End Gap (mm)																								
					1st	STEEL	3.000	0.35-0.55																								
					2nd	STD	3.000	0.40-0.65																								
					3rd	STD	3.000	0.40-0.65																								
4th	STD	5.500	0.25-0.40																													
1st	STEEL	3.000	0.35-0.55																													
2nd	STD	3.000	0.40-0.65																													
3rd	STD	3.000	0.40-0.65																													
4th	STD	5.500	0.25-0.40																													
5321 EURO POWER	TATA 1612/1313/1613 Z697 NA 3RV	97	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>2.500</td> <td>0.45-0.60</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>4.000</td> <td>0.25-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STD	2.500	0.20-0.35	2nd	STD	2.500	0.45-0.60	3rd	STD	4.000	0.25-0.40	0496PPC, 0496PPC	0097 SHP	TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA- Z697 NA 3RV								
					Type	Material	Axial Height (mm)	End Gap (mm)																								
					1st	STD	2.500	0.20-0.35																								
					2nd	STD	2.500	0.45-0.60																								
3rd	STD	4.000	0.25-0.40																													
1st	STD	2.500	0.20-0.35																													
2nd	STD	2.500	0.45-0.60																													
3rd	STD	4.000	0.25-0.40																													

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification	Matching Piston	Matching Liner	Application																
6891 PLASMA STEEL POWER	TATA 1613 LPT/2515/613/1516/713/697	97	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STD</td> <td>2.500</td> <td>0.20-0.40</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>2.500</td> <td>0.30-0.60</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>3.000</td> <td>0.25-0.45</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STD	2.500	0.20-0.40	2nd	STD	2.500	0.30-0.60	3rd	STD	3.000	0.25-0.45	07022PPC, 04651 PPC		TATA TATA-613 TATA TATA-713 TATA TATA-1613 LPT TATA TATA-2515LPT TATA TATA-1516 TC TATA TATA-697 TC EURO-II TATA TATA-407 4SP TC TATA TATA SAFARI 207 DI EURO-II
Type	Material	Axial Height (mm)	End Gap (mm)																					
1st	STD	2.500	0.20-0.40																					
2nd	STD	2.500	0.30-0.60																					
3rd	STD	3.000	0.25-0.45																					
6892 PLASMA STEEL POWER	TATA 697/497 EURO III	97	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STD</td> <td>3.000</td> <td>0.20-0.40</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>2.500</td> <td>0.45-0.60</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>4.000</td> <td>0.25-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STD	3.000	0.20-0.40	2nd	STD	2.500	0.45-0.60	3rd	STD	4.000	0.25-0.40	, 04181 PPC		
Type	Material	Axial Height (mm)	End Gap (mm)																					
1st	STD	3.000	0.20-0.40																					
2nd	STD	2.500	0.45-0.60																					
3rd	STD	4.000	0.25-0.40																					
6872 TSSMOCES	TATA 608/697 6SP 3RV	97	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STEEL</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>4.000</td> <td>0.25-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STEEL	2.500	0.20-0.35	2nd	STD	2.500	0.20-0.35	3rd	STD	4.000	0.25-0.40	0494PPC, 0494PPC	0097 SHF	TATA TATA-697 6SP 3RV TATA TATA-608
Type	Material	Axial Height (mm)	End Gap (mm)																					
1st	STEEL	2.500	0.20-0.35																					
2nd	STD	2.500	0.20-0.35																					
3rd	STD	4.000	0.25-0.40																					
6871 CHALLENGER	TATA 407/497 4SP 3RV	97	4	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STEEL</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>IKA</td> <td>2.500</td> <td>0.45-0.55</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>4.000</td> <td>0.25-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STEEL	2.500	0.20-0.35	2nd	IKA	2.500	0.45-0.55	3rd	STD	4.000	0.25-0.40	0445PPC, 0445PPC	0096 SHF	TATA TATA-407 TATA TATA-497 4SP 3RV
Type	Material	Axial Height (mm)	End Gap (mm)																					
1st	STEEL	2.500	0.20-0.35																					
2nd	IKA	2.500	0.45-0.55																					
3rd	STD	4.000	0.25-0.40																					



Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6871 TSSMOICES	TATA 407 4SP	97	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0458PPC, 0458PPC	0096 E	TATA TATA-407 4SP
					1st	STEEL	2.500	0.20-0.35			
					2nd	IKA	2.500	0.30-0.55			
					3rd	STD	4.000	0.25-0.40			
6871 EURO POWER	TATA 407 4SP 3RV	97	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0462PPC, 0462PPC	0096 SHP	TATA TATA-407 3RV
					1st	STD	2.500	0.20-0.35			
					2nd	STD	2.500	0.45-0.55			
					3rd	STD	4.000	0.25-0.40			
6871 TSSMOCES	TATA 407 4SP EURO I	97	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0465PPC, 0465PPC, 0465PPC	0096 SHF, 0096 SHF	TATA TATA-407 4SP TC TATA TATA SAFARI TC EURO-I
					1st	STEEL	2.500	0.20-0.35			
					2nd	STD	2.500	0.20-0.35			
					3rd	STD	4.000	0.25-0.40			
6871 MOLY PLUS	TATA 609/709/809 TC/497X128 TURBO EURO-1	97	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0466PPC, 0466PPC, 0466PPC	0096 SHP, 0096 SHP	TATA TATA-497X128 TURBO ENGINE EURO-I TATA TATA-809 TC TATA TATA-609 TATA TATA-709
					1st	STEEL	2.500	0.20-0.35			
					2nd	STD	2.500	0.40-0.55			
					3rd	STD	4.000	0.25-0.40			
6871 PLASMA GOLD POWER	TATA 609/709/809 LP 497X128	97	4	STD	Type	Material	Axial Height (mm)	End Gap (mm)	0461 PPC, 0461 PPC	0096 SHF	TATA TATA-609 TATA TATA-709 TATA TATA-497X128 TATA TATA-809LP TATA TATA TORROIDAL CAVITY
					1st	KV1	2.500	0.20-0.35			
					2nd	IKA	2.500	0.40-0.60			
					3rd	STD	4.000	0.25-0.40			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6871 STEEL POWER	TATA SPACIO EURO-II	97	4	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0350 PPC , 0350 PPC	0096 SHP	TATA TATA SPACIO EURO-II
					1st	STD	2.500	0.20-0.35			
					2nd	STD	2.500	0.40-0.55			
					3rd	STD	4.000	0.25-0.40			
6889 PLASMA STEEL POWER	TATA SAFARI DICOR/97 4SP EURO-III	97	4	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	04221 PPC		TATA TATA SAFARI DICOR TATA TATA-97 TATA TATA-4SP TCIC EURO-III MODIFIED
					1st	STD	3.000	0.20-0.35			
					2nd	STD	2.500	0.80-1.00			
					3rd	STD	4.000	0.25-0.40			
6884 PLASMA	TATA 97 4SP	97	4	STD 0.10 ,0.25	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0426PPC		TATA TATA-97 4SP CNG
					1st	STEEL	2.450	0.20-0.35			
					2nd	F14	2.000	0.35-0.50			
					3rd	STD	4.000	0.25-0.40			
5764 MolyGold Power Ring	TATA ACE / 275 IDI NA BS-II/III	75	2	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	04333PPC, 04333PPC	00992	TATA TATA ACE TATA TATA-275 IDI NA BS-II TATA TATA-275 IDI NA BS-III
					1st	KV1	2.000	0.20-0.35			
					2nd	IKA	2.000	0.35-0.50			
					3rd	STD	3.000	0.20-0.35			
6142 PLASMA STEEL POWER STD	LEYLAND HINO 6DTI EURO II RING SET	104	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	07302 PPC, 07301 PPC		ASHOK LEYLAND LEYLAND HINO WO6DTI EURO-II ASHOK LEYLAND LEYLAND HINO 6CTI EURO-III
					1st	STD	3.000	0.30-0.45			
					2nd	STD	2.500	0.30-0.45			
					3rd	STD	3.000	0.30-0.50			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification	Matching Piston	Matching Liner	Application																								
6130 PLASMA STEEL POWER	LEYLAND 412 TCAC/402 LTC EURO-II	107.30	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STD</td> <td>3.190</td> <td>0.30-0.45</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>2.390</td> <td>0.30-0.45</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>4.000</td> <td>0.30-0.50</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STD	3.190	0.30-0.45	2nd	STD	2.390	0.30-0.45	3rd	STD	4.000	0.30-0.50	0722 PPC		ASHOK LEYLAND LEYLAND 412 TCAC ASHOK LEYLAND LEYLAND 402 LTC ASHOK LEYLAND LEYLAND EURO-II								
Type	Material	Axial Height (mm)	End Gap (mm)																													
1st	STD	3.190	0.30-0.45																													
2nd	STD	2.390	0.30-0.45																													
3rd	STD	4.000	0.30-0.50																													
5308 DCBSM	TATA 1210/692 DI ST 5RV	92	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>2.500</td> <td>0.20-0.35</td> </tr> <tr> <td>4th</td> <td>STD</td> <td>5.500</td> <td>0.20-0.35</td> </tr> <tr> <td>5th</td> <td>STD</td> <td>5.500</td> <td>0.20-0.35</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STD	2.500	0.20-0.35	2nd	STD	2.500	0.20-0.35	3rd	STD	2.500	0.20-0.35	4th	STD	5.500	0.20-0.35	5th	STD	5.500	0.20-0.35	0495 PPC		TATA TATA-1210
Type	Material	Axial Height (mm)	End Gap (mm)																													
1st	STD	2.500	0.20-0.35																													
2nd	STD	2.500	0.20-0.35																													
3rd	STD	2.500	0.20-0.35																													
4th	STD	5.500	0.20-0.35																													
5th	STD	5.500	0.20-0.35																													
5310 SHAKTI	TATA 1210/692 DI	92	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>KV1</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>3.000</td> <td>0.20-0.35</td> </tr> <tr> <td>4th</td> <td>STD</td> <td>5.500</td> <td>0.25-0.40</td> </tr> <tr> <td>5th</td> <td>STD</td> <td>5.500</td> <td>0.25-0.40</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	KV1	3.000	0.20-0.35	2nd	STD	3.000	0.20-0.35	3rd	STD	3.000	0.20-0.35	4th	STD	5.500	0.25-0.40	5th	STD	5.500	0.25-0.40	0471 PPC, 0471 PPC	0092 FF	TATA TATA-1210 TATA TATA-692 DI ST 5RV
Type	Material	Axial Height (mm)	End Gap (mm)																													
1st	KV1	3.000	0.20-0.35																													
2nd	STD	3.000	0.20-0.35																													
3rd	STD	3.000	0.20-0.35																													
4th	STD	5.500	0.25-0.40																													
5th	STD	5.500	0.25-0.40																													
5104 CSPL	BEDFORD DIESEL 330	103.17	6	STD	<table border="1"> <thead> <tr> <th>Type</th> <th>Material</th> <th>Axial Height (mm)</th> <th>End Gap (mm)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>STD</td> <td>2.385</td> <td>0.35-0.55</td> </tr> <tr> <td>2nd</td> <td>STD</td> <td>2.385</td> <td>0.31-0.44</td> </tr> <tr> <td>3rd</td> <td>STD</td> <td>4.760</td> <td>0.31-0.44</td> </tr> </tbody> </table>	Type	Material	Axial Height (mm)	End Gap (mm)	1st	STD	2.385	0.35-0.55	2nd	STD	2.385	0.31-0.44	3rd	STD	4.760	0.31-0.44			BEDFORD BEDFORD DIESEL 330								
Type	Material	Axial Height (mm)	End Gap (mm)																													
1st	STD	2.385	0.35-0.55																													
2nd	STD	2.385	0.31-0.44																													
3rd	STD	4.760	0.31-0.44																													

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
5104 P	BEDFORD DIESEL 330	103.17	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)			BEDFORD BEDFORD DIESEL 330
					1st	STD	2.385	0.30-0.55			
					2nd	STD	2.385	0.30-0.55			
					3rd	STD	4.760	0.30-0.60			
5104 PHE	BEDFORD DIESEL 330	103.17	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)			BEDFORD BEDFORD DIESEL 330
					1st	STD	2.385	0.30-0.55			
					2nd	STD	2.385	0.30-0.55			
					3rd	STD	4.760	0.30-0.60			
					4th	STD	4.760	0.30-0.60			
5104 TIP	BEDFORD DIESEL 330	103.17	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)			BEDFORD BEDFORD DIESEL 330
					1st	IKA	2.385	0.30-0.45			
					2nd	STD	2.385	0.30-0.45			
					3rd	STD	4.760	0.30-0.45			
5104 TIPHE	BEDFORD DIESEL 330	103.17	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)			BEDFORD BEDFORD DIESEL 330
					1st	IKA	2.385	0.30-0.55			
					2nd	STD	2.385	0.30-0.55			
					3rd	STD	4.760	0.30-0.60			
					4th	STD	4.760	0.30-0.60			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
5104 EX	BEDFORD DIESEL 330	103.17	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)			BEDFORD BEDFORD DIESEL 330
					1st	STD	2.385	0.30-0.45			
					2nd	STD	2.385	0.30-0.45			
					3rd	STD	4.760	0.30-0.45			
					4th	STD	4.760	0.30-0.45			
5102 TKHEP	BEDFORD DIESEL 330	103.17	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)			BEDFORD BEDFORD DIESEL 330
					1st	KV1	2.385	0.31 - 0.44			
					2nd	STD	2.385	0.31 - 0.44			
					3rd	STD	2.385	0.31 - 0.44			
					4th	STD	4.760	0.31 - 0.44			
					5th	STD	4.760	0.31 - 0.44			
6117 CSPL	LEYLAND 370 ST	103.35	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)			ASHOK LEYLAND LEYLAND 370 ST
					1st	STD	2.390	0.25-0.40			
					2nd	STD	2.390	0.25-0.45			
					3rd	STD	2.390	0.25-0.45			
					4th	STD	6.360	0.25-0.45			
					5th	STD	6.360	0.25-0.45			
6117 DCES	LEYLAND 370 ST	103.35	6	STD	Type	Material	Axial Height (mm)	End Gap (mm)			ASHOK LEYLAND LEYLAND 370 ST
					1st	STD	2.390	0.25-0.40			
					2nd	STD	2.390	0.25-0.45			
					3rd	STD	2.390	0.25-0.45			
					4th	STD	6.360	0.25-0.40			
					5th	STD	6.360	0.25-0.45			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6111 DCES	LEYLAND 370 RC	103.35	6	STD [0.005]	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			ASHOK LEYLAND LEYLAND 370 RC
					1st	STD	3.420	0.25-0.40			
					2nd	STD	3.420	0.25-0.40			
					3rd	STD	6.360	0.25-0.40			
					4th	STD	6.360	0.25-0.45			
6111 DICUCES	LEYLAND 370 RC	103.35	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			ASHOK LEYLAND LEYLAND 370 RC
					1st	IKA	3.420	0.25-0.40			
					2nd	STD	6.360	0.25-0.40			
					3rd	STD	6.360	0.25-0.40			
6111 DICES	LEYLAND 370 RC	103.35	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			ASHOK LEYLAND LEYLAND 370 RC
					1st	IKA	3.420	0.25-0.40			
					2nd	STD	6.360	0.25-0.40			
					3rd	STD	6.360	0.25-0.40			
6122 GFX	LEYLAND 401 RC VIKINK TUSKER	107.30	6	STD (0.25)	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			ASHOK LEYLAND LEYLAND VIKING ASHOK LEYLAND LEYLAND-401 RC ASHOK LEYLAND LEYLAND 402 RC
					1st	IKA	2.390	0.30-0.45			
					2nd	IKA	2.390	0.30-0.45			
					3rd	STEEL	4.770	0.40-1.40			
					4th	STD	4.770	0.30-0.40			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
5310 TSDCPG	TATA 1210/692 DI ST 5RV	92	6	STD (0.25) (0.50) (0.75) (1.00) (1.50)	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-1210 TATA TATA-692 DI ST 5RV
					1st	STEEL	3.000	0.20-0.35			
					2nd	STD	3.000	0.20-0.35			
					3rd	STD	3.000	0.20-0.35			
					4th	STD	5.500	0.20-0.35			
					5th	STD	5.500	0.20-0.35			
5306 TSDCPGES	TATA 1210/692 DI RC 4RV	92	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-1210 TATA TATA-692 DI RC 4RV
					1st	KV1	2.500	0.20-0.35			
					2nd	STD	2.500	0.20-0.35			
					3rd	STD	2.500	0.20-0.35			
					4th	STD	5.500	0.25-0.40			
					5th	STD	5.500	0.20-0.35			
5306 TSDCPG	TATA 1210/692 DI RC 4RV	92	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-692 DI RC 4RV TATA TATA-1210
					1st	STEEL	2.500	0.20-0.35			
					2nd	STD	2.500	0.20-0.35			
					3rd	STD	2.500	0.20-0.35			
					4th	STD	5.500	0.20-0.35			
5318 TKDCES	TATA 1312/695 NA 4RV	95	6	STD (1.0)	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-1312 TATA TATA-695 NA 4RV
					1st	KV1	3.000	0.35-0.55			
					2nd	STD	3.000	0.40-0.65			
					3rd	STD	3.000	0.40-0.65			
					4rd	STD	5.500	0.25-0.40			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6872 TSDCPGES	TATA 608/697 6SP 3RV	97	6	STD (0.50) (1.00)	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-697 6SP 3RV TATA TATA-608
					1st	STEEL	2.500	0.20-0.35			
					2nd	STD	2.500	0.45-0.60			
					3rd	STD	4.000	0.25-0.40			
6872 TSSMOICES	TATA 608/697 6SP 3RV	97	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-697 6SP 3RV TATA TATA-608
					1st	STEEL	2.500	0.20-0.35			
					2nd	IKA	2.500	0.45-0.55			
					3rd	STD	4.000	0.25-0.40			
6872 PLASMA	TATA 608/697 6SP 3RV	97	6	STD (0.10) (0.25)	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-697 6SP 3RV TATA TATA-608
					1st	KV1	2.500	0.20-0.35			
					2nd	IKA	2.500	0.40-0.60			
					3rd	STD	4.000	0.25-0.40			
6871 MOLY EXTRA	TATA 407 4SP	97	4	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-407 4SP
					1st	STD	2.500	0.20-0.35			
					2nd	STD	2.500	0.45-0.60			
					3rd	STD	4.000	0.25-0.40			
5735 TKICES	TATA-486 PL SAFARI	86	4	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-486 PL TATA TATA SAFARI
					1st	KV1	1.500	0.20-0.40			
					2nd	IKA	1.500	0.50-0.70			
					3rd	STD	3.000	0.25-0.50			



Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
6873 MOLY PLUS	TATA SUMO/VICTA 4DL	83	4	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA VICTA 4 DL TATA TATA SUMO
					1st	STEEL	2.000	0.20-0.40			
					2nd	IKA	2.000	0.40-0.55			
					3rd	STD	3.000	0.10-0.30			
6873 PLASMA	TATA SUMO/VICTA 4DL	83	4	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA VICTA 4 DL TATA TATA SUMO
					1st	KV1	2.000	0.20-0.40			
					2nd	IKA	2.000	0.45-0.60			
					3rd	STD	3.000	0.10-0.30			
6873 TSMOICES	TATA SUMO/VICTA 4DL	83	4	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA VICTA 4 DL TATA TATA SUMO
					1st	STEEL	2.000	0.20-0.40			
					2nd	IKA	2.000	0.40-0.55			
					3rd	STD	3.000	0.10-0.30			
6871 MOLY GOLD STAR	TATA-407 4SP	97	4	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-407 4SP
					1st	KV1	2.500	0.20-0.35			
					2nd	IKA	2.500	0.45-0.55			
					3rd	STD	4.000	0.25-0.40			
6876 TKMOCES	TATA SIERRA TURBO/SUMO/VICTA DLX/SAFARI 4DL TURBO	83	4	STD (0.2) (0.5)	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0439PPC	0090	TATA TATA SIERRA TURBO TATA TATA SUMO TATA TATA VICTA DLX TATA TATA SAFARI 4DL TURBO
					1st	STEEL	2.500	0.25-0.50			
					2nd	STD	2.000	0.40-0.55			
					3rd	STD	3.000	0.10-0.30			

Part Number	Name	Cylinder Diameter	No of Cylinder	Size	Ring Specification				Matching Piston	Matching Liner	Application
5321 MOLY EXTRA PREMIUM	TATA 1613LPT/2515LPT/613/713 697 TC-CMVR	97	6	STD (0.10) (0.25)	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>	0710PPC	0097 SHF	TATA TATA-613 TATA TATA-713 TATA TATA-697 TC TATA TATA-1613 LPT TATA TATA-2515LPT
					1st	STEEL	2.500	0.20-0.35			
					2nd	IKA	2.500	0.45-0.60			
					3rd	STEEL	4.000	0.25-0.40			
5321 STEEL POWER	TATA 1613LPT/2515LPT/613/713/697 TC-CMVR	97	6	STD	<b>Type</b>	<b>Material</b>	<b>Axial Height (mm)</b>	<b>End Gap (mm)</b>			TATA TATA-613 TATA TATA-713 TATA TATA-697 TC TATA TATA-1613 LPT TATA TATA-2515LPT
					1st	STEEL	2.500	0.20-0.35			
					2nd	IKA	2.500	0.30-0.55			
					3rd	STD	4.000	0.25-0.40			



Part Number	Name	Material	Hardness	Treatment	Type	Coating	Head Diameter	Stem Diameter	Valve Seat	Valve Tip Induction Hardening	Fillet profile	Head Top Surface	Valve Tip Geometry	Valve Length	Application
GV01097N04	TATA 497 NON TURBO	Single Metal				chrome									TATA TATA 497 NON TURBO TATA TATA 697 NON TURBO
GV01097N06	TATA 697 NON TURBO		Single Metal			Chrome									TATA TATA 697 NON TURBO TATA TATA 697 TURBO
GV01097T06	TATA 697 TURBO	Single Metal				Nitrided Coating									TATA TATA 697 TURBO
GV01097T04	TATA 497 TURBO	Single Metal				Nitrided Coating									TATA TATA 497 TURBO
GV05102T06	HARVESTER B SERIES EURO II	Single Metal Bi Metal				chrome									ASHOK LEYLAND LEYLAND-HARVESTER B SERIES EURO II
GV05102T12	HARVESTER B SERIES EURO III MOD	Single Metal Bi Metal				chrome									ASHOK LEYLAND LEYLAND-HARVESTER B SERIES EURO III
GV02104T06	LEYLAND HINO TC	Single Metal Bi Metal				chrome Nitrided									ASHOK LEYLAND LEYLAND HINO TC
GV02104T04	LEYLAND HINO TC	Single Metal Bi Metal				chrome Nitrided									ASHOK LEYLAND LEYLAND HINO TC



Part Number	Name	Piston	Ring	Liner	Application
0450 PPC Kit	BAJAJ TEMPO MATADOR 3RV	0450PPC	6850 DCES	0038	BAJAJ TEMPO BAJAJ MATADOR-3RV
0455 PPC Kit	BAJAJ TEMPO OM 616 DI	0455 PPC	6852 TKDCES	0040	BAJAJ TEMPO BAJAJ OM-616 DI CNG
0450 PPCR Kit	BAJAJ TEMPO MATADOR 3RV	0450PPC	6850DCES	0038	BAJAJ TEMPO BAJAJ MATADOR-3RV
0454 PPCR Kit	BAJAJ TEMPO OM 616 IDI TEMPO TRAVELLER/TRAX AUTO THERMATIC	0454PPC	6852 TKDCES	0040	BAJAJ TEMPO BAJAJ OM-616 IDI TEMPO TRAVELLER BAJAJ TEMPO BAJAJ TRAX AUTO THERMATIC PISTON 2399cc
0455 PPCR Kit	BAJAJ TEMPO OM 616 DI CNG	0455 PPC	6852 TKDCES	0040	BAJAJ TEMPO BAJAJ OM-616 DI CNG
0441 PPCR Kit	EICHER CANTER 3297cc	0441 PPC	6883 TKTCES	0034	EICHER EICHER CANTER 3297CC
0416 PPCR Kit	LEYLAND 370 ST	0416 PPC	6117SPL	0050	ASHOK LEYLAND LEYLAND 370 ST
0421 PPCR Kit	Leyland 370 RC	0421PPC	6111 ES	0049	ASHOK LEYLAND LEYLAND 370 RC
0414 PPCR Kit	LEYLAND 400 RC	0414 PPC	6115ES	0053	ASHOK LEYLAND LEYLAND 400 RC
0419 PPCR Kit	LEYLAND 401 RC VIKING/TUSKER	0419 PPC	6122 DICES	0053	ASHOK LEYLAND LEYLAND-401 RC
0405 PPCR Kit	LEYLAND 401 RC 6.65 EURO-1	0405 PPC	6129 Plasma	0053	ASHOK LEYLAND LEYLAND-401 RC ASHOK LEYLAND LEYLAND EURO-I
0425 PPCR Kit	LEYLAND 412 RC	0425 PPC	6125 DICES	0053	ASHOK LEYLAND LEYLAND-412 (RC)
0420 PPCR Kit	LEYLAND 402 RC VIKING/TUSKER	0420 PPC	6122 DICES	0053	ASHOK LEYLAND LEYLAND VIKING ASHOK LEYLAND LEYLAND 402 RC
0446 PPCR Kit	SWARAJ MAZDA	0446 PPC	6885 TKTCES	0041	SWARAJ MAZDA SWARAJ MAZDA
04471 PPCR Kit	SWARAJ MAZDA EURO-III	04471 PPC	6885 TKTCES	0041	SWARAJ MAZDA SWARAJ MAZDA EURO-III
0439 PPCR Kit	TATA SIERRA TURBO/SUMO/VICTA DLX SAFARI 4DL TURBO	0439PPC	6876 TKMOCES	0090	TATA TATA SIERRA TURBO TATA TATA SUMO TATA TATA VICTA DLX TATA TATA SAFARI 4DL TURBO
0402 PPCR Kit	TATA OM-312 L3500	0402 PPC	5301 DCBSM	0091	TATA TATA OM-312 TATA TATA-L3500
0470 PPCR Kit	TATA 1210SE/692 DI RC 5RV	0470 PPC	5308 TSDCPGES	0094	TATA TATA-1210SE TATA TATA-692 DI RC 5RV
0480 PPCR Kit	TATA 1210/692 DI RC 5RV	0480 PPC	5308 CPF	0094	TATA TATA-1210 TATA TATA-692 DI RC 5RV
0486 PPCR Kit	TATA 1210/692 DI 5RV	0486 PPC	5308 DCES	0092	TATA TATA-1210 TATA TATA-692 DI 5RV

Part Number	Name	Piston	Ring	Liner	Application
0492 PPCR Kit	TATA 1210/692 DI RC 5RV	0492 PPC	5308 SHAKTI	0092 M	TATA TATA-1210 TATA TATA-692 DI RC 5RV
0469 PPCR Kit	TATA 1210SE 692 DI RC 5RV	0469 PPC	5308 TSDCPG	0092 MFF	
0488 PPCR Kit	TATA 1210/692 DI 5RV	0488 PPC	5310 CPF	0094	TATA TATA-1210 TATA TATA-692 DI 5RV
0479 PPCR Kit	TATA 1210/692 DI RC 5RV	0479 PPC	5310 DCES	0092	TATA TATA-692 DI RC 5RV
0493 PPCR Kit	TATA 1210/692 DI ST 5RV	0493 PPC	5310 TSDCPGES	0092 M	TATA TATA-1210 TATA TATA-692 DI ST 5RV
0471 PPCR Kit	TATA 1210/692 DI ST 5RV	0471 PPC	5310 SHAKTI	0092 FF	TATA TATA-1210 TATA TATA-692 DI ST 5RV
0485 PPCR Kit	TATA 1210/692 DI 4RV	0485 PPC	5306 SHAKTI	0094	TATA TATA-1210 TATA TATA-692 DI 4RV
0484 PPCR Kit	TATA 1210/692 DI RC 4RV	0484 PPC	5306 DCES	0094 M	TATA TATA-1210 TATA TATA-692 DI RC 4RV
0482 PPCR Kit	TATA 1210/692 DI RC 3RV	0482 PPC	5314 TSIDCPGES	0092 FF	TATA TATA-1210 TATA TATA-692 DI RC 3RV
0475 PPCR Kit	TATA 1210/692 DI 3RV	0475 PPC	5314 SHAKTI	0092 MFF	TATA TATA-1210 TATA TATA-692 DI RC 3RV
0724 PPCR Kit	TATA 1210SE/692 CNG 3RV	0724 PPC	5314 TKIDCES	0094	TATA TATA-1210SE TATA TATA-692 CNG 3RV
0449 PPCR Kit	TATA 807/495 RC 4RV	0449 PPC	6861 TSDCPGES	0063 M	TATA TATA-807 TATA TATA-495 RC 4RV
0474 PPCR Kit	TATA 1612/1510/2213/697 NA 5RV	0474PPC	5316 TKDCPGES	0097 FFM	TATA TATA-2213 TATA TATA-1612 TATA TATA-1510 TATA TATA-697 NA 5RV
0490 PPCR Kit	TATA 1612/1510/1313/2213/697 NA 4RV	0490PPC	5317 TSDCPGES	0097 SHP	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 4RV
0460 PPCR Kit	TATA 1612/1510/1313/2213/697 NA 4RV	0460PPC	5326TSMOICES	0097 M	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 4RV
0468 PPCR Kit	TATA 1612/1510/1313/2213/697 NA 3RV	0468PPC	5321MOLY PLUS	0097 FFM	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 3RV

Part Number	Name	Piston	Ring	Liner	Application
0496 PPCR Kit	TATA 1612/1313/1613/Z697 NA 3RV	0496PPC	5321 EURO POWER	0097 SHP	TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-Z697 NA 3RV
0777 PPCR Kit	TATA 1612/1313/1613/697 NA 3RV	0777PPC	5321 PLASMA GOLD POWER	0097 M	TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-697 NA 3RV
0888 PPCR Kit	TATA 1612/1313/1613/1510/2213/697 NA 3RV	0888PPC	6881 TSIDCES	0097 FFM	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-1510 TATA TATA-697 NA 3RV
0711 PPCR Kit	TATA 1612/1510/2213/697 NA CNG	0711PPC	5321CHALLENGER	0097 MB	TATA TATA-2213 TATA TATA-1612 TATA TATA-1510 TATA TATA-697 NA 3RV
0491 PPCR Kit	TATA 1516/697 TC 3RV	0491PPC	5321 TSMOICES	0097 SHP	TATA TATA-1516 TATA TATA-697 TC
0715 PPCR Kit	TATA 1516/612/1510/1313/2213/697 NA 3RV	0715PPC	5321 MOLY GOLD STAR	0097 M	TATA TATA-1516 TATA TATA-2213 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 3RV TATA TATA-612
0710 PPCR Kit	TATA 1613LPT/2515LPT/613/713 697 TC-CMVR	0710PPC	5321 MOLY EXTRA PREMIUM	0097 SHF	TATA TATA-613 TATA TATA-713 TATA TATA-697 TC TATA TATA-1613 LPT TATA TATA-2515LPT
0494 PPCR Kit	TATA 608/697 6SP 3RV	0494PPC	6872 TSSMOCES	0097 SHF	TATA TATA-697 6SP 3RV TATA TATA-608
0445 PPCR Kit	TATA 407497 4SP 3RV	0445PPC	6871 CHALLENGER	0096 SHF	TATA TATA-407 TATA TATA-497 4SP 3RV
0458 PPCR Kit	TATA 407 4SP	0458PPC	6871 TSSMOICES	0096 E	TATA TATA-407 4SP
0462 PPCR Kit	TATA 407 4SP CMVR 3RV	0462PPC	6871 EURO POWER	0096 SHP	TATA TATA 407 4SP 3RV
0461 PPCR Kit	TATA 609/709/809 LP 497X128/	0461 PPC	6871 PLASMA GOLD POWER	0096 SHF	TATA TATA-609 TATA TATA-709 TATA TATA-809LP TATA TATA-497X128
0350 PPCR Kit	TATA SPACIO EURO-II	0350 PPC	6871 STEEL POWER	0096 SHP	TATA TATA SPACIO EURO-II

Part Number	Name	Piston	Ring	Liner	Application
04333 PPCR Kit	TATA ACE/275 IDI NA BS-II/III	04333PPC	5764 MolyGold Power Ring	00992	TATA TATA ACE TATA TATA-275 IDI NA BS-II TATA TATA-275 IDI NA BS-III
0466 PPCR Kit	TATA 609/709/809TC/497X128 TURBO EURO-I	0466PPC	6871 MOLY PLUS	0096 SHP	TATA TATA-809 TC TATA TATA-609 TATA TATA-709 TATA TATA 497X128 TURBO ENGINE EURO-I
0465 PPCR Kit	TATA 407 4SP TC/SAFARI TC EURO-I	0465PPC	6871 TSSMOCES	0096 SHF	TATA TATA-407 4SP TC TATA TATA-SAFARI TC EURO-I



Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
GOETZE LINERS	097SHPLNSD	97.00 mm	6	100.00 mm/3.937"	96.30 mm/3.791"	220.00 mm	103.50 mm/4.075"	5.10 mm				
CYLINDER LINERS	097SHP-SD	97.00	6	100.00 mm/3.937	96.30 mm/3.791	220.00 mm	103.50 mm/4.075	5.10 mm				
97SHPLIN-SD	Tata 697 NA/TC	97.00	6	100.00 mm/3.937"	96.30 mm/3.791"	220.00 mm	103.50 mm/4.075"	5.10 mm				
097SHPLIN-BD	Tata 697 NA/TC S.F 20 O/S	97.00	6	100.50 mm/3.957"	96.30 mm/3.791"	220.00 mm	103.50/4.075"	5.10 mm				
097SHPLIN-ED	Tata 697 NA/TC S.F 60 O/S	97.00	6	101.50 mm/3.996"	96.30 mm/3.791"	220.00 mm	103.50 mm/4.075"	5.10 mm				
097SHFLIN-SD	Tata 697 NA/TC FF STD	97.00	6	100.00 mm/3.937	97.00 mm/3.819	219.50 mm	103.50 mm/4.075	4.00 mm				
097SHFLIN-BD	Tata 697 NA/TC FF 20 o/s	97.00	6	100.50 mm/3.957"	97.00 mm/3.819"	219.50 mm	103.50 mm/4.075"	4.00 mm				
097SHFLIN-DD	Tata 697 NA/TC FF 40 o/s	97	6	101.00 mm/3.976	97.00 mm/3.819	219.50 mm	103.50 mm/4.075	4.00 mm				
0971EULIN-SD	Tata 697 Euro SF STD	97.00	6	100.05 mm/3.939"	96.30 mm/3.791"	220.00 mm	105.00 mm/4.134"	4.60 mm				
0971EUFLIN-SD	Tata 697 Euro FF STD	97.00	6	100.05 mm/3.939"	97.00 mm/3.819"	219.50 mm	105.00 mm/4.134"	4.60 mm				
09711EUFLIN-SD	Tata 697 Euro FF STD 4.25 Collar	97.00	6	100.05 mm/3.939"	97.00 mm/3.819"	219.50 mm	105.00 mm/4.134"	4.25 mm				
088TLIN-SD	Tata Cummins SF STD with Collar	102.00	6	104.50 mm/4.115	101.35 mm/3.990	200.00 mm	105.622 mm/4.158	4.12 mm				
088TLIN-BD	Tata Cummins SF 20 o/s with Collar	102.00	6	105.00 mm/4.134"	101.35 mm/3.990"	200.00 mm	105.622 mm/4.158"	4.12 mm				
088TLIN-DD	Tata Cummins SF 40 o/s with Collar	102.00	6	105.50 mm/4.153"	101.35 mm/3.990"	200.00 mm	105.622 mm/4.158"	4.12 mm				
099LIN-SD	Tata Cummins SF STD w/o Collar	102.00	6	104.50 mm/4.115	101.35 mm/3.990	200.00 mm						
0991LIN-SD	Tata Cummins SF 10 o/s with Collar	102.00	6	104.77 mm/4.125"	101.35 mm/3.990"	204.00 mm	105.622 mm/4.158"	4.85 mm				
099MLIN	Tata Cummins SF 60 o/s with Collar	102.00	6	106.00 mm/4.173"	101.35 mm/3.990"	204.00 mm	106.90 mm/4.209"	4.85 mm				



Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
088FFLIN-SD	Tata Cummins FF STD with Collar	102.00	6	104.50 mm/4.115"	102.00 mm/4.016"	200.00 mm	105.25 mm/4.144"	4.12 mm				
08711EUFLIN-SD	Tata 497 Euro FF STD 4.25 mm Collar	97.00	4	100.07 mm/3.940"	97.055 mm/3.821"	219.50 mm	105.00 mm/4.134"	4.25 mm				
0991FFLIN-SD	Tata Cummins FF 10 o/s w/o Collar	102.00	6	104.77 mm/4.125"	101.35 mm/3.990"	200.00 mm						
09921TLN-SD	Tata Ace Liner SF STD with Collar	75.00	2	78.10 mm/3.075"	73.80 mm/2.905"	134.50 mm	78.85 mm/3.104"	4.17 mm				
00541FFLINSDC1	Hino FF New Type W/O FLAME ARRESTOR	104.00	6	107.030 mm/4.214"	104.00 mm/4.094"	201.00 mm	112.00 mm/4.409"	8.07 mm				
00541SHFLINSWC1	Hino FF New Type W/O FLAME ARRESTOR (W)	104.00	1	107.007 mm/4.213"	104.00 mm/4.094"	201.00 mm	112.00 mm/4.409"	8.07 mm				
00541SHFLINSXDC1	Hino FF New Type W/O FLAME ARRESTOR (X)	104.00	1	107.014 mm/4.213"	104.00 mm/4.094"	201.00 mm	112.00 mm/4.409"	8.07 mm				
00541SHFLINSDYC1	Hino FF New Type W/O FLAME ARRESTOR (Y)	104.00	1	107.021 mm/4.213"	104.00 mm/4.094"	201.00 mm	112.00 mm/4.409"	8.07 mm				
00541SHFLINSZC1	Hino FF New Type W/O FLAME ARRESTOR (Z)	104.00	1	107.027 mm/4.214"	104.00 mm/4.094"	201.00 mm	112.00 mm/4.409"	8.07 mm				
0043100LINSDC1	Perkins 135 SF	88.92	3	93.726 mm/3.69"	88.30 mm/3.476"	216.00 mm	96.688 mm/3.807"	4.70 mm				
0871EULIN-SD	Tata 497 Euro SF STD	97.00	4	100.050 mm/3.939"	96.30 mm/3.791"	220.00 mm	105.00 mm/4.134"	4.60 mm	STD			
0871EUFLIN-SD	Tata 497 Euro FF STD	97.00	4	100.050 mm/3.939"	97.00 mm/3.819"	219.50 mm	105.00 mm/4.134"	4.60 mm	STD			
087SHPLIN-SD	Tata 497 NA/TC SF STD	97.00	4	100.00 mm/3.937"	96.30 mm/3.791"	220.00 mm	103.50 mm/4.075"	5.10 mm				
087SHPLIN-BD	Tata 497 NA/TC SF 20 o/s	97.00	4	100.50 mm/3.957"	96.30 mm/3.791"	220.00 mm	103.50 mm/4.075"	5.10 mm				
087SHPLIN-DD	Tata 497 NA/TC SF 40 o/s	97.00	4	101.00 mm/3.976"	96.30 mm/3.791"	220.00 mm	103.50 mm/4.075"	5.10 mm				
087SHPLIN-ED	Tata 497 NA/TC SF 60 o/s	97.00	4	101.50 mm/3.996"	96.30 mm/3.791"	220.00 mm	103.50 mm/4.075"	5.10 mm				
0961SHPLIN-SD	Tata 407 Euro SF STD	97.00	4	100.090 mm/3.941"	96.30 mm/3.791"	177.00 mm	104.90 mm/4.130"	4.00 mm				
0961SHFLIN-SD	Tata 407 Euro FF STD	97.00	4	100.090 mm/3.941"	97.00 mm/3.819"	177.00 mm	104.900 mm/4.130"	4.00 mm				
096SHPLIN-SD	Tata 407 NA/TC SF	97.00	4	100.00 mm/3.937"	96.30 mm/3.791"	177.00 mm	103.50 mm/4.075"	5.10 mm				

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
096SHFLIN-SD	Tata 407 NA/TC FF	97.00	4	100.00 mm/3.937"	97.00 mm/3.819"	177.00 mm	103.50 mm/4.075"	4.00 mm				
041SHFLIN-SD	Swaraj Mazda FF	100.00	4	103.50 mm/4.075"	100.00 mm/3.937"	193.70 mm	108.00 mm/4.252"	2.52 mm				
034LIN-SD	Eicher Canter FF Wet	100.00	4	104.090 mm/4.098	98.90 mm/3.894	192.00						
092LIN-SD	Tata 692 SF STD - ".812	92.00	6	96.800 mm/3.811"	91.20 mm/3.591"	215.00 mm	97.90 mm/3.854"	4.80 mm				
092MLIN-SD	Tata 692 SF - 0.780"	92.00	6	96.07 mm/3.782"	91.20 mm/3.590"	216.50 mm	97.00 mm/3.819"	6.30 mm				
094MLIN-SD	Tata 692 SF -0.740"	92.00	6	95.00 mm/3.740"	91.00 mm/3.583"	212.00 mm	98.50 mm/3.878"	4.60 mm				
098LIN-SD	Tata 692 SF -0.750"	92.00	6	95.24 mm/3.750"	91.00 mm/3.583"	214.00 mm	95.90 mm/3.776"	4.75 mm				
083LIN-SD	Leyland Harvester Hard FF	107.33	6	111.31 mm/4.382"	107.33 mm/4.225"	239.57 mm	112.70 mm/4.437"	5.60 mm				
0831LIN-SD	Leyland Harvester FF - Euro Soft STD	107.33	6	111.31 mm/4.382"	107.33/4.225"	238.00	112.70 mm/4.437"	5.60 mm				
0831LIN-AD	Leyland Harvester FF - Euro Soft 10 o/s	107.33	6	111.56 mm/4.392"	107.33 mm/4.225"	238.00 mm	112.70 mm/4.437"	5.60 mm				
0831LIN-BD	Leyland Harvester - Euro Soft 20 o/s	107.33	6	111.81 mm/4.401"	107.33 mm/4.225"	238.00 mm	112.70 mm/4.437"	5.60 mm				
0038	Bajaj Tempo Matador-3 RV Liner	78	4	81.99	77.09	171.70	(82.750)/3.258	4.875	STD	0450PPC, 0450PPC	6850 DCES, 6850DCES	BAJAJ TEMPO BAJAJ MATADOR-3RV
0040	Bajaj Tampo OM 616 Liner	90.90	4	94.00	90.00	158.10	=(96.00)/3.780	4.70	STD	0455 PPC, 0454PPC, 0455 PPC	6852 TKDCES, 6852 TKDCES, 6852 TKDCES	BAJAJ TEMPO BAJAJ OM-616 IDI TEMPO TRAVELLER BAJAJ TEMPO BAJAJ TRAX AUTO THERMATIC PISTON 2399cc BAJAJ TEMPO BAJAJ OM-616 DI CNG
0034	Eicher Canter 3297cc	100	4	104.09	98.90	192	NA	NA	STD	0441 PPC	6883 TKTCS	EICHER EICHER CANTER 3297CC

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
0053	LEYLAND 401 (RC)	107.30	6	111.285/4.451	107.305	239.57	112.70/4.437	5.372	STD	0414 PPC, 0419 PPC, 0405 PPC, 0425 PPC, 0420 PPC	6115ES, 6122 DICES, 6129 Plasma, 6125 DICES, 6122 DICES	ASHOK LEYLAND LEYLAND-401 RC ASHOK LEYLAND LEYLAND-412 (RC) ASHOK LEYLAND LEYLAND-402 ASHOK LEYLAND LEYLAND 400 RC
0050	LEYLAND 350	103.35	6	111.27	103.39	239.57	112.70/4.437	5.37	STD	0416 PPC	6117SPL	ASHOK LEYLAND LEYLAND 370 RC ASHOK LEYLAND LEYLAND 370 ST
0049	LEYLAND 370	103.35	6	111.22	102.70	239.60	(112.75)/[4.435]	5.37	STD	0421PPC	6111 ES	ASHOK LEYLAND LEYLAND 370 RC ASHOK LEYLAND LEYLAND 370 ST
0041	SWARAJ MAZDA	100	4	103.50	100	193.70	108.00/4.252	2.50	STD	0446 PPC, 04471 PPC	6885 TKTCES, 6885 TKTCES	SWARAJ MAZDA SWARAJ MAZDA EURO- III SWARAJ MAZDA SWARAJ MAZDA
0090	TATA SIERRA TURBO/SUMO/VICTA DLX SAFARI 4DL	83	4	86.108	82.00	151.50	(89.40)/[3.520]	4.220	STD	0439PPC	6876 TKMOCES	TATA TATA SIERRA TURBO TATA TATA SUMO TATA TATA VICTA DLX TATA TATA SAFARI 4DL TURBO

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
0091	TATA OM-312 L3500	90	6	95.27	89.15	214.50	(95.93)/[3.749]	4.85	STD	0402 PPC	5301 DCBSM	TATA TATA OM-312 TATA TATA-L3500
0094	TATA 1210/692 DI R/C 5RV	92	6	95.00	91.00	212.00	(98.50)/[3.878]	4.60	STD	0470 PPC, 0480 PPC, 0488 PPC, 0485 PPC, 0724 PPC	5308 TSDCPGES, 5308 CPF, 5310 CPF, 5306 SHAKTI, 5314 TKIDCES	TATA TATA-1210 TATA TATA-692 DI 4RV TATA TATA-692 DI 5RV TATA TATA-692 DI RC 5RV TATA TATA-1210SE
0092	TATA 1210/692 DI 5RV	92	6	96.80	91.20	215.00	(97.90)/[3.854]	4.80	STD	0486 PPC, 0479 PPC	5308 DCES, 5310 DCES	TATA TATA-1210 TATA TATA-692 DI RC 4RV TATA TATA-692 DI RC 5RV TATA TATA-692 DI 5RV
0092 M	TATA 1210/692 DI 5RV	92	6	96.07	91.20	216.50	(97.00)/[3.819]	6.30	STD	0492 PPC, 0493 PPC	5308 SHAKTI, 5310 TSDCPGES	TATA TATA-1210 TATA TATA-692 DI ST 5RV TATA TATA-692 DI RC 5RV
0092 MFF	TATA 1210SE 692 DI RC 5RV	92	6	96.07	92.00	216.50	(97.00)/[3.819]	6.30	STD	0469 PPC, 0475 PPC	5308 TSDCPG, 5314 SHAKTI	TATA TATA-1210 TATA TATA-692 DI ST 5RV TATA TATA-1210SE TATA TATA-692 DI RC 5RV

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
0098	TATA 1210SE 692 DI RC 5RV	92	6	95.24	91.00	214.00	(95.90)/[3.776]	4.75	STD			TATA TATA-1210 TATA TATA-692 DI ST 5RV
0094 M	TATA 1210/692 DI RC 5RV	92	6	95.00	91.00	212.00	(98.50)/[3.878]	4.60	STD	0484 PPC	5306 DCES	TATA TATA-1210 TATA TATA-692 DI RC 4RV TATA TATA-692 DI RC 5RV
0092 FF	TATA 1210/692 DI RC 5RV	92	6	96.80	92.00	215.00	(97.90)/[3.854]	4.80	STD	0471 PPC, 0482 PPC	5310 SHAKTI, 5314 TSIDCPGES	TATA TATA-1210 TATA TATA-692 DI ST 5RV TATA TATA-692 DI RC 5RV
0063 M	TATA 807/495 RC 4RV	95	4	98.00	94.00	215.00	(101.50)/[3.996]	4.60	STD	0449 PPC	6861 TSDCPGES	TATA TATA-807 TATA TATA-495 RC 4RV

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
0097 FFM	TATA 1612/1510/2213 697 NA 5RV	97	6	100.00	97.00	219.50	(103.50)/[4.075]	4.00	STD	0474PPC, 0468PPC, 0888PPC	5316 TKDCPGES, 5321MOLY PLUS, 6881 TSIDCES	TATA TATA-697 6SP 3RV TATA TATA-608 TATA TATA-613 TATA TATA-1613 LPT TATA TATA-2515LPT TATA TATA-713 TC- CMVR TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-1510 TATA TATA-697 NA CNG TATA TATA-697 NA 3RV TATA TATA-697 NA 5RV

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
0097 SHP	TATA 1612/1510/1313/2213/697 NA 4RV	97	6	100/3.94	96.30	220	103.50/4.075	5.10	STD	0490PPC, 0496PPC, 0491PPC	5317 TSDCPGES, 5321 EURO POWER, 5321 TSMOICES	TATA TATA-697 6SP 3RV TATA TATA-608 TATA TATA-1516 TATA TATA-697 TC TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA- Z697 NA 3RV TATA TATA- LPT 1612 TATA TATA-2213 TATA TATA-1510 TATA TATA-697 NA 4RV
0097 M	TATA 1612/1510/1313/2213/697 NA 4RV	97	6	100.00	96.30	220.00	(103.50)/[4.075]	5.10	STD	0460PPC, 0777PPC, 0715PPC	5326TSMOICES, 5321 PLASMA GOLD POWER, 5321 MOLY GOLD STAR	TATA TATA-2213 TATA TATA-1516 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 3RV TATA TATA-612 TATA TATA-1612 TATA TATA-1613 TATA TATA-697 NA 4RV

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
0097 SHF	TATA 1612/1510/1313/2213/697 4RV	97	6	100/3.94	96.30	220	103.500/4.075	4.00	STD	0710PPC, 0494PPC	5321 MOLY EXTRA PREMIUM, 6872 TSSMOCES	TATA TATA-2213 TATA TATA-697 6SP 3RV TATA TATA-608 TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-1510 TATA TATA-697 NA 3RV TATA TATA-697 NA 4RV
0097 MB	TATA 1612/1510/1313/2213/697 NA 3RV	97	6	100.00	96.00	220.00	(103.50)/[4.075]	5.10	STD	0711PPC	5321CHALLENGER	TATA TATA-2213 TATA TATA-697 6SP 3RV TATA TATA-608 TATA TATA-613 TATA TATA-1613 LPT TATA TATA-2515LPT TATA TATA-713 TC- CMVR TATA TATA-1612 TATA TATA-1510 TATA TATA-697 NA CNG TATA TATA-1313 TATA TATA-697 NA 3RV



Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
0096 SHF	TATA 407/497 4SP 3RV	97	4	100.00/3.93	97	177	103.50/4.075	4.00	STD	0445PPC, 0465PPC, 0461 PPC, 0465PPC	6871 CHALLENGER, 6871 TSSMOCES, 6871 PLASMA GOLD POWER, 6871 TSSMOCES	TATA TATA-609 TATA TATA-709 TATA TATA-497X128 TATA TATA-407 4SP TC TATA TATA-SAFARI TC EURO-I
0096 E	TATA 407 4SP	97	4	100.00/3.93	97	177	103.50/4.075	4.00	STD	0458PPC	6871 TSSMOICES	TATA TATA-407 4SP TATA TATA-407 TATA TATA-497 4SP 3RV
0096 SHP	TATA 407 4SP CMVR 3RV	97	4	100.00/3.94	96.30	177	103.50/4.075	5.10	STD	0462PPC, 0466PPC, 0350 PPC , 0466PPC	6871 EURO POWER , 6871 MOLY PLUS , 6871 STEEL POWER, 6871 MOLY PLUS	TATA TATA-407 4SP TATA TATA SPACIO EURO-II TATA TATA-497X128 TURBO ENGINE EURO-I TATA TATA-809 TC TATA TATA-609 TATA TATA-709
0088	TATA CUMMINS	102	6	104.50/4.11	101.35	200	105	4.12	STD			TATA TATA CUMMINS
0099 M	TATA CUMMINS EURO-II	102	6	106.00/4.17	101.35	204.00	106.90/4.209	4.85	STD			TATA TATA CUMMINS EURO-II
00991	TATA CUMMINS	102	6	104.77/4.12	101.35	204	105.622/4.158	4.85	STD			TATA TATA CUMMINS TATA TATA CUMMINS CNG
0099	TATA CUMMINS	102	6	104.50/4.11	101.35	200			STD			TATA TATA CUMMINS TATA TATA CUMMINS CNG

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
00992	TATA ACE / 275 IDI	75	2	78.30/3.083	73.80	134.50	79.40/3.126	4.70	STD	0333 PPC, 04333PPC	5733 TKMOICES, 5764 MolyGold Power Ring	TATA TATA ACE TATA TATA-275 IDI NA BS-III



Part Number	Name	Piston	Ring	Application
01951PPCR	Bajaj Tempo Minidor	01951	1950 TIDCES	BAJAJ TEMPO BAJAJ MINIDOR DI-RC
0450 PPCR	BAJAJ TEMPO MATADOR 3RV	0450PPC	6850 DCES	BAJAJ TEMPO BAJAJ MATADOR-3RV
0451 PPCR	BAJAJ TEMPO MATADOR 3RV	0451 PPC	6851 CP	BAJAJ TEMPO BAJAJ MATADOR-5RV
0195 PPCR	BAJAJ TEMPO MINIDOR	0195 PPC	1950 TIDCES	BAJAJ TEMPO BAJAJ MINIDOR 3W-DIESEL
01801 PPCR	BAJAJ TEMPO MINIDOR DI	01801PPC	1950 SHAKTI	BAJAJ TEMPO BAJAJ MINIDOR DI 15DI E-II BAJAJ TEMPO BAJAJ MINIDOR TD499LC
0180 PPCR	BAJAJ TEMPO DI MINIDOR	0180PPC	1950 TIDCES	BAJAJ TEMPO BAJAJ MINIDOR BAJAJ TEMPO BAJAJ MINIDOR TD499LC
0113 PPCR	BAJAJ TEMPO MINIDOR EURO-I	0113PPC	1950 TIDCES	BAJAJ TEMPO BAJAJ TEMPO EURO-I
0454 PPCR	BAJAJ TEMPO OM 616 IDI	0454PPC	6852 TKDCES	BAJAJ TEMPO BAJAJ OM-616 IDI TEMPO TRAVELLER BAJAJ TEMPO BAJAJ TRAX AUTO THERMATIC PISTON 2399cc
0455 PPCR	BAJAJ TEMPO OM 616 DI	0455 PPC	6852 TKDCES	BAJAJ TEMPO BAJAJ OM-616 DI CNG
0453 PPCR	BAJAJ TEMPO OM 616 DI	0453PPC	6853 PLASMA	BAJAJ TEMPO BAJAJ OM-616 DI TD 2400F
0442 PPCR	BAJAJ TEMPO OM 616 TC	0442 PPC	6853 Plasma	BAJAJ TEMPO BAJAJ OM-616 TC
0452 PPCR	BAJAJ TEMPO OM 616 TC	0452 PPC	6853 PLASMA	BAJAJ TEMPO BAJAJ OM-616 TC
0412 PPCR	BEDFORD	0412 PPC	5104 C	BEDFORD BEDFORD DIESEL 330
0441 PPCR	EICHER CANTER	0441 PPC	6883 TKTCES	EICHER EICHER CANTER 3297CC
0408 PPCR	LEYLAND 350	0408 PPC	6110	ASHOK LEYLAND LEYLAND-350
0404 PPCR	LEYLAND 350	0404 PPC	6108 C	ASHOK LEYLAND LEYLAND-350
0421 PPCR	LEYLAND 370 (RC)	0421PPC	6111 ES	
0414 PPCR	LEYLAND 400 (RC)	0414 PPC	6115ES	ASHOK LEYLAND LEYLAND 400 RC
0419 PPCR	LEYLAND 401 (RC)	0419 PPC	6122 DICES	ASHOK LEYLAND LEYLAND-401 RC
0406 PPCR	LEYLAND 401 (RC)	0406 PPC	6120 DICUCES	ASHOK LEYLAND LEYLAND-401 RC
0405 PPCR	LEYLAND 401 (RC)	0405 PPC	6129 Plasma	ASHOK LEYLAND LEYLAND-401 RC ASHOK LEYLAND LEYLAND EURO-I
0723 PPCR	LEYLAND 401 RC	0723 PPC	6129 Plasma	ASHOK LEYLAND LEYLAND-401 RC
0433 PPCR	LEYLAND 401 RC	0433 PPC	6129 Plasma	ASHOK LEYLAND LEYLAND 402 LTC
0407 PPCR	LEYLAND IVECO	0407 PPC	6137 TKIDCES	ASHOK LEYLAND LEYLAND IVECO 8040 EURO-I

Part Number	Name	Piston	Ring	Application
0713 PPCR	LEYLAND IVECO	0713 PPC	6141 PLASMA	ASHOK LEYLAND LEYLAND IVECO-8040 ASHOK LEYLAND LEYLAND IVECO-8060
0427 PPCR	LEYLAND HINO WO 6D	0427 PPC	6135 TKDCES	ASHOK LEYLAND LEYLAND HINO WO 6E
0704 PPCR	LEYLAND HINO WO 6E	0704 PPC	6135 TKDCES	ASHOK LEYLAND LEYLAND 1612 ASHOK LEYLAND LEYLAND HINO WO 6E TUSKAR 2214
0716 PPCR	LEYLAND HINO WO 6E RC	0716 PPC	6134 PLASMA	ASHOK LEYLAND LEYLAND 1612 ASHOK LEYLAND LEYLAND HINO WO 6E RC TUSKAR 2214
0712 PPCR	LEYLAND HINO WO 6E	0712 PPC	6135 TKDCES	ASHOK LEYLAND LEYLAND HINO WO 6E
0708 PPCR	LEYLAND HINO WO 6 DTI EURO-I	0708 PPC	6134 PLASMA	ASHOK LEYLAND LEYLAND HINO WO 6DTI EURO-I
0717 PPCR	LEYLAND HINO WO6 DTI EURO-II	0717 PPC	6134 PLASMA	ASHOK LEYLAND LEYLAND HINO WO6DTI EURO-II
07302 PPCR	LEYLAND HINO 6DTI EURO-II	07302 PPC	6142 PLASMA STEEL POWER STD	ASHOK LEYLAND LEYLAND HINO 6DTI EURO-II
07301 PPCR	LEYLAND HINO 6CTI EURO-III	07301 PPC	6142 PLASMA STEEL POWER STD	ASHOK LEYLAND LEYLAND HINO 6CTI EURO-III
0425 PPCR	LEYLAND 412 (RC)	0425 PPC	6125 DICES	ASHOK LEYLAND LEYLAND-412 (RC)
0429 PPCR	LEYLAND 412 TCAC/402 LTC EURO-I	0429 PPC	6129 Plasma	ASHOK LEYLAND LEYLAND 412 TCAC ASHOK LEYLAND LEYLAND 402 LTC ASHOK LEYLAND LEYLAND EURO-I
0722 PPCR	LEYLAND 412 TCAC 402 LTC EURO-II	0722 PPC	6130 PLASMA STEEL POWER	ASHOK LEYLAND LEYLAND 412 TCAC ASHOK LEYLAND LEYLAND 402 LTC ASHOK LEYLAND LEYLAND EURO-II
0727 PPCR	LEYLAND 402	0727 PPC	6129 Plasma	ASHOK LEYLAND LEYLAND 402 INDUSTRIAL
0420 PPCR	LEYLAND 402 (RC)	0420 PPC	6122 DICES	ASHOK LEYLAND LEYLAND VIKING ASHOK LEYLAND LEYLAND 402 RC
0428 PPCR	LEYLAND 412	0428 PPC	6125 DICES	ASHOK LEYLAND LEYLAND-412 COMET
0409 PPCR	LEYLAND 680	0409 PPC	6112 ES	ASHOK LEYLAND LEYLAND-680 DUMPER ASHOK LEYLAND LEYLAND 680 BEAVER
0718 PPCR	LEYLAND 680 TC AC EURO-I	0718 PPC	6139 PLASMA	ASHOK LEYLAND LEYLAND 680 TC AC EURO-I
07181 PPCR	LEYLAND 680 EUTO-I	07181 PPC	6139 PLASMA	ASHOK LEYLAND LEYLAND 680 INDUSTRIAL EURO-I
07182 PPCR	LEYLAND 680 TC AC EURO-II	07182 PPC	6139 PLASMA	ASHOK LEYLAND LEYLAND 680 TC AC EURO-II
0714 PPCR	LEYLAND 680 RC	0714 PPC	6139 PLASMA	ASHOK LEYLAND LEYLAND-680 RC
0424 PPCR	LEYLAND 690 RC	0424 PPC	6139 PLASMA	ASHOK LEYLAND LEYLAND 690 RC HIPPO TC
0360 PPCR	NISSAN	0360 PPC	6755 TCES	NISSAN NISSAN AUTO THERMIC
0446 PPCR	SWARAJ MAZDA	0446 PPC	6885 TKTCES	SWARAJ MAZDA SWARAJ MAZDA
04471 PPCR	SWARAJ MAZDA EURO-III	04471 PPC	6885 TKTCES	SWARAJ MAZDA SWARAJ MAZDA EURO-III
0447 PPCR	SWARAJ MAZDA EURO-I	0447 PPC	6885 TKTCES	SWARAJ MAZDA SWARAJ MAZDA EURO-I
0403 PPCR	SWARAJ MAZDA	0403 PPC	6885 TKTCES	SWARAJ MAZDA SWARAJ MAZDA CNG

Part Number	Name	Piston	Ring	Application
0439 PPCR	TATA SIERRA TURBO/SUMO/VICTA DLX/SAFARI 4DL TURBO	0439PPC		TATA TATA SIERRA TURBO TATA TATA SUMO TATA TATA VICTA DLX TATA TATA SAFARI 4DL TURBO
0440 PPCR	TATA SUMO/VICTA 4DL	0440PPC		TATA TATA VICTA 4 DL TATA TATA SUMO
0348 PPCR	TATA 486 PL SAFARI	0348PPC		TATA TATA SAFARI TATA TATA-486 PL
0402 PPCR	TATA OM-312 L3500	0402 PPC	5301 DCBSM	TATA TATA OM-312 TATA TATA-L3500
0472 PPCR	TATA OM-312 L3500	0472 PPC	5301 DCES	TATA TATA OM-312 TATA TATA-L3500
0470 PPCR	TATA 1210SE/692DI R/C 5RV	0470 PPC	5308 TSDCPGES	TATA TATA-1210SE TATA TATA-692 DI RC 5RV
0486 PPCR	TATA 1210/692 DI 5RV	0486 PPC	5308 DCES	TATA TATA-1210 TATA TATA-692 DI RC 5RV
0492 PPCR	TATA 1210/692 DI RC 5RV	0492 PPC	5308 SHAKTI	TATA TATA-1210 TATA TATA-692 DI RC 5RV
0469 PPCR	TATA 1210SE/692 DI RC 5RV	0469 PPC	5308 TSDCPGES	TATA TATA-1210SE TATA TATA-692 DI RC 5RV
0495 PPCR	TATA 1210/692 DI ST 5RV	0495 PPC	5308 DCBSM	TATA TATA-1210 TATA TATA-692 DI ST 5RV
0488 PPCR	TATA 1210/692 DI ST 5RV	0488 PPC	5310 CPF	TATA TATA-1210 TATA TATA-692 DI 5RV
0479 PPCR	TATA 1210/692 DI RC 5RV	0479 PPC	5310 DCES	TATA TATA-1210 TATA TATA-692 DI RC 5RV
0493 PPCR	TATA 1210/692 DI ST 5RV	0493 PPC	5310 TSDCPGES	TATA TATA-1210 TATA TATA-692 DI ST 5RV
0471 PPCR	TATA 1210/692 DI (ST) 5RV	0471 PPC	5310 SHAKTI	TATA TATA-1210 TATA TATA-692 DI ST 5RV
0485 PPCR	TATA 1210/692 DI 4RV	0485 PPC	5306 SHAKTI	TATA TATA-1210 TATA TATA-692 DI 4RV
0484 PPCR	TATA 1210/692 DI RC 4RV	0484 PPC	5306 DCES	TATA TATA-1210 TATA TATA-692 DI RC 4RV
0482 PPCR	TATA 1210/692 DI RC 3RV	0482 PPC	5314 TSIDCPGES	TATA TATA-1210 TATA TATA-692 DI RC 3RV
0475 PPCR	TATA 1210/692 DI 3RV	0475 PPC	5314 SHAKTI	TATA TATA-1210 TATA TATA-692 DI RC 3RV
0724 PPCR	TATA 1210SE/692 3RV	0724 PPC	5314 TKIDCES	TATA TATA-1210SE TATA TATA-692 CNG 3RV

Part Number	Name	Piston	Ring	Application
0449 PPCR	TATA 807/495 RC 4RV	0449 PPC	6861 TSDCPGES	TATA TATA-807 TATA TATA-495 RC 4RV
0489 PPCR	TATA 1312/695 NA 4RV	0489 PPC	5318 TSDCPGES	TATA TATA-1312 TATA TATA-695 NA 4RV
0474 PPCR	TATA 1612/1510/2213 697 NA 5RV	0474PPC	5316 TKDCPGES	TATA TATA-2213 TATA TATA-1612 TATA TATA-1510 TATA TATA-697 NA 5RV
0490 PPCR	TATA 1612/1510 1313/2213/697 NA 4RV	0490PPC	5317 TSDCPGES	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 4RV
0460 PPCR	TATA 1612/1510 1313/2213/697 NA 4RV	0460PPC	5326TSMOICES	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 4RV
0468 PPCR	TATA 1612/1510 1313/2213/697 NA 3RV	0468PPC	5321MOLY PLUS	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 3RV
0496 PPCR	TATA 1612/1313/1613 Z697 NA 3RV	0496PPC	5321 EURO POWER	TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-Z697 NA 3RV
0777 PPCR	TATA 1612/1313/1613 Z697 NA 3RV	0777PPC	5321 PLASMA GOLD POWER	TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-697 NA 3RV
0888 PPCR	TATA 1612/1510/2213/697 NA	0888PPC	6881 TSIDCES	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-1510 TATA TATA-697 NA 3RV
0711 PPCR	TATA 1612/1510/2213/697 NA	0711PPC	5321CHALLENGER	TATA TATA-2213 TATA TATA-1612 TATA TATA-1510 TATA TATA-697 NA CNG
0491 PPCR	TATA 1516/697 TC/HITACHI LOADER	0491PPC	5321 TSMOICES	TATA TATA-1516 TATA TATA-697 TC

Part Number	Name	Piston	Ring	Application
0715 PPCR	TATA 1516/612/1510/1313/2213/697 NA 3RV	0715PPC	5321 MOLY GOLD STAR	TATA TATA-1516 TATA TATA-2213 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 3RV TATA TATA-612
0710 PPCR	TATA 1613 LPT/2515 LPT 613/713 697	0710PPC	5321 MOLY GOLD STAR	TATA TATA-1613 LPT TATA TATA-2515LPT TATA TATA-713 TC-CMVR
07022 PPCR	TATA 1613 LPT/2515 LPT/613/1516TC/713/697/TC EURO-II	07022PPC	6891 PLASMA STEEL POWER	TATA TATA-613 TATA TATA-713 TATA TATA-1613 LPT TATA TATA-2515LPT TATA TATA-1516 TC TATA TATA-697 TC EURO-II
0418 PPCR	TATA 697/497 EURO-II		6892 PLASMA STEEL POWER	TATA TATA-497
0494 PPCR	TATA 608/697 6SP 3RV	0494PPC	6872 TSSMOCES	TATA TATA-697 6SP 3RV TATA TATA-608
0445 PPCR	TATA 407/497 4SP 3RV	0445PPC	6871 CHALLENGER	TATA TATA-407 TATA TATA-497 4SP 3RV
0458 PPCR	TATA 407 4SP	0458PPC	6871 TSSMOICES	TATA TATA-407 4SP
0462 PPCR	TATA 407 4SP 3RV	0462PPC	6871 EURO POWER	TATA TATA 407 4SP 3RV
0465 PPCR	TATA 407 4SP TC/SAFARI TC EURO-I	0465PPC	6871 TSSMOCES	TATA TATA-407 4SP TC TATA TATA-SAFARI TC EURO-I
04651 PPCR	TATA 407 4SP TC/SAFARI 207 DI EURO-II	04651 PPC	6891 PLASMA STEEL POWER	TATA TATA-407 4SP TC TATA TATA SAFARI 207 DI EURO-II
0466 PPCR	TATA 609/709/809 TC/497X128 EURO-I	0466PPC	6871 MOLY PLUS	TATA TATA-809 TC TATA TATA-609 TATA TATA-709 TATA TATA 497X128 TURBO ENGINE EURO-I
0461 PPCR	TATA 609/709/809 LP 497X 128	0461 PPC	6871 PLASMA GOLD POWER	TATA TATA-609 TATA TATA-709 TATA TATA-809LP TATA TATA-497X128 TATA TATA TORROIDAL CAVITY
0350 PPCR	TATA SPACIO EURO-II	0350 PPC	6871 STEEL POWER	TATA TATA SPACIO EURO-II
04221 PPCR	TATA SAFARI DICOR/97/4SP TCIC EURO-II	04221 PPC	6889 PLASMA STEEL POWER	TATA TATA SAFARI DICOR TATA TATA-97 TATA TATA-4SP TCIC EURO-III MODIFIED
0426 PPCR	TATA 97 4SP	0426PPC	6884 PLASMA	TATA TATA-97 4SP CNG

Part Number	Name	Piston	Ring	Application
04333 PPCR	TATA ACE 275 IDI NA BS-II/III	04333PPC	5764 MolyGold Power Ring	TATA TATA ACE TATA TATA-275 IDI NA BS-II TATA TATA-275 IDI NA BS-III
0123 PPCR	BAJAJ TEMPO MINIDOR	0123 PPC	1950 SHAKTI	BAJAJ TEMPO BAJAJ MINIDOR TD499LC BAJAJ TEMPO BAJAJ MINIDOR CNG
0480 PPCR	TATA 1210/692 DI RC 5RV	0480 PPC	5308 CPF	TATA TATA-1210 TATA TATA-692 DI RC 5RV
0481 PPCR	TATA CUMMINS	0481PPC		TATA TATA CUMMINS
04811 PPCR	TATA CUMMINS EURO-II	04811 PPC		TATA TATA CUMMINS EURO-II
04181 PPCR	TATA 697/497 EURO-III	04181 PPC	6892 PLASMA STEEL POWER	TATA TATA-697 TATA TATA-497 EURO-III





Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
0474PPC	TATA 697 Piston Assly	97	6	STD, 0.5mm, 0.75mm, 1.00mm, 1.50mm	65.20mm	0.00	115.27mm	36.00mm	(0.100)/[0.004]	36.00mm	82.50mm	FC (36X1.5)	5316 TKDCPGES, 5316 TKDCPGES	0097 FFM	TATA TATA-2213 TATA TATA-1612 TATA TATA-1510 TATA TATA-697 NA 5RV
0490PPC	TATA 1516/697 NA RC 4RV Piston Assly	97	6	STD, 0.5mm, 0.75mm, 1.00mm, 1.50mm	65.20mm	0.00	115.27mm	36.00mm	(0.100)/[0.004]	36.00mm	82.50mm	SC (36 X 1.5)	5317 TSDCPGES, 5317 TSDCPGES	0097 SHP	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 4RV
0460PPC	TATA /1612/1510/1313/697 NA 4RV Piston Assly	97	6	STD, 0.10mm, 0.20mm,0.30mm,0.40mm	65.20mm	0.00	105.20	36.00mm	(0.100)/[0.004]	36.00mm	82.50mm	SC (36 X 1.5)	5326TSMOICES, 5326TSMOICES	0097 M	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 4RV
0468PPC	TATA 1612/1613/1313 697 NA Piston Assly	97	6	STD,0.50,1.00	65.20mm		105.20	36.00mm	(0.100)/[0.004]	36.00mm	82.50mm	SC 36 X 1.5	5321MOLY PLUS, 5321MOLY PLUS	0097 FFM	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 3RV
0496PPC	TATA 1612/1613/1313 697 NA Piston Assly	97	6	STD,0.50,1.00	65.20mm		105.20	36.00mm	(0.100)/[0.004]	36.00mm	82.50mm	SC 36 X 1.5	5321 EURO POWER, 5321 EURO POWER	0097 SHP	TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-Z697 NA 3RV

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
0777PPC	TATA 1612/1613/1313/697 NA India II Piston Assly	97	6	STD	65.20mm	0.00	100.70	36.00mm	(0.100)/[0.004]	36.00mm	80.00mm	SC (36 X 1.5)	5321 PLASMA GOLD POWER, 5321 PLASMA GOLD POWER	0097 M	TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-697 NA 3RV
0888PPC	TATA 1612/1613/1313 697 NA Piston Assly	97	6	STD	65.20mm	0.00	100.70	36.00mm	(0.100)/[0.004]	36.00mm	80.00mm	SC (36 X 1.5)	6881 TSIDCES, 6881 TSIDCES	0097 FFM	TATA TATA-2213 TATA TATA-1612 TATA TATA-1313 TATA TATA-1613 TATA TATA-1510 TATA TATA-697 NA 3RV
0711PPC	TATA /1612/1510/697 NA CNG Piston Assly	97	6	STD	65.20mm	0.00	100.70	36.00mm	(0.100)/[0.004]	36.00mm	80.00mm	SC (36 X 1.5)	5321CHALLENGER, 5321CHALLENGER	0097 MB	TATA TATA-2213 TATA TATA-1612 TATA TATA-1510 TATA TATA-697 NA CNG
0491PPC	TATA 1516/697 TC Piston Assly	97	6	STD	65.20mm	0.00	105.20	36.00mm	(0.100)/[0.004]	36.00mm	82.50mm	SC (36 X 1.5)	5321 TSMOICES, 5321 TSMOICES	0097 SHP	TATA TATA-1516 TATA TATA-697 TC
0710PPC	TATA 1613LPT/2515LPT/697TC Piston Assly	97	6	STD	65.20mm	0.00	99.20	36.00mm	(0.120)/[0.005]	36.00mm	80.00mm	FC (36 X 1.5)	5321 MOLY EXTRA PREMIUM, 5321 MOLY GOLD STAR	0097 SHF	TATA TATA-1613 LPT TATA TATA-2515LPT TATA TATA-713 TC-CMVR
07101PPC	TATA 1613LPT/2515LPT/697TC Piston Assly	97	6	STD	65.20mm	0.00	100.20	36.00mm	0.110	36.00mm	80.00mm	FC (36 X 1.5)			TATA TATA-LPT 1613
0702PPC	TATA 1613LPT/2515LPT/697TC Euro II Piston Assly	97	6	STD	65.25	0.00	99.20	36.00mm	0.12(0.005)	36.00mm	80.00mm	FC (36 X 1.5)			TATA TATA-LPT 1613 TC
07022PPC	TATA 1613LPT/2515LPT/697TC Euro II Piston Assly	97	6	STD	65.25	0.00	99.20	36.00mm	0.120(0.005)	36.00mm	80.00mm	FC (36 X 1.5)	6891 PLASMA STEEL POWER		TATA TATA-613 TATA TATA-713 TATA TATA-1613 LPT TATA TATA-2515LPT TATA TATA-1516 TC TATA TATA-697 TC EURO-II

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
07024PPC	TATA 1613LPT/2515LPT/697TC Euro II Piston Assly	97	6	STD	65.25	0.00	100.25	36.00mm	0.110(0.005)	36.00mm	80.00mm	FC (36 X 1.5)			TATA TATA-LPT 1613
04182PPC	TATA 497 TC Euro-II Piston Assly	97	4	STD	65.25	0.00	100.25	36.00mm	0.110(0.005)	36.00mm	80.00mm	FC (36 X 1.5)			
0445PPC	TATA 407/497 4SP Piston Assly	97	4	STD, 0.075, 0.125	58.50	0.00	93.50	36.00mm	0.110(0.004)	36.00mm	80.00mm	FC (36 X 1.5)	6871 CHALLENGER, 6871 CHALLENGER	0096 SHF	TATA TATA-407 TATA TATA-497 4SP 3RV
0458PPC	TATA 407 4SP	97	4	STD, 0,020, 0,040	58.50	0.00	93.50	36.00mm	0.110(0.004)	36.00mm	82.50mm	SC (36 X 1.5)	6871 TSSMOICES, 6871 TSSMOICES	0096 E	TATA TATA-407 4SP
0462PPC	TATA 407 4SP Piston Assly	97	4	STD	58.50	0.00	93.50	36.00mm	0.110(0.004)	36.00mm	80.00mm	SC (36 X 1.5)	6871 EURO POWER , 6871 EURO POWER	0096 SHP	TATA TATA 407 4SP 3RV
0465PPC	TATA 407 4SP TC Euro-I Piston Assly	97	4	STD	58.50	0.00	93.50	36.00mm	0.110(0.004)	36.00mm	80.00mm	SC (36 X 1.5)	6871 TSSMOCES, 6871 TSSMOCES, 6871 TSSMOCES	0096 SHF, 0096 SHF	TATA TATA-407 4SP TC TATA TATA-SAFARI TC EURO-I
04651 PPC	TATA 407 4SP TC/207 DI Euro-II	97	4	STD	58.80	0.00	93.50	36.00mm	0.110(0.004)	36.00mm	80.00mm	SC (36 X 1.5)	6891 PLASMA STEEL POWER		TATA TATA-407 4SP TC TATA TATA SAFARI 207 DI EURO-II
04224 PPC	TATA 407 4SP Euro- III	97	4	STD	58.80	0.00	93.80	36.00mm	0.110(0.004)	36.00mm	80.00mm	SC (36 X 1.5)			
0466PPC	TATA 609/709/809TC 497 X128 Turbo Engine Euro-I Piston Assly	97	4	STD	65.20mm	0.00	105.20	36.00mm	0.110(0.004)	36.00mm	80.00mm	SC (36 X 1.5)	6871 MOLY PLUS , 6871 MOLY PLUS , 6871 MOLY PLUS	0096 SHP, 0096 SHP	TATA TATA-809 TC TATA TATA-609 TATA TATA-709 TATA TATA 497X128 TURBO ENGINE EURO-I
0461 PPC	TATA 609/709/809 LP 497 X128 Piston Assly	97	4	STD	65.20mm	0.00	105.20	36.00mm	0.110(0.004)	36.00mm	80.00mm	FC (36 X 1.5)	6871 PLASMA GOLD POWER, 6871 PLASMA GOLD POWER	0096 SHF	TATA TATA-609 TATA TATA-709 TATA TATA-809LP TATA TATA-497X128 TATA TATA TORROIDAL CAVITY
0350 PPC	TATA SPACIO Euro-II Piston Assly	97	4	STD	59	0.00	94.00	36.00mm	0.110(0.004)	36.00mm	80.00mm	FC (36 X 1.5)	6871 STEEL POWER, 6871 STEEL POWER	0096 SHP	TATA TATA SPACIO EURO-II

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
04221 PPC	TATA SAFARI DICOR/97 4SP TCIC Euro-III Modified Piston Assly	97	4	STD	58.80	0.00	93.80	36.00mm	0.110(0.004)	36.00mm	80.00mm	FC (36 X 1.5)	6889 PLASMA STEEL POWER		TATA TATA SAFARI DICOR TATA TATA-97 TATA TATA-4SP TCIC EURO-III MODIFIED
0481PPC	TATA CUMMINS Piston Assly	102	6	STD, 0,020, 0,040	71.585	0.00	105.41	40.009	0.120(0.005)	40	82.68	SC 40X1.75			TATA TATA CUMMINS
04811 PPC	TATA CUMMINS Euro II	102	6	STD	71.585	0.00	105.41	40.00	0.120(0.005)	40	82.68	SC 40X1.75			TATA TATA CUMMINS EURO-II
04333PPC	TATA ACE/ 275 IDI NA BS I/II	75	2	STD, 0.25, 0.50, 0.75	42.95	0.00	69.00	23.00	C= 0.060/0.002	23.00	56.50	RC 23 X1.5	5764 MolyGold Power Ring, 5764 MolyGold Power Ring	00992	TATA TATA ACE TATA TATA-275 IDI NA BS-II TATA TATA-275 IDI NA BS-III
04541 PPC	FORCE MOTORS MINIFOUR (M4) Piston Assly	90.09	4	STD	47.05	0.00	80.55	26	0.045	26	74	RC 26X1.6			FORCE MOTORS FORCE-M4
0450PPC	BAJAJ TEMPO MATADOR - 3RV	78	4	STD	48	0.00	77.50	25	0.070/0.003	25	64	RC 25X1.6	6850 DCES, 6850DCES, 6850 DCES	0038, 0038	BAJAJ TEMPO BAJAJ MATADOR-3RV
0451 PPC	BAJAJ TEMPO MATADOR - 5RV Piston Assly	78	4	STD, 0,020, 0,030	47.95	0.00	90.00	25.00	0.068/0/003	25	64	RC 25X1.6	6851 CP		BAJAJ TEMPO BAJAJ MATADOR-5RV
0195 PPC	BAJAJ TEMPO MATADOR 3W Piston Assly	85	1	STD, 0.50, 1.00	47.05	0.00	85.00	23.00	0.120(0.005)	23.00	67.80	RC A23 X1.5	1950 TIDCES		BAJAJ TEMPO BAJAJ MINIDOR 3W-DIESEL
01801PPC	BAJAJ TEMPO MINIDOR DI TD499L C 15DI E-II Piston Assly	85	1	STD	47.05	0.00	85.00	23.00	0.090/0.004	23.00	67.80	RC A23 X1.5	1950 SHAKTI		BAJAJ TEMPO BAJAJ MINIDOR DI 15DI E-II BAJAJ TEMPO BAJAJ MINIDOR TD499LC
0180PPC	BAJAJ TEMO DI MINIDOR TD499LC Piston Assly	85	1	STD	47.05	0.00	85.00	23.00	0.080/0.003	23.00	67.80	RC A23 X1.5	1950 TIDCES		BAJAJ TEMPO BAJAJ MINIDOR BAJAJ TEMPO BAJAJ MINIDOR TD499LC
0113PPC	BAJAJ TEMPO MINIDOR EURO-I TD499 LC IDI Piston Assly	85	1	STD	47.05	0.00	85.00	23.00	0,080/0.003	23.00	67.80	RC A23 X1.5	1950 TIDCES, 1950 TIDCES		BAJAJ TEMPO BAJAJ MINIDOR EURO-I
0123 PPC	BAJAJ TEMPO MINIDOR CNG TD499LC Piston Assly	85	1	STD	47.90	0.00	85.00	23.00	0.080/0.003	23.00	67.80	RC A23 X1.5	1950 SHAKTI, 1950 TIDCES		BAJAJ TEMPO BAJAJ MINIDOR TD499LC BAJAJ TEMPO BAJAJ MINIDOR CNG

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
0454PPC	BAJAJ TEMPO OM616 IDI Piston Assly	90.90	4	STD	48.35	0.00	81.85	26	0.035/0.001	26	74	RC C26 X 1.6	6852 TKDCES, 6852 TKDCES, 6852 TKDCES	0040	BAJAJ TEMPO BAJAJ OM-616 IDI TEMPO TRAVELLER BAJAJ TEMPO BAJAJ TRAX AUTO THERMATIC PISTON 2399cc
0455 PPC	BAJAJ TEMPO OM 616 DI CNG Piston Assly	90.90	4	STD	47.20	0.00	80.70	26	0.035/0.001	26	74	RC C26 X 1.6	6852 TKDCES, 6852 TKDCES, 6852 TKDCES, 6852 SHAKTI	0040, 0040	BAJAJ TEMPO BAJAJ OM-616 DI CNG
0453PPC	BAJAJ TEMPO OM616 DITD 2400F Piston Assly	90.90	4	STD	48.60	0.00	82.10	26	0.035/0.001	26	74	RC C26 X 1.6	6853 PLASMA		BAJAJ TEMPO BAJAJ OM-616 DI TD 2400F
0442 PPC	BAJAJ TEMPO OM616TC Piston Assly	90.90	4	STD	48.35	0.00	81.85	26	0.035/0.001	28	77	RC C28 X 1.5	6853 Plasma , 6853 PLASMA		BAJAJ TEMPO BAJAJ OM-616 TC
0452 PPC	BAJAJ TEMPO OM616TC Piston Assly	90.90	4	STD	48.35	0.00	81.85	28	0.050/0.002	28	77	RC C28 X 1.5	6853 PLASMA , 6853 Plasma		BAJAJ TEMPO BAJAJ OM-616 TC
0412 PPC	BEDFORD DIESEL 330 Piston Assly	103.17	6	STD	71.44	0.00	118.24	34.925	0.207/0.008	34.925	88.060	sc 35X 1.5	5104 C, 5104 C		BEDFORD BEDFORD DIESEL 330
0441 PPC	EICHER CANTER Piston Assly	100	4	STD	60.70	0.00	110.70	34.00	0.047/0.002	34	84	FC 34 X 1.5	6883 TKTCES, 6883 TKTCES, 6883 TKTCES	0034	EICHER EICHER CANTER 3297CC
0413 PPC	EICHER E483 TCI Piston Assly	100	4	STD, 0.25, 0.50, 0.75, 1.00	60.60 & 60.67	0.00	95.70	34.00	0.130/0.005	34	81	FC 34 X 1.5	6882 STEEL		EICHER EICHER E 483 TCI
04131 PPC	EICHER TCI EURO III Piston Assly	100	4	STD	60.60 & 60.67	0.00	95.70	34.00	0.130/0.005						
0414 PPC	LEYLAND 400 (RC) Piston Assly	107.30	6	STD	82.09	0.00	145.60	33.02	0.135/0.005	33.02	90.85	SC 33 X 1.2	6115ES, 6115ES	0053	ASHOK LEYLAND LEYLAND 400 RC
0419 PPC	Leyland 401(RC) Viking Piston Assly	107.30	6	STD	82.09	0.00	145.60	33.02	0.178/0.007	33.02	90.85	SC 33 X 1.2	6122 DICES, 6122 DICES	0053	ASHOK LEYLAND LEYLAND-401 RC
0406 PPC	Leyland 401(RC) Viking/Tusker/Super Piston Assly	107.30	6	STD	82.09	0.00	145.60	33.02	0.178/0.007	33.02	90.85	SC 35X 1.2	6120 DICUCES		ASHOK LEYLAND LEYLAND-401 RC
0405 PPC	LEYLAND 400 (RC) Euro -I Piston Assly	107.30	6	STD	82.035L, 82.115M, 82.195H	0.00	125.16	33.026	0.203	33.026	90.85	SC 33 X 1.2	6129 Plasma, 6129 Plasma	0053	ASHOK LEYLAND LEYLAND-401 RC ASHOK LEYLAND LEYLAND EURO-I
0723 PPC	Leyland 401 RC INDUSTRIAL Piston Assly	107.30	6	STD	82.115	0.00	125.16	33.026	0.203/0.008	33.026	90.85	SC 33 X 1.2	6129 Plasma		ASHOK LEYLAND LEYLAND-401 RC

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
0433 PPC	LEYLAND 402 LTC Piston Assly	107.30	6	STD	82.09	0.00	125.10	33.026	0.135/0.005	33.026	90.85	SC 32 X1.2	6129 Plasma		ASHOK LEYLAND LEYLAND 402 LTC
0407 PPC	LEYLAND IVECO 8040 EURO-I	104	4	STD, 0.60	65.33	0.00	104.33	38	0.139/0.005	38.00	85.15	RC 38 X 2	6137 TKDCES		ASHOK LEYLAND LEYLAND IVECO 8040 EURO-I
0713 PPC	LEYLAND IVECO- 8040-8060 CNG Piston Assly	104	4	STD, 0.60	65.33	0.00	104.33	38	0.139/0.005	38	85.15	RC 38 X 2	6141 PLASMA, 6141 PLASMA		ASHOK LEYLAND LEYLAND IVECO-8040 ASHOK LEYLAND LEYLAND IVECO-8060
0427 PPC	LEYLAND HINO WO 6D Piston Assly	104	4	STD	62.69	0.00	108.69	35	0.140	35	85	SC 35X 1.2	6135 TKDCES		ASHOK LEYLAND LEYLAND HINO WO 6D
0704 PPC	Leyland Hino WO 6E Tuskar Piston Assly	104	6	STD	60.19	0.00	106.19	35	0.100/0.004	35	85	SC 35X 1.2	6135 TKDCES		ASHOK LEYLAND LEYLAND 1612 ASHOK LEYLAND LEYLAND HINO WO 6E TUSKAR 2214
0716 PPC	Leyland Hino WO 6E RC Tuskar Piston Assly	104	6	STD	60.19	0.00	106.19	35	0.100/0.004	35	85	SC 35X 1.2	6134 PLASMA		ASHOK LEYLAND LEYLAND 1612 ASHOK LEYLAND LEYLAND HINO WO 6E RC TUSKAR 2214
07041 PPC	LEYLAND HINO 6ETI Euro II Piston Assly	104	6	STD	60.19	0.00	106.19	35	0.106	35	85	SC 35X 1.2			ASHOK LEYLAND LEYLAND HINO
0712 PPC	Leyland Hino WO 6E CNG Piston Assly	104	6	STD	60.19	0.00	106.19	35	0.100/0.004	35	85	SC 35X 1.2	6135 TKDCES, 6135 TKDCES		ASHOK LEYLAND LEYLAND LEYLAND HINO WO 6E
0708 PPC	Leyland Hino WO 6DTI Euro 1 Piston Assly	104	6	STD	62	0.00	108.65	37	0.100/0.004	37	85	SC 37 X 1.2	6134 PLASMA, 6134 PLASMA, 6134 PLASMA		ASHOK LEYLAND LEYLAND HINO WO 6DTI EURO-I ASHOK LEYLAND LEYLAND 2516
0717 PPC	Leyland Hino WO 6DTI Euro II/ Viking BSII, Cheetah Piston Assly	104	6	STD, 0.50, 1.00	62.65	0.00	108.65	37	0.100/0.004	37	85	SC 37 X 1.2	6134 PLASMA		ASHOK LEYLAND LEYLAND HINO WO6DTI EURO-II

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
07301 PPC	Leyland Hino 6CTI Euro III Piston Assly	104	6	STD	62.65	0.00	108.65	37	0.100/0.004	37	85	SC 37 X 1.2	6142 PLASMA STEEL POWER STD		ASHOK LEYLAND LEYLAND HINO 6CTI EURO-III
07302 PPC	Leyland Hino 6DTI Euro II Piston Assly	104	6	STD	62.65	0.00	108.65	37	0.10/0.004	37	85	SC 37 X 1.2	6142 PLASMA STEEL POWER STD		ASHOK LEYLAND LEYLAND HINO 6DTI EURO-II
0425 PPC	Leyland 412 (RC) Comet Piston Assly	107.30	6	STD	82.09	0.00	145.60	41.281	0.152/[0.006]	41.281	88.850	SC 41.28 X 1.75	6125 DICES, 6125 DICES	0053	ASHOK LEYLAND LEYLAND-412 (RC)
0429 PPC	Leyland 412 TCAC/402 LTC Euro- I Tuskar Super 1616 Piston Assly	107.30	6	STD	82.09	0.00	125.10	41.281	0.135/0.005	41.281	88.850	SC (41.28 X 1.75)	6129 Plasma		ASHOK LEYLAND LEYLAND 412 TCAC ASHOK LEYLAND LEYLAND EURO-I ASHOK LEYLAND LEYLAND 402 LTC
0722 PPC	Leyland 412 TCAC/402 LTC Euro- II Tuskar Super 1616 Piston Assly	107.30	6	STD	82.50	0.00	125.50	41.281	0.135/0.005	41.281	88.850	SC 41.28 X 1.75	6130 PLASMA STEEL POWER		ASHOK LEYLAND LEYLAND 412 TCAC ASHOK LEYLAND LEYLAND EURO-II ASHOK LEYLAND LEYLAND 402 LTC
0727 PPC	Leyland 402 Industrial Application Piston Assly	107.30	6	STD	82.115	0.00	125.10	41.281	0.185/0.007	41.281	88.850	SC 41.28 X 1.75	6129 Plasma		ASHOK LEYLAND LEYLAND 402 INDUSTRIAL
0420 PPC	Leyland 402 (RC) Viking/ Tusker/Super Piston Assly	107.30	6	STD	82.09	0.00	145.60	41.281	0.178/0.007	41.281	88.850	SC 41.28 X 1.75	6122 DICES, 6122 DICES, 6122 DICES	0053	ASHOK LEYLAND LEYLAND VIKING ASHOK LEYLAND LEYLAND 402 RC
0428 PPC	Leyland 412 Comet Piston Assly	107.30	6	STD	82.09	0.00	132.60	41	0,152/0.006	41.281	88.850	SC 41.28 X 1.75	6125 DICES		ASHOK LEYLAND LEYLAND-412 COMET
0409 PPC	Leyland 680 Dumper /Beaver Piston Assly	127.028	6	STD	101.00	0.00	159.42	41.281	0.275/0.011	41.281	111.700	SC 41.28 X 1.75	6112 ES		ASHOK LEYLAND LEYLAND-680 DUMPER ASHOK LEYLAND LEYLAND 680 BEAVER

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
0718 PPC	Leyland 680 TC AC Euro-I Piston Assly	127.028	6	STD	101.00	0.00	148.80	44.711	0.140/0.0056	44.711	109.200	SC 44.45 X 1.75	6139 PLASMA		ASHOK LEYLAND LEYLAND 680 TC AC EURO-I
07181 PPC	Leyland 680 Industrial Euro- I	127.028	6	STD	101.00	0.00	148.80	44.711	0.140/0.0056	44.711	109.200	SC 44.45 X 1.75	6139 PLASMA		ASHOK LEYLAND LEYLAND 680 INDUSTRIAL EURO-I
07182 PPC	Leyland 680 TC AC Euro-II Piston Assly	127.028	6	STD	101.00	0.00	148.80	44.711	0.140/0.0056	44.711	109.200	SC 44.45 X 1.75	6139 PLASMA		ASHOK LEYLAND LEYLAND 680 TC AC EURO-II
0714 PPC	Leyland 680 RC Industrial Application Piston Assly	127.028	6	STD	101.00	0.00	148.80	44.711	0.140/0.0056	44.711	109.200	SC 44.45 X 1.75	6139 PLASMA		ASHOK LEYLAND LEYLAND-680 RC
0424 PPC	Leyland 690 RC Hippo TC Piston Assly	127.028	6	STD	101.00	0.00	169.60	44.710	0.175/0.007	44.711	109.200	SC 44.45 X 1.75	6139 PLASMA		ASHOK LEYLAND LEYLAND 690 RC HIPPO TC
0360 PPC	Nissan Autothermic Piston Assly	85.70	6	STD, 0.12, 0.25, 0.50, 0.75, 1.00,1.25 1.50	53.30	0.00	94.50	20.65	0.050/0.002	20.65	74.70	No Circlips	6755 TCES		NISSAN NISSAN AUTO THERMIC
0446 PPC	Swaraj Mazda Piston Assly	100	4	STD	58.04	0.00	105.00	34.00	0.050/0.002	34	82	SC 34X1.5	6885 TKTCES, 6885 TKTCES	0041	SWARAJ MAZDA SWARAJ MAZDA
04471 PPC	Swaraj Mazda Euro III Piston Assly	100	4	STD	58.02 & 58.06	0.00	105.00	34.00	0.050/0.002	34	82	SC 34X1.5	6885 TKTCES, 6885 TKTCES, 6885 TKTCES	0041	SWARAJ MAZDA SWARAJ MAZDA EURO- III
0447 PPC	Swaraj Mazda Euro I Piston Assly	100	4	STD	58.04	0.00	105.00	34.00	0,050/0.002	34	82	SC 34X1.5	6885 TKTCES		SWARAJ MAZDA SWARAJ MAZDA EURO-I
0403 PPC	Swaraj Mazda CNG Piston Assly	100	4	STD	58.04	0.00	105.00	34.00	0.050/0.002	34	82	SC 34X1.5	6885 TKTCES		SWARAJ MAZDA SWARAJ MAZDA CNG
0470 PPC	TATA 1210SE/692 DI RC Piston Assly	92	6	STD, 0.020,0.030, 0.040, 0.060	65	0.00	115.50	30	0.100/0.004	30	78	SC 30 X 1.2	5308 TSDCPGES, 5308 TSDCPGES	0094	TATA TATA-1210SE TATA TATA-692 DI RC 5RV
0492 PPC	TATA 1210/692 DI RC Piston Assly	92	6	STD	65	0.00	115.50	30	0.100/0.004	32	78	SC 32 X1.2	5308 SHAKTI, 5308 SHAKTI	0092 M	TATA TATA-1210 TATA TATA-692 DI RC 5RV
0495 PPC	TATA 1210/692 DI Forged Piston Assly	92	6	STD, 0.020,0.030, 0.040, 0.060	65	0.00	115.50	32	0.100/0.004	32	78	SC 32 X1.2	5308 DCBSM		TATA TATA-1210 TATA TATA-692 DI ST 5RV



Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
0488 PPC	TATA 1210/692 DI 5RV Piston Assly	92	6	STD, 0.020,0.030, 0.040, 0.60	65	0.00	115.50	30	0.100/0.004	30	78	SC 30 X 1.2	5310 CPF, 5310 CPF	0094	TATA TATA-692 DI 5RV
0479 PPC	TATA 1210/692 DI RC Piston Assly	92	6	STD, 0.020,0.030, 0.040, 0.060	65	0.00	115.50	32	0.100/0.004	32	78	SC 32 X1.2	5310 DCES, 5310 DCES	0092	TATA TATA-LPT 1210 TATA TATA-692 DI RC 5RV
0493 PPC	TATA 1210/692 DI ST Piston Assly	92	6	STD, 0.020,0.030, 0.040, 0.060	65	0.00	115.50	32	0.100/0.004	32	78	SC 32 X1.2	5310 TSDCPGES, 5310 TSDCPGES	0092 M	TATA TATA-692 DI ST 5RV TATA TATA-1210
0471 PPC	TATA 1210/692 DI 5RV Piston Assly	92	6	STD, 0.020,0.030, 0.040, 0.60	65	0.00	115.50	32	0.100/0.004	32	78	SC 32 X1.2	5310 SHAKTI, 5310 SHAKTI	0092 FF	TATA TATA-1210 TATA TATA-692 DI ST 5RV
0484 PPC	TATA 1210/692 DI 4RV Piston Assly	92	6	STD, 0.020,0.030, 0.040	65	0.00	115.50	32	0.100/0.004	32	78	SC 32 X1.2	5306 DCES, 5306 DCES	0094 M	TATA TATA-1210 TATA TATA-692 DI RC 4RV
0482 PPC	TATA 1210/692 DI Piston Assly	92	6	STD, 0.075, 0.125	65	0.00	105.00	32	0.100/0.004	32	78	FC 32 X 1.2	5314 TSIDCPGES, 5314 TSIDCPGES	0092 FF	TATA TATA-1210 TATA TATA-692 DI RC 3RV
0475 PPC	TATA 1210/692 DI 3RV Piston Assly	92	6	STD, 0.020,0.030, 0.040, 0.060	65	0.00	105	32	0.100/0.004	32	78	FC 32 X 1.2	5314 SHAKTI, 5314 SHAKTI	0092 MFF	TATA TATA-1210 TATA TATA-692 DI RC 3RV
0724 PPC	TATA 1210 SE/692 CNG Piston Assly	92	6	STD	65	0.00	105	32	0.100/0.004	32	78	SC 32 X1.2	5314 TKIDCES, 5314 TKIDCES	0094	TATA TATA-1210SE TATA TATA-692 CNG 3RV
0421PPC	LEYLAND 370(RC)	103.35	6	STD	82.09	0.00	145.60	33.02	(0.135)/[0.005]	33.02	90.85	SC 33x1.2	6111 ES, 6111 ES	0049	ASHOK LEYLAND LEYLAND 370 RC
0723	Leyland 401 RC	107.30	6	STD	82.115	0.00	125.16	33.026	0.203/0.008	33.026	90.850	SC 33x1.2			
7041	LEYLAND HINO 6ETI	104	6	STD	60.19	0.00	106.19	35	0.106	35	85	SC 35 X 1.2			ASHOK LEYLAND LEYLAND HINO
0489	TATA 1312/695 NA 4RV	95	6	STD,0.075 ,0.125	65	0.00	115.5	36	0.100/0.004	36	80	SC 36 x 1.5			TATA TATA-1312
0426PPC	TATA 94 4SP	97	4	STD	57	0.00	92	36	0.110/0.004	36	80	FC 36 x 1.5	6884 PLASMA		TATA TATA-97 4SP CNG
0707PPC	TATA CUMMINS	102	6	STD	70.635	0.00	104.46	40	0.120/0.005	40	82.68	SC 40 x 1.75			TATA TATA CUMMINS CNG
0721PPC	TATA Cummins	102	6	STD	70.635	0.00	104.46	40.009	0.120/0.005	40	82.68	SC 40 x 1.75			TATA TATA CUMMINS CNG

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
0494PPC	TATA 608/697 6SP	97	6	STD,0.075 ,0.125	58.50	0.00	93.50	36	0.100/0.004	36	80	SC 36 X 1.5	6872 TSSMOCES, 6872 TSSMOCES	0097 SHF	TATA TATA-697 6SP 3RV TATA TATA-608
0715PPC	TATA 1516/612/1510/1313/2213/697 NA	97	6	STD	64.90	0.00	100.40	36	0.100/0.004	36	80	FC 36 x 1.5	5321 MOLY GOLD STAR , 5321 MOLY GOLD STAR	0097 M	TATA TATA-1516 TATA TATA-2213 TATA TATA-1313 TATA TATA-1510 TATA TATA-697 NA 3RV TATA TATA-612
0348PPC	TATA 486 PL SAFARI	86	4	STD	30.95	0.00	58.95	21	0.040/0.0016	21	58	RC C21 x 1.5			TATA TATA-486 PL TATA TATA SAFARI
0440PPC	TATA SUMO/VICTA 4DL	83	4	STD 0.20 ,0.50	46.80	0.00	84.30	25	0.070/0.003	25	70.50				TATA TATA VICTA 4 DL TATA TATA SUMO
0439PPC	TATA SIERRABTURBO/SUMO/VICTA SAFARI	83	4	STD	46.95	0.00	72.90	28	0.060/0.002	28	67	RC A28 X 1.6	6876 TKMOCES,	0090	TATA TATA SIERRA TURBO TATA TATA SUMO TATA TATA VICTA DLX TATA TATA SAFARI 4DL TURBO
0408 PPC	LEYLAND 350	100.62	6	STD	81.90	0.00	132.70	33.026	0.140/0.006	33.026	87.900	SC 33 x 1.2	6110		ASHOK LEYLAND LEYLAND-350
0404 PPC	LEYLAND 350	100.62	6	STD	81.90	0.00	132.70	33.026	0.140/0.006	33.026	87.900	SC 33 x 1.2	6108 C		ASHOK LEYLAND LEYLAND-350
0402 PPC	TATA OM-312 L3500	90	6	STD,0.010,0.020,0.030,0.040,0.060	65	0.00	115.50	30	0.100/0.004	30	78	SC 30 x 1.2	5301 DCBSM, 5301 DCBSM	0091	TATA TATA OM-312 TATA TATA- L3500
0472 PPC	TATA OM-312 L3500	90	6	STD,0.010,0.020,0.030,0.040	65	0.00	115.50	30	0.100/0.004	30	78	SC 30 x 1.2	5301 DCES		TATA TATA OM-312 TATA TATA- L3500
0480 PPC	TATA 1210/692 DI RC 5RV	92	6	STD	65	0.00	115.50	30	0.100/0.004	30	78	SC 30 x 1.2	5308 CPF, 5308 CPF	0094	TATA TATA-1210 TATA TATA-692 DI RC 5RV
0486 PPC	TATA 1210/692 DI 5RV	92	6	STD,0.020 ,0.030 ,0.040 ,0.060	65	0.00	115.50	30	0.100/0.004	32	78	SC 32 x 1.2	5308 DCES, 5308 DCES	0092	TATA TATA-1210 TATA TATA-692 DI RC 5RV

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
0469 PPC	TATA 1210SE/692 DI RC 5RV	92	6	STD,0.020 ,0.030 ,0.040 ,0.060	65	0.00	115.50	32	0.100/0.004	32	78	SC 32 x 1.2	5308 TSDCPG, 5308 TSDCPGES	0092 MFF	TATA TATA-1210SE TATA TATA-692 DI RC 5RV
0485 PPC	TATA 1210/692 DI 4RV	92	6	STD,0.020 ,0.040	65	0.00	115.50	30	0.100/0.004	30	78	SC 30 x 1.2	5306 SHAKTI, 5306 SHAKTI	0094	TATA TATA-1210 TATA TATA-692 DI 4RV
0449 PPC	TATA 807/495 RC 4RV	95	4	STD,0.075 ,0.125	65	0.00	115.50	36	0.100/0.004	36	80	SC 36 x 1.5	6861 TSDCPGES, 6861 TSDCPGES	0063 M	TATA TATA-807 TATA TATA-495 RC 4RV
0489 PPC	TATA 1312/695 NA 4RV	95	6	STD,0.075 ,0.125	65	0.00	115.5	36	0.100/0.004	36	80	SC 36 x 1.5	5318 TSDCPGES		TATA TATA-1312 TATA TATA-695 NA 4RV
01951 PPC	BAJAJ TEMPO MINIDER 3W	85.00	1	STD 0.50 1.00	47.05	0.00	85.00	23.00	(0.105)/[0.004]	23.00	67.80	RC A23X1.5			BAJAJ TEMPO BAJAJ MINIDOR DI- RC
04181 PPC	TATA 697/497 EURO-III	97	6	STD	65.25	0.00	100.5	36	(0.100)/[0.004]	36	80	SC 36X1.5	6892 PLASMA STEEL POWER		TATA TATA-697 TATA TATA-497 EURO-III
0416 PPC	LEYLAND 370 ST	103.35	6	STD	82.09	0.00	132.90	33.02	(0.178)/[0.007]	33.02	90.85	SC 33 X 1.2	6117SPL	0050	ASHOK LEYLAND LEYLAND 370 ST



Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PCH68520FPSC10000E	OM 616 - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		6852	0453	STD		MERCEDES MERCEDES-GASKET
PCH68520MLG010000E	OM 616 - MLG CHG	Cylinder Haed Gasket	Multi Layer Graphite		6852	0453	STD		MERCEDES MERCEDES-GASKET
PFS68520FPSC10WTCE	OM 616 - FULL SET W/O CHG	Full Set	Fiber Perforated Steel Core		6852	0453	STD	Without Cylinder Head Gasket	MERCEDES MERCEDES-GASKET
PCH61110FPSC10000E	LEYLAND 370/400 - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		6110	0421	STD		
PFS61110FPSC10000E	LEYLAND 370/400 - FULL SET	Full Set	Fiber Perforated Steel Core		6111	0421	STD		
PHS61110FPSC10000E	LEYLAND 370/400 - HALF SET	Half Set	Fiber Perforated Steel Core		6111	0421	STD		
PLG61110TC0010000E	LEYLAND 370/400 - TAPPER COVER	Loose Gasket			6111	0421	STD		
PCH61220FPSC10000E	LEYLAND 402/411 - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		6122	5419	STD		TATA TATA-CITYRIDE 407 TATA TATA-SFC 407
PFS61220FPSC10000E	LEYLAND 402/411 - FULL SET	Full Set	Fiber Perforated Steel Core		6122	5419	STD		TATA TATA-SFC 407
PHS61220FPSC10000E	LEYLAND 402/411 - HALF SET	Half Set	Fiber Perforated Steel Core		6122	5419	STD		ASHOK LEYLAND LEYLAND-370
PCH53131SBB010000E	CUMMINS 6BT - CHG	Cylinder Head Gasket	Steel Back Bone		5313	5811	STD		TATA TATA CUMMINS 6BT
PFS53131SBB010000E	CUMMINS 6BT - FULL SET WITH SEAL	Full Set	Steel Back Bone		5313	0481	STD		TATA TATA CUMMINS 6BT
PFS53131SBB010WTSE	CUMMINS 6BT - FULL SET W/O SEAL	Full Set	Steel Back Bone		5313	0481	STD	Without Seal	TATA TATA CUMMINS 6BT
PFS53131SBB01R000E	CUMMINS 6BT - FULL SET WITH SEAL (ROTORY TIMING)	Full Set	Steel Back Bone		5313	5811	STD	Rotory Timimg	TATA TATA CUMMINS 6BT
PFS53131SBB01RWTSE	CUMMINS 6BT - FULL SET W/O SEAL (ROTORY TIMING)	Full Set	Steel Back Bone		5313	5811	STD	Rubber Mould Tappet cover - With set contents of TC	TATA TATA CUMMINS 6BT

Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PTS53131SBB010000E	CUMMINS 6BT - TOP SET WITH VSS	Top Set	Steel Back Bone		5313	5811	STD		TATA TATA CUMMINS 6BT
PTS53131SBB010WTVE	CUMMINS 6BT - TOP SET W/O VSS	Top Set	Steel Back Bone		5313	5811	STD	Without Valve Stem Seal	TATA TATA CUMMINS 6BT
PLG53131TCS010006E	CUMMINS 6BT - TAPPER COVER (SET OF 6)	Loose Gasket			5313	5811	STD		TATA TATA CUMMINS 6BT
PLG53131SCTC10000E	CUMMINS 6BT - TIMING COVER(FOR ROTARY PUMP)	Loose Gasket			5313	5811	STD		TATA TATA CUMMINS 6BT
PLG53131MS0010000E	CUMMINS 6BT - MAIN OIL SEAL	Loose Gasket			5313	5811	STD		TATA TATA CUMMINS 6BT
PLG53131MTS010000E	CUMMINS 6BT - OIL SEAL SET (MAIN & TIMING)	Loose Gasket			5313	5811	STD		TATA TATA CUMMINS 6BT
PLG53131TS0010000E	CUMMINS 6BT - TIMING OIL SEAL	Loose Gasket			5313	5811	STD		TATA TATA CUMMINS 6BT
PLG53131SPRC10000E	CUMMINS 6BT - SIDE PUSH ROD COVER	Loose Gasket			5313	5811	STD		TATA TATA CUMMINS 6BT
PLG53131VSS010000E	CUMMINS 6BT - VSS	Loose Gasket			5313	5811	STD		TATA TATA CUMMINS 6BT
PCH53283SBB010000E	CUMMINS 6BT EURO III - CHG (0.5MM CORE)	Cylinder Head Gasket	Steel Back Bone		5328	5815	STD		TATA TATA CUMMINS 6BT
PFS53283SBB010000E	CUMMINS 6BT EURO III - FULL SET WITH SEAL	Full Set	Steel Back Bone		5328	5815	STD		TATA TATA CUMMINS 6BT
PFS53283SBB010WTSE	CUMMINS 6BT EURO III - FULL SET W/O SEAL	Full Set	Steel Back Bone		5328	5815	STD	Without Seal	TATA TATA-CUMMINS 6BT
PTS53283SBB010000E	CUMMINS 6BT EURO III - TOP SET WITH VSS	Top Set	Steel Back Bone		5328	5815	STD		TATA TATA CUMMINS 6BT
PTS53283SBB010WTVE	CUMMINS 6BT EURO III - TOP SET W/O VSS	Top Set	Steel Back Bone		5328	5815	STD	Without Valve Stem Seal	TATA TATA CUMMINS 6BT
PLG53283TC001EM00E	CUMMINS 6BT EURO III - TAPPET COVER	Loose Gasket			5328	5815	STD	Edge Moulded	TATA TATA CUMMINS 6BT
PCH68710FPSC10000E	TATA 407/609/709 NA - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		6871	0445	STD		TATA TATA-407
PFS68710FPSC1RM00E	TATA 407 NA - FULL SET (RUBBER TAPPET)	Full Set	Fiber Perforated Steel Core		6871	0445	STD	Rubber Moulded	TATA TATA-407
PHS68710FPSC1RM00E	TATA 407/609/709 NA - HALF SET (RUBBER TAPPET)	Half Set	Fiber Perforated Steel Core		6871	0445	STD	Rubber Moulded	TATA TATA-407

Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PCH68710MLG010000E	TATA 407/609/709 NA - MLG CHG	Cylinder Head Gasket	Multi Layer Graphite		6871	0445	STD		TATA TATA-407
PFS68710MLG01RM00E	TATA 407 NA - MLG FULL SET (RUBBER TAPPET)	Full Set	Multi Layer Graphite		6871	0445	STD	Rubber Moulded	TATA TATA-407
PHS68710MLG01RM00E	TATA 407/609/709 NA - MLG HALF SET (RUBBER TAPPET)	Half Set	Multi Layer Graphite		6871	0445	STD	Rubber Moulded	TATA TATA-407
PLG68710TC001RM00E	TATA 407 NA - TAPPER COVER (MOULDED RUBBER)	Loose Gasket			6871	0445	STD	Rubber Moulded	TATA TATA-407
PLG68710SG001RCF0E	TATA 407 NA - SUMP GASKET (CORK WITH FABRIC)	Loose Gasket			6871	0445	STD	Rubberised Cork with Fabric	TATA TATA-407
PCH68712FPSC10000E	TATA 407/709 TC - CHG OE TYPE	Cylinder Head Gasket	Fiber Perforated Steel Core		6871	0465	STD		TATA TATA-407
PFS68712FPSC1RM00E	TATA 407 TC - FULL SET (RUBBER TAPPET)	Full Set	Fiber Perforated Steel Core		6871	0465	STD	Rubber Moulded	TATA TATA-407
PHS68712FPSC1RM00E	TATA 407 TC - HALF SET (RUBBER TAPPET)	Half Set	Fiber Perforated Steel Core		6871	0465	STD	Rubber Moulded	TATA TATA-407
PCH68712MLG010000E	TATA 407/709 TC - MLG CHG OE TYPE	Cylinder Head Gasket	Multi Layer Graphite		6871	0465	STD		TATA TATA-407
PFS68712MLG010000E	TATA 407 TC - MLG FULL SET (RUBBER TAPPET)	Full Set	Multi Layer Graphite		6871	0465	STD		TATA TATA-407
PHS68712MLG01RM00E	TATA 407 TC - MLG HALF SET (RUBBER TAPPET)	Half Set	Multi Layer Graphite		6871	0465	STD	Rubber Moulded	TATA TATA-LP 407 BUS
PFS68712FPSC1K000E	TATA 407 TC EURO II- FULL SET (2.5MM TAPPET)	Full Set	Fiber Perforated Steel Core		6871	4651	STD		TATA TATA-407
PHS68712FPSC1K000E	TATA 407 TC EURO II- HALF SET (2.5MM TAPPET)	Half Set	Fiber Perforated Steel Core		6871	4651	STD		TATA TATA-407
PFS68712MLG01K000E	TATA 407 TC EURO II- MLG FULL SET (2.5MM TAPPET)	Full Set	Multi Layer Graphite		6871	4651	STD		TATA TATA-407
PHS68712MLG01K000E	TATA 407 TC EURO II- MLG HALF SET (2.5MM TAPPET)	Half Set	Multi Layer Graphite		6871	4651	STD		TATA TATA-407
PLG68712TC001K000E	TATA 407 TC - TAPPET COVER 2.5MM (OE TYPE)	Loose Gasket			6871	4651	STD		TATA TATA-407

Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PFS68712FPSC1K0NAE	TATA 709 TC - FULL SET (2.5MM TAPPET)	Full Set	Fiber Perforated Steel Core		6871	4182	STD	Corpack Tappet cover - With set contents of NA	TATA TATA-SFC 709 EX
PFS68712MLG01K0NAE	TATA 1109 TC - FULL SET NA (2.5MM TAPPET)	Full Set	Multi Layer Graphite		6871	4182	STD	Corpack Tappet cover - With set contents of NA	TATA TATA-LP 1109
PCH68713MLS010000E	TATA 497 TC EURO III - MLS CHG	Cylinder Haed Gasket	Multi Layer Steel Gasket		6713	4224	STD		TATA TATA-LP 1512 497 BS-III
PFS68713MLS010000E	TATA 497 TC EURO III - MLS FULL SET	Full Set	Multi Layer Steel Gasket		6871	4224	STD		TATA TATA-LP 1512 497 BS-III
PHS68713MLS010000E	TATA 497 TC EURO III - MLS HALF SET	Half Set	Multi Layer Steel Gasket		6871	4224	STD		TATA TATA-LP 1512 497 BS-III
PLG68713TC001SC00E	TATA 497 EURO III - TAPPER COVER (ZIG ZAG)	Loose Gasket			6871	4224	STD	Solidcore or Steel Back bone construction	TATA TATA-LP 1512 497 BS-III
PLG68713TC001SC00E	TATA 497 EURO III - TAPPER COVER (ZIG ZAG)	Loose Gasket			6871	4224	STD	Solidcore or Steel Back bone construction	TATA TATA-LP 1512 497 BS-III
PFS68712FPSC1RMNAE	TATA 609/709 TC - FULL SET NA (RUBBER TAPPET)	Full Set	Fiber Perforated Steel Core		6871	0466	STD	Rubber Moulded Tappet cover - With set contents of NA	
PFS68710FPSC1RMTCE	TATA 609/709 NA - FULL SET (RUBBER TAPPET)	Full Set	Fiber Perforated Steel Core		6871	0461	STD	Rubber Moulded Tappet cover - With set contents of TC,	
PLG68710SG001RC00E	TATA 609/709 NA - SUMP GASKET (CORK)	Loose Gasket			6871	0461	STD	Rubberised Cork	
PCH53140FPSC10000E	TATA 692 - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		5314	0475	STD		TATA TATA-692 E/SE
PCH53140MLG010000E	TATA 692 - MLG CHG	Cylinder Head Gasket	Multi Layer Graphite		5314	0475	STD		TATA TATA-692 E/SE
PFS53140FPSC1RM00E	TATA 692 - FULL SET	Full Set	Fiber Perforated Steel Core		5314	0475	STD	Rubber Moulded	TATA TATA-692 E/SE
PHS53140FPSC1RM00E	TATA 692 - HALF SET	Half Set	Fiber Perforated Steel Core		5314	0475	STD	Rubber Moulded	TATA TATA-692 E/SE
PLG53140GB0410000E	Tata 692 - GEAR BOX KIT GB40	Loose Gasket			5314	0475	STD		TATA TATA-692 E/SE
PCH53210FPSC10000E	TATA 697 NA - CHG OE TYPE	Cylinder Head Gasket	Fiber Perforated Steel Core		5321	0777	STD		

Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PFS53210FPSC1RM00E	Tata 697 NA - Full Set (Rubber Tappet)	Full Set	Fiber Perforated Steel Core		5321	0777	STD	Rubber Moulded	
PHS53210FPSC1RM00E	Tata 697 NA - Half Set (Rubber Tappet)	Half Set	Fiber Perforated Steel Core		5321	0777	STD	Rubber Moulded	
PCH53210MLG010000E	Tata 697 NA - MLG CHG OE Type	Cylinder Head Gasket	Multi Layer Graphite		5321	0777	STD		
PFS53210MLG010000E	Tata 697 NA - MLG Full Set (Rubber tappet)	Full Set	Multi Layer Graphite		5321	0777	STD		
PHS53210MLG01RM00E	Tata 697 NA - MLG Half Set (Rubber Tappet)	Half Set	Multi Layer Graphite		5321	0777	STD	Rubber Moulded	
PLG53210TC001RM00E	Tata 697 NA - Tapper Cover (Moulded Rubber)	Loose Gasket			5321	0777	STD	Rubber Moulded	
PLG53210CS0010000E	Tata 697 NA - Oil Cooler Set	Loose Gasket			5321	0777	STD		
PLG53210SG001RC00E	Tata 697 NA - Sump Gasket (Cork With Farbic)	Loose Gasket			5321	0777	STD	Rubberised Cork	
PCH53212FPSC10000E	TATA 697 TC - CHG OE TYPE	Cylinder Haed Gasket	Fiber Perforated Steel Core		5321	7101	STD		
PFS53212FPSC1RM00E	TATA 697 TC - Full Set (Rubber Tappet)	Full Set	Fiber Perforated Steel Core		5321	7101	STD	Rubber Moulded	
PHS53212FPSC1RM00E	TATA 697 TC - Half Set (Rubber Tappet)	Half Set	Fiber Perforated Steel Core		5321	7101	STD	Rubber Moulded	
PCH53212MLG010000E	TATA 697 TC - MLG CHG OE TYPE	Cylinder Haed Gasket	Multi Layer Graphite		5321	7101	STD		
PFS53212MLG01RM00E	TATA 697 TC - MLG FULL SET (RUBBER TAPPET)	Full Set	Multi Layer Graphite		5321	7101	STD	Rubber Moulded	
PHS53212MLG01RM00E	Tata 697 TC - MLG Half Set (Rubber Tappet)	Half Set	Multi Layer Graphite		5321	7101	STD	Rubber Moulded	
PLG53212GB0610000E	TATA 697 TC - GEAR BOX KIT GB60	Loose Gasket			5321	7101	STD		
PFS53212FPSC1K000E	TATA 697 TC Euro II - Full Set(2.5MM Tappet)	Full Set	Fiber Perforated Steel Core		5321	7024	STD	Corpack type Tappet cover	
PHS53212FPSC1K000E	TATA 697 TC EURO II - HALF SET (2.5MM TAPPET)	Half Set	Fiber Perforated Steel Core		5321	7101	STD	Corpack type Tappet cover	
PFS53212MLG01K000E	TATA 697 TC EURO II - MLG FULL SET (2.5MM TAPPET)	Full Set	Multi Layer Graphite		5321	7101	STD	Corpack type Tappet cover	



Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PHS53212MLG01K000E	TATA 697 TC EURO II - MLG HALF SET (2.5MM TAPPET)	Half Set	Multi Layer Graphite		5321	7024	STD	Corpack type Tappet cover	
PLG53212TC001K000E	TATA 697 TC EURO II - TAPPET COVER 2.5MM (OE TYPE)	Loose Gasket			5321	7024	STD	Corpack type Tappet cover	
PLG53213TC001SC00E	TATA 697 TC EURO III - TAPPER COVER (ZIG ZAG)	Loose Gasket			5321	4181	STD	Solidcore or Steel Back bone construction	
PCH72110FPSC30000E	BOLERO XD3P - CHG (1.7 MM)	Cylinder Haed Gasket	Fiber Perforated Steel Core		7211	0356	STD		MAHINDRA MAHINDRA-BOLERO CAMPER
PCH72110FPSC40000E	BOLERO XD3P - CHG (1.8 MM)	Cylinder Haed Gasket	Fiber Perforated Steel Core		7211	0356	STD		MAHINDRA MAHINDRA-BOLERO CAMPER
PFS72110FPSC10WTCE	BOLERO XD3P - FULL SET W/O CHG	Full Set	Fiber Perforated Steel Core		7211	0356	STD	Without Cylinder Head Gasket	MAHINDRA MAHINDRA-BOLERO CAMPER
PFS84151FPSC10000E	M&M DI 3200 - FULL SET	Full Set	Fiber Perforated Steel Core		8415	0515	STD		MAHINDRA MAHINDRA-DI 3200
PCH84150GPSC1FR00E	MDI 3200 NA - GP CHG	Cylinder Haed Gasket	Graphite Perforated Steel Core		8415	0515	STD	Head Gasket with Fire Ring	MAHINDRA MAHINDRA-DI 3200 MAHINDRA MAHINDRA-DI 3200 CRX
PCH72070FPSC10000E	PEUGEOT - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		7207	0359	STD		
PCH72121MLS010000E	SCORPIO - MLS CHG	Cylinder Haed Gasket	Multi Layer Graphite		7212	0435	STD		MAHINDRA MAHINDRA-SCORPIO
PFS72121MLS010000E	SCORPIO - MLS FULL SET	Full Set	Multi Layer Graphite		7212	0435	STD		MAHINDRA MAHINDRA-SCORPIO
PCH31370FPSC10000E	MAHINDRA CHAMPION - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		3137	0261	STD		MAHINDRA MAHINDRA-MAXXIMO
PCH31370GPSC10000E	MAHINDRA CHAMPION - GP CHG	Cylinder Haed Gasket	Graphite Perforated Steel Core		3137	0261	STD		MAHINDRA MAHINDRA-CHAMPION
PCH57840MLS010000E	MAHINDRA MAXXIMO - MLS CHG	Cylinder Haed Gasket	Multi Layer Graphite		5784		STD		MAHINDRA MAHINDRA-MAXXIMO
PFS57840MLS010000E	MAHINDRA MAXXIMO - MLS FULL SET	Full Set	Multi Layer Graphite		5784		STD		MAHINDRA MAHINDRA-MAXXIMO
PCH57640MLG030000E	TATA ACE - MLG CHG (1.8 MM)	Cylinder Haed Gasket	Multi Layer Graphite		5764	4333	STD		

Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PCH57640MLG040000E	TATA ACE - MLG CHG (1.9 MM)	Cylinder Haed Gasket	Multi Layer Graphite		5764	4333	STD		
PFS57640MLG010WTCE	TATA ACE - FULL SET W/O CHG	Full Set	Multi Layer Graphite		5764	4333	STD	Without Cylinder Head Gasket	
PCH57640MLS010000E	TATA ACE - MLS CHG (1.8 MM)	Cylinder Haed Gasket	Multi Layer Steel Gasket		5764	4333	STD		
PCH84153MLS010000E	MDI 3200 TC - MLS CHG	Cylinder Haed Gasket	Multi Layer Steel Gasket		8415	5473	STD		MAHINDRA MAHINDRA-DI 3200
PFS84153MLS010000E	MDI 3200 TC - MLS FULL SET	Full Set	Multi Layer Steel Gasket		8415	5473	STD		MAHINDRA MAHINDRA-DI 3200
PLG84153TC001RM00E	MDI 3200 TC - TAPPET COVER (OE TYPE)	Loose Gasket			8415	5473	STD		MAHINDRA MAHINDRA-DI 3200
PCH61423MLS010000E	HINO 6DTI - MLS CHG	Cylinder Head Gasket	Multi Layer Steel Gasket		6142	7309	STD		ASHOK LEYLAND LEYLAND HINO
PFS61423MLS010000E	HINO 6DTI - MLS FULL SET	FULL SET	Multi Layer Steel Gasket		6142	7309	STD		ASHOK LEYLAND LEYLAND HINO
PFS61423MLS010WTVE	HINO 6DTI - MLS FULL SET W/O VSS	FULL SET	Multi Layer Steel Gasket		6142	7309	STD	without valve stem seal	ASHOK LEYLAND LEYLAND HINO
PHS61423MLS010000E	HINO 6DTI - MLS HALF SET	HALF SET	Multi Layer Steel Gasket		6142	7309	STD		ASHOK LEYLAND LEYLAND HINO
PLG61421TC001RM00E	HINO 6DTI - TAPPER COVER	LOOSE GASKET			6142	7309	STD	Rubber Moulded	ASHOK LEYLAND LEYLAND HINO