



FEDERAL-MOGUL
MOTORPARTS



GOETZE[®]

GOETZE
PISTONS

Piston | Piston Rings | Liners

▲ Payen[®]

Gasket

⊕ GLYCO[®]

Engine Bearings



TRACTOR



E-CATALOGUE



Engine Bearing



Part Number	Name	Components Per Set	Size Available	Material	Shaft Diameter	Bore Diameter	Length	Wall Thickness	Application
H1270/4	"F/Main Bearing(U+L)/I/ Main Bearing (U+L)R/Main Bearing"	8	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.7490inches	2.9170inches	1.274 inches, 0.937 inches, 1.542inches	0.083inches	SIMPSON PERKINS SIMPSON PERKINS 3,CYL
A281/4	THRUST WASHER	4	STD, 0.003, 0.005, 0.010, 0.015, 0.020, 0.025	C/L	3.0550 inches	3.5620 inches		0.120 inches	SIMPSON PERKINS SIMPSON PERKINS 3,CYL
71-4691/3	Con Rod Bearing	6	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.2490 inches	2.3955 inches	1.190 inches	0.072 inches	SIMPSON PERKINS SIMPSON PERKINS 3,CYL
55- 4916/3	CR Bush	3	SEMI, 0.010. 0.020	C/L	1.2500 INCHES	1.3763 INCHES	1.057 INCHES		SIMPSON PERKINS SIMPSON PERKINS 3,CYL
57- 4687/4	Spindle Bush With Tin Flash	4	SEMI	C/L	1.2500 INCHES	1.3763 INCHES	1.057 INCHES		SIMPSON PERKINS SIMPSON PERKINS 3,CYL
H1270/5	F/ Main Bearing	10	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.7490inches	2.9170inches	1.274 inches	0.083inches	SIMPSON PERKINS SIMPSON PERKINS 4CYL
H1270/5	"I/ Main Bearing", "R/Main Bearing"	10	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.7490inches	2.9170inches	0.937 inches/ 1.542 inches	0.083inches	SIMPSON PERKINS SIMPSON PERKINS 4CYL
71-4691/4	Con Rod Bearing	8	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.2490 inches	2.3955 inches	1.190 inches	0.072 inches	SIMPSON PERKINS SIMPSON PERKINS 4CYL
71-4647	Con Rod Bearing	2	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.9589 inches	3.1109 inches	1.331 inches	0.074 inches	EICHER TRACTOR 115
55-4648	CR Bush	1	SEMI, 0.010. 0.020	C/L	1.6812 inches	1.8156 inches	1.675 inches		EICHER TRACTOR 115
H1284/3	F/C/R Main Bearing	6	STD, 0.25, 0.50,	A/T	3.3532 inches	3.5858 inches	1.575 inches	0.115 inches	ESCORTS E-335 S-312-C
H1263/3	F/C/R Main Bearing	6	STD, 0.25, 0.50, 0.75, 1.00	C/L	3.1563 inches	3.3868 inches	1.575 inches	0.114inches	ESCORTS E-335 S-312-C
A282/4	THRUST WASHER	4	STD, 0.020, 0.040	C/L	3.3960 inches	4.1340 inches		0.134 inches	ESCORTS E-335 S-312-C
71-4652/2	Con Rod Bearing	4	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.9489 inches	3.1108 inches	1.339 inches	0.079 inches	ESCORTS E-335 S-312-C
71-4830/2	Con Rod Bearing New Type	4	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.9489 inches	3.1108 inches	1.339 inches	0.079 inches	ESCORTS E-335 /E-345
55-4653/2	CR Bush	2	SEMI, 0.010. 0.020	C/L	1.4960 inches	1.6551 inches	1.482 inches		ESCORTS E-335 S-312-C
H1264/3	F/C/R Main Bearing	6	STD, 0.25, 0.50, 0.75, 1.00	C/L	3.3532 inches	3.5858 inches	1.575 inches	0.115 inches	ESCORTS E-335 /E-345
A279/4	THRUST WASHER	4	STD	C/L	3.5920 inches	4.3310 inches		0.141 inches	ESCORTS E-335 /E-345
55-4657/2	CR Bush	2	SEMI, 0.010. 0.020	C/L	1.6535 inches	1.8125 inches	1.640 inches		ESCORTS E-335 /E-345
H 1264/4	Main Bearing	8	STD, 0.25, 0.50,	C/L	3.3532 inches	3.5858 inches	1.575 inches	0.115 inches	ESCORTS E-355 /340, 3CYL

Part Number	Name	Components Per Set	Size Available	Material	Shaft Diameter	Bore Diameter	Length	Wall Thickness	Application
71-4711/3	Con Rod Bearing	6	STD, 0.25, 0.50, 0,75, 1.00	C/L	2.5973 inches	2.7564 inches	1.260 inches	0.078 inches	ESCORTS E-355 /340, 3CYL
H1284/4	mai	8	STD, 0.25, 0.50,	A/T	3.3532 inches	3.5858 inches	1.575 inches	0.115 inches	ESCORTS E-355 /340, 3CYL
H 1284/4	Main Bearing	8	STD, 0.25, 0.50,	A/T	3.3532 inches	3.5858 inches	1.575 inches	0.115 inches	ESCORTS E-355 /340, 3CYL
H 1265/4	Main Bearing	8	STD, 0.25, 0.50, 0,75, 1.00	A/T	2.2835 inches	2.4811 inches	0.984 inches	0.098 inches	ESCORTS E- 430/435
71-4659/3	Con Rod Bearing	6	STD, 0.25, 0.50, 0,75, 1.00	C/L	2.0468 inches	2.2052 inches	1.083 inches	0.078 inches	ESCORTS E- 430/435
H 1335/4	"Main Bearing Flange Bearing"	8	STD, 0.25, 0.50,	C/L	3.3722 inches	3.6250 inches	1.000 inches	0,125 inches	ESCORTS AVL, FT-70
71-4964/3	Con Rod Bearing Escorts Tractor	6	STD, 0.25, 0.50,	C/L	2.7492 inches	2.9063 inches	1.196 inches	0,077 inches	ESCORTS AVL, FT-70
H 1335/	Main Bearing Flange BearingFord Tractor	8	STD, 0.25, 0.50,	C/L	3.3722 inches	3.6250 inches	1.000 inches	0.125 inches	FORD FORD
57-4714/2	Brake Padel Shaft Bush Ford	2	STD	C/L	1.1574 inches	1.2500 inches	1.010 inches		FORD FORD
H 1266/4	F/I/R Main Bearing-Ford Farm Tract	8	STD, 0.25, 0.50, 0,75, 1.00	C/L	3.3722 inches	3.6250 inches	1.110 inches	0.125 inches	FORD FARM TRACT 50,55,60
H 1286/4	F/I/R Main Bearing-Ford Farm Tract	8	STD, 0.25, 0.50, 0,75, 1.00	A/T	3.3722 inches	3.6250 inches	1.110 inches	0.125 inches	FORD FARM TRACT 50,55,60
71-4662/3	Con Rod Bearing Ford	6	STD, 0.25, 0.50, 0,75, 1.00	C/L	2.7485 inches	2.9420 inches	1.410 inches	0.095 inches	FORD FARM TRACT 50,55,60
01-4662/3	Con Rod Bearing Ford	6	STD, 0.25, 0.50, 0,75, 1.00	A/T	2.7485 inches	2.9420 inches	1.410 inches	0.095 inches	FORD FARM TRACT 50,55,60
55- 4663/3	CR Bush Ford	3	SEMI, 0.010. 0.020	C/L	1.5000 inches	1.6260 inches	1.620 inches		FORD FARM TRACT 50,55,60
N 190/4	Cam Shaft Bush Ford	4	SEMI	C/L	2.3930 inches	2.5355 inches	0.770 iches		FORD FARM TRACT 50,55,60
57- 4705/4	Front Wheel Spindle Bush- Ford	4	STD	C/L	1.2713 inches	1.4675 inches	1.500 inches		FORD FARM TRACT 50,55,60
57- 4699/10	Spindle Bush Swaraj	10	SEMI	C/L	1.4032 inches	1.5323 inches	1.336 inches		SWARAJ TRACTORS 735 FE
57- 4699/4	Spindle Bush Swaraj	4	SEMI	C/L	1.4032 inches	1.5323 inches	1.336 inches		SWARAJ TRACTORS 735 FE
57- 4699/2	Spindle Bush Swaraj	2	SEMI	c	1.4032 inches	1.5323 inches	1.336 inches		SWARAJ TRACTORS 735 FE
H 1267/3	"F/C/M Main Bearing R/Main Bearing Zetor	6	STD, 0.25, 0.50, 0,75, 1.00	C/L	2.7559 inches	2.9929 inches	1.260-1.417 inches	0.117 inches	HMT ZETOR-2011/2511/2045
A 280/4	THRUST WASHER Zetor	4	STD, RS1, RS2, RS3, RS4	C/L	3.1300 inches	3.9370 inches		0.121 inches	HMT ZETOR-2011/2511/2045
71-4668/2	Con Rod Bearing Zetor	4	STD, 0.25, 0.50, 0,75, 1.00	C/L	2.3622 inches	2.5204 inches	1.260 inches	0.078 inches	HMT ZETOR-2011/2511/2045
55-4673/2	CR Bush Zetor	2	SEMI, 0.010. 0.020	C/L	1.3780 inches	1.5758 inches	1.378 inches		HMT ZETOR-2011/2511/2045

Part Number	Name	Components Per Set	Size Available	Material	Shaft Diameter	Bore Diameter	Length	Wall Thickness	Application
H 1267/4	F/C/R Main Bearing Zetor	8	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.7559 inches	2.9929 inches	1.260-1.417 inches	0.117 inches	HMT HMT ZETOR-3011/3511/3045
71-4668/3	Con Rod Bearing Zetor	6	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.3622 inches	2.5204 inches	1.260 inches	0.078 inches	HMT HMT ZETOR-3011/3511/3045
H 1267/5	F/C/R Main Bearing Zetor	10	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.7559 inches	2.9929 inches	1.260-1.417 inches	0.117 inches	HMT ZETOR -5911
71-4668/4	Con Rod Bearing Zetor	8	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.3622 inches	2.5204 inches	1.260 inches	0.078 inches	HMT ZETOR -5911
H 1274/3	F/C/R Main Bearing Zetor	6	STD, 0.25, 0.50,	C/L	2.7559 inches	2.9929 inches	1.260-1.417 inches	0.117 inches	HMT AVL 2CYL
H 1309/4	F/C/R Main Bearing New type, Kirloskar	8	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.7547 inches	2.9338 inches	1.068 inches	0.088 inches	KIRLOSKAR TRACTOR KIRLOSKAR RA 3
H 1271/4	F/C/R Main Bearing , Kirloskar	8	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.7524 inches	2.9535 inches	1.185 inches	0.099 inches	KIRLOSKAR TRACTOR KIRLOSKAR RA 3
71-4695/3	Con Rod Bearing Kirloskar	6	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.0935 inches	2.2935 inches	1.185 inches	0.099 inches	KIRLOSKAR TRACTOR KIRLOSKAR RA 3
55-4698/3	CR Bush kirloskar	6	SEMI, 0.010. 0.020	C/L	1.3780 inches	1.5223 inches	1.545 inches		KIRLOSKAR TRACTOR KIRLOSKAR RA 3
H 1302/4	Main Bearing Kirloskar HA3/1040 4R Old / New Type	8	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.7547 inches	2.9338 inches	1.068 inches	0.088 inches	KIRLOSKAR TRACTOR KIRLOSKAR HA3/1040 4R KIRLOSKAR TRACTOR HA3/1040 4R NEW TYPE
71-4829/3	Con Rod Bearing Kirloskar HA3/1040 4R	6	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.3604 inches	2.5210 inches	0.984 inches	0.079 inches	KIRLOSKAR TRACTOR KIRLOSKAR
H 1302/2	Main Bearing Kirloskar HA3/1040 4R	4	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.7547 inches	2.9338 inches	1.068 inches	0.088 inches	KIRLOSKAR TRACTOR KIRLOSKAR HA3/1040 4R
71- 4829/1	Con Rod Bearing Kirloskar HA3/1040 4R	2	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.3604 inches	2.5210 inches	0.984 inches	0.079 inches	KIRLOSKAR TRACTOR KIRLOSKAR HA3/1040 4R
71-4985/3	Con Rod Bearing Kirloskar HA3/1040 4R New Type	6	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.3622 inches	2.5210 inches	0.984 inches	0.079 inches	KIRLOSKAR TRACTOR HA3/1040 4R NEW TYPE
H 1268/5	F/C/I/R Main Bearing Mahindra B275	10	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.1257 inches	2.2975 inches	1.072- 1.318 inches	0.085 inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA B275
71-4674/4	Con Rod Bearing Mahindra B275	8	STD, 0.25, 0.50, 0.75, 1.00	C/L	0.7505 inches	0.8760 inches	1.074 inches	0.062 inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA B275

Part Number	Name	Components Per Set	Size Available	Material	Shaft Diameter	Bore Diameter	Length	Wall Thickness	Application
55-4677/4	CR Bush Mahindra B275	4	SEMI, 0.010. 0.020	C/L	1.1031 inches	1.1590 inches	1.223 inches		MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA B275
57-4677/4	Steering Knuckle Pivot Pin Bush Mahindra B275	4	STD	C/L	1.3599 inches	1.4850 inches	2.885 inches		MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA B275
57-4679/2	Front Axle Pivot Pin Sleeve Bush Mahindra B275	2	STD	C/L	1.1200 inches	1.3760 inches	2.260 inches		MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA B275
H 1269/3	Main Bearing Flange Bearing Mahindra AVL 2 CYL	6	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.1257 inches	2.2975 inches	1.072- 1.318 inches	0.085 inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL 2CYL
71-4674/2	Con Rod Bearing Mahindra AVL 2CYL	4	STD, 0.25, 0.50, 0.75, 1.00	C/L	0.7505 inches	0.8760 inches	1.074 inches	0.062 inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL 2CYL
H 1269/4	Main Bearing Flange Bearing Mahindra AVL 3 CYL	8	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.1257 inches	2.2975 inches	1.072- 1.318 inches	0.085 inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL 3CYL
71-4674/3	Con Rod Bearing Mahindra AVL 3CYL	6	STD, 0.25, 0.50, 0.75, 1.00	C/L	0.7505 inches	0.8760 inches	1.074 inches	0.062 inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL 3CYL
H 1269/5	F/C/R Main Bearing Main Bearing Mahindra AVL 4CYL	10	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.1257 inches	2.2975 inches	1.072- 1.318 inches	0.085 inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL 4CYL
55-4683/4	CR Bush Mahindra AVL 4CYL	4	SEMI, 0.010. 0.020	C/L	1.1023 inches	1.2195 inches	0.984 inches		MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL 4CYL
N 191/3	Cam Bush(F/C/R) MDI 3000/3200 Mahindra AVL	3	SEMI	C/L	1.8120 inches	1.9735 inches	1.103 inches		MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL
H 1273/5	Main Bearing Mahindra AVL	10	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.1257 inches	2.2975 inches	1.072 inches	0.085 inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL
71-4682/4	Con Rod Bearing Mahindra AVL	8	STD, 0.25, 0.50, 0.75, 1.00	C/L	2.1257 inches	2.2975 inches	1.044 inches	0.085 inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL
H1272/5	Main Bearing Eicher Mitsubishi	10	STD, 0.25, 0.50	C/L	3.0677 Inches	3.2292 Inches	1.068 Inches	0.079 Inches	EICHER TRACTOR MITSUBISHI
A283/2	Thrust Washer Eicher Mitsubishi	2	STD, 0.15, 0.30, 0.45	C/L	3.5920 Inches	4.3300 Inches		0.129 Inches	EICHER TRACTOR MITSUBISHI
71-4697/4	Con Rod Bearing Eicher Mitsubishi	8	STD, 0.25, 0.50	C/L	2.3595 Inches	2.5205 Inches	1.304 Inches	0.079 Inches	EICHER TRACTOR MITSUBISHI

Part Number	Name	Components Per Set	Size Available	Material	Shaft Diameter	Bore Diameter	Length	Wall Thickness	Application
55-4703/4	CR Bush Eicher Mitsubishi	4	SEMI	C/L	1.2616 Inches	1.4576 Inches	1.319 Inches		EICHER TRACTOR MITSUBISHI
H1264/4	Main Bearing ESCORTS 355/340, 3 Cyl	8	STD, 0.25, 0.50	C/L	3.3532 Inches	3.5858 Inches	1.575 Inches	0.115 Inches	ESCORTS E-355 /340, 3CYL
H1265/4	Main Bearing ESCORTS E 430/435	8	STD,0.25,0.50,0.75,1.00	A/T	2.2835 Inches	2.4811 Inches	0.984 Inches	0.098 Inches	ESCORTS E- 430/435
H1335/4	Main Bearing ESCORTS AVL, FT-70	8	STD, 0.25, 0.50	C/L	3.3722 Inches	3.6250 Inches	1.000 Inches	0.125 Inches	ESCORTS AVL, FT-70
H1266/4	F/I/R Main Bearing FORD FARM TRACT 50,55,60	8	STD,0.25,0.50,0.75,1.00	C/L	3.3722 Inches	3.6250 Inches	1.110 Inches	0.125 Inches	FORD FARM TRACT 50,55,60
H1286/4	F/I/R Main Bearing FORD FARM TRACT 50,55,60	8	STD,0.25,0.50,0.75,1.00	A/T	3.3722 Inches	3.6250 Inches	1.110 Inches	0.125 Inches	FORD FARM TRACT 50,55,60
55-4663/3	CR Bush FORD FARM TRACT 50,55,60	3	SEMI, 0.010, 0.020	C/L	1.5000 Inches	1.6260 Inches	1.620 Inches		FORD FARM TRACT 50,55,60
N190/4	Cam Shaft Bush FORD FARM TRACT 50,55,60	4	SEMI	C/L	2.3930 Inches	2.5355 Inches	0.770 Inches		FORD FARM TRACT 50,55,60
57-4705/4	Front Wheel Spindle Bush FORD FARM TRACT 50,55,60	4	STD	C/L	1.2713 Inches	1.4675 Inches	1.500 Inches		FORD FARM TRACT 50,55,60
H1267/3	F/C/Main Bearing HMT ZETOR - 2011/2511/2045	6	STD,0.25,0.50,0.75,1.00	C/L	2.7559 Inches	2.9929 Inches		0.117 Inches	HMT ZETOR-2011/2511/2045
A280/4	Thrust Washer HMT ZETOR - 2011/2511/2045	4	STD, RS1, RS2, RS3, RS4	C/L	3.1300 Inches	3.9370 Inches		0.121 Inches	HMT ZETOR-2011/2511/2045
H1267/4	F/C/Main Bearing Zetor	8	STD,0.25,0.50,0.75,1.00	C/L	2.7559 Inches	2.9929 Inches	"1.260 1.417" Inches	0.117 Inches	HMT HMT ZETOR-3011/3511/3045
H1267/5	F/C/Main Bearing Zetor	10	STD,0.25,0.50,0.75,1.00	C/L	2.7559 Inches	2.9929 Inches		0.117 Inches	HMT ZETOR -5911
H1274/3	F/C/Main Bearing HMT AVL 2 Cyl	6	STD, 0.25, 0.50	C/L	2.7559 Inches	2.9929 Inches	"1.260 1.417" Inches	0.117 Inches	HMT AVL 2CYL
H1309/4	F/C/Main Bearing KIRLOSKAR	8	STD,0.25,0.50,0.75,1.00	C/L	2.7547 Inches	2.9338 Inches	1.068 Inches	0.088 Inches	KIRLOSKAR TRACTOR KIRLOSKAR RA 3
H1271/4	F/C/Main Bearing KIRLOSKAR	8	STD,0.25,0.50,0.75,1.00	C/L	2.7524 Inches	2.9535 Inches	1.185 Inches	0.099 Inches	KIRLOSKAR TRACTOR KIRLOSKAR RA 3

Part Number	Name	Components Per Set	Size Available	Material	Shaft Diameter	Bore Diameter	Length	Wall Thickness	Application
H1302/4	Main Bearing KIRLOSKAR	8	STD,0.25,0.50,0.75,1.00	C/L	2.7547 Inches	2.9338 Inches	1.068 Inches	0.088 Inches	KIRLOSKAR TRACTOR KIRLOSKAR
H1302/2	Main Bearing KIRLOSKAR	4	STD,0.25,0.50,0.75,1.00	C/L	2.7547 Inches	2.9338 Inches	1.068 Inches	0.088 Inches	KIRLOSKAR TRACTOR KIRLOSKAR
71-4829/1	Con Rod Bearing KIRLOSKAR	2	STD,0.25,0.50,0.75,1.00	C/L	2.3604 Inches	2.5210 Inches	0.984 Inches	0.079 Inches	KIRLOSKAR TRACTOR KIRLOSKAR
H1268/5	F/C/I Main Bearing MAHINDRA	10	STD,0.25,0.50,0.75,1.00	C/L	2.1257 Inches	2.2975 Inches		0.085 Inches	MAHINDRA B-275
57-4678/4	Steering Knuckle Pivot Pin Bush MAHINDRA	4	STD	C/L	1.3599 Inches	1.4850 Inches	2.885 Inches		MAHINDRA B-275
H1269/3	Main Bearing MAHINDRA AVL	6	STD,0.25,0.50,0.75,1.00	C/L	2.1257 Inches	2.2975 Inches		0.085 Inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL 2CYL
H1269/4	Main Bearing MAHINDRA	8	STD,0.25,0.50,0.75,1.00	C/L	2.1257 Inches	2.2975 Inches		0.085 Inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL 3CYL
H1269/5	F/C/Main Bearing MAHINDRA AVL	10	STD,0.25,0.50,0.75,1.00	C/L	2.1257 Inches	2.2975 Inches		0.085 Inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL 4CYL
N191/3	Cam Bush (F/C/R) MAHINDRA AVL	3	SEMI	C/L	1.8120 Inches	1.9735 Inches	1.103 Inches		MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL
H1273/5	Main Bearing MDI	10	STD,0.25,0.50,0.75,1.00	C/L	2.1257 Inches	2.2975 Inches	1.072 Inches	0.085 Inches	MAHINDRA GUJARAT TRACTOR LIMITED MAHINDRA AVL
57-4699/10	Spindle Bush SWARAJ TRACTOR	10	SEMI	C/L	1.4032 Inches	1.5323 Inches	1.336 Inches		SWARAJ TRACTORS 735 FE
57-4699/4	Spindle Bush SWARAJ TRACTOR	4	SEMI	C/L	1.4032 Inches	1.5323 Inches	1.336 Inches		SWARAJ TRACTORS 735 FE
57-4699/2	Spindle Bush SWARAJ TRACTOR	2	SEMI	C/L	1.4032 Inches	1.5323 Inches	1.336 Inches		SWARAJ TRACTORS 735 FE
55-4916/3	CR Bush SIMPSON PERKINS	3	SEMI, 0.010, 0.020	C/L	1.2500 Inches	1.3762 Inches	1.057 Inches		SIMPSON PERKINS SIMPSON PERKINS 3,CYL
57-4687/4	Spindle Bush With tin flash SIMPSON PERKINS	4	SEMI	C/L	1.2500 Inches	1.3762 Inches	1.057 Inches		SIMPSON PERKINS SIMPSON PERKINS 3,CYL



Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
00542SHFLINSDZC1	JCB/KIRLOSKAR 4R 1040 SF STD	105.00	1	120.50 mm/4.744"			127.90 mm/5.035"					
00431FFLINSDC1	Perkins 135 FF	88.92	3	93.690 mm/3.689"	88.92 mm/3.50"	216.00 mm	96.720 mm/3.808"	4.70 mm				
00721FFLINSDC1	Sonalika 97mm FF	97.00	1	112.500 mm/4.429"			123.000 mm/4.843"					
00722FFLINSDC1	Sonalika 100mm FF	100.00	1	115.500 mm/4.547"			123.00 mm/4.843"					
00723FFLINSDC1	Sonlika 102 mm FF	102.00	1	115.500 mm/4.547"			123.00 mm/4.843"		STD			
00724FFLINSDC1	Sonalika 105 mm FF	105.00	1	116.610 mm/4.591"			123.00 mm/4.843"		STD			
073LIN-SD	Mahindra International B-275 SF Wet	85.73	4	93.71 mm/3.689	84.85 mm/3.340	179.00 mm	101.772 mm/4.007	6.02 mm				
073MLIN-SD	Mahindra International B-275 FF Wet	85.73	4	93.71 mm/3.689"	85.725 mm/3.375"	179.00 mm	101.722 mm/4.007"	5.82 mm				
074MLIN-SD	Mahindra 225/275 DI AVL FF SHORT	88.90	4	97.211 mm/3.827	88.90 mm/3.500	173.00 mm	103.422 mm/4.072	5.73 mm				
074MOLLIN-SD	Mahindra 225/275 DI AVL FF LONG	88.90	4	97.16 mm/3.825	88.90 mm/3.500	183.00 mm	103.30 mm/4.067	5.71 mm				
074SHCLIN-SD	Mahindra 225/275 DI AVL FF Short	88.90	4	97.211 mm/3.827"	88.90 mm/3.500"	173.00 mm	103.422 mm/4.072"	5.73 mm				
043SHPLIN-SD	Perkins P4/P6 SF Shakti	88.92	4	93.700 mm/3.689"	88.30 mm/3.476"	216.00 mm	94.41 mm/3.717"	4.70 mm				
043MLIN-SD	Perkins P3/MF 1035	88.92	3	93.71 mm/3.689"	88.10 mm/3.469"	216.00 mm	94.40 mm/3.717"	4.78 mm				
044SHPLIN-SD	Perkins P3/MF 1035 DI SF	88.92	3	93.64 mm/3.687"	88.10 mm/3.469"	215.50 mm	96.76 mm/3.809"	3.87 mm				
048LIN-SD	Perkins S.325/MF 245/135 DI SF	91.49	3	93.625 mm/3.686"	90.80 mm/3.575"	215.50 mm	96.76 mm/3.809"	3.85 mm				
068LIN-SD	Standard 95 Dia FF Wet	95.00	1	116.00 mm/4.567"	95.032 mm/3.741"	211.00 mm	123.00 mm/4.843"	10.07 mm				

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	OD	ID	L	CD	T	Sizes	Matching Piston	Matching Ring	Application
055LIN-SD	Swaraj 735/Agrom RA FF Wet	100.00	3	116.946 mm/4.604"	99.915 mm/3.934"	224.50 mm	129.035 mm/5.080"	13.00 mm				
082LIN-SD	Swaraj 735 FE Wet FF	100.00	3	116.956 mm/4.605"	100.00 mm/3.937"	230.50 mm	129.035/5.080"	12.60 mm				
078LIN-SD	HMT Zetor 2511 FF Wet	95.00	2	111.00 mm/4.370"	95.00 mm/3.740"	210.00 mm	122.085 mm/4.806"	10.06 mm				
084LIN-SD	HMT Zetor 2522 FF Wet	95.00	2	109.986 mm/4.330"	95.00 mm/3.740"	211.00 mm	120.085 mm/4.728"	10.12 mm				
085LIN-SD	HMT Zetor 4511 FF Wet	102.00	3	116.00 mm/4.567"	102.00 mm/4.016"	226.00 mm	123.00 mm/4.843"	10.10 mm				
081LIN-SD	HMT Zetor 5911 FF Wet	100.00	4	115.00 mm/4.528"	100.00/3.937"	226.00 mm	123.00 mm/4.843"	10.10 mm				
079LIN-SD	Eicher 115 mm FF Wet	115.00	1	130.733 mm/5.147"	115.00 mm/4.528"	281.00 mm	135.085 mm/5.318"	16.00 mm				
060LIN-SD	ESCORTS 325 FF Wet	97.60	2	116.00 mm/4.567"	97.605 mm/3.843"	226.60 mm	123.00 mm/4.843"	9.50 mm				
056LIN-SD	ESCORTS 335 FF Wet	102.00	3	117.00 mm/4.606"	102.03 mm/4.017"	226.60 mm	123.00 mm/4.843"	9.50 mm				
057LIN-SD	ESCORTS 345 FF Wet	110.00	2	124.00 mm/4.882"	110.03 mm/4.332"	226.60 mm	131.00 mm/5.157"	9.50 mm				
059LIN-SD	ESCORTS 355/450 NEW FF Wet	105.00	3	120.00 MM/4.724"	105.02 mm/4.135"	216.00 mm	130.00 mm/5.118"	11.10 mm				
061LIN-SD	ESCORTS 435 FF Wet	91.00	3	106.00 mm/4.173"	91.02 mm/3.583"	204.30 mm	116.00 mm/4.567"	11.10 mm				
075LIN-SD	FORD 3600/FT-50 SF	106.68	3	110.75 mm/4.360"	106.00 mm/4.173"	210.00 mm	112.30 mm/4.421"	5.15 mm				
077LIN-SD	FORD 3610 SF	111.76	3	114.40 mm/4.504"	111.00 mm/4.370"	210.00 mm	115.95/4.565"	4.70 mm				



Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
0527PPC	SWARAJ 735 FE DI	100	3	STD	83.00	0.00	126.00	35.00	=(0.110)/[0.004]	95.250	195.201				SWARAJ TRACTORS 735 FE
0578PPC	BAJAJ TEMPO OX-25 PISTON ASSEMBLY	78.00	3	STD,0.20,040	48.00	0.00	77.50	25.00	(0.070)/[0.003]	25.00	64.00	RC A25 X 1.6			BAJAJ TEMPO OX-25
0575PPC	BAJAJ TEMPO OX-45 PISTON ASSEMBLY	90.90	3	STD	48.60	0.00	82.10	26.00	(0.035)/[0.001]	26.00	74.00	RC C26 X 1.6			BAJAJ TEMPO OX-45
0510PPC	EICHER 241NC/242NC, 24HP	100.00	3	STD,0.10,0.20	87.50	0.00	165.00	40.00	(0.120)/[0.005]	40.00	93.00	SC 40 X 175			EICHER TRACTOR EICHER 241NC
0535PPC	ESCORTS 430/E3-179 RC	91.00	3	STD	62.45	0.00	96.20	28.00	(0.110)/[0.004]	28.00	64.00	SC 28 X 1.2			ESCORTS E- 430/435
0536	ESCORTS 435/E3- 215 RC	91.00	3	STD	62.45	0.00	96.20	28.00	(0.110)/[0.004]	28.00	64.00	SC 28 X 1.2			ESCORTS E- 430/435
0525PPC	ESCORTS FARMTRAC-30/35	91.00	3	STD	62.45	0.00	96.20	28.00	(0.110)/[0.004]	28.00	64.00	SC 38 X 1.5			ESCORTS FT-35
0534PPC	ESCORTS 325 DI / E2 179D	97.60	2	STD	75.50	0.00	131.10	38.00	(0.145)/[0.0058]	38.00	78.00	38X1.5			ESCORTS ESCORTS 325
0537PPC	ESCORTS 325 NEW 25 HP	97.60	2	STD	75.50	0.00	48.00	17.982	(0.035)/[0.0014]	19.78	53.00	38X1.5			ESCORTS ESCORTS 325
0514PPC	ESCORTS 325	97.60	2	STD	75.50	0.00	131.10	38.00	(0.145)/[0.005]	38.00	80.00	SC 38 X 1.5			ESCORTS ESCORTS 325
0511PPC	ESCORTS 335	102.00	2	STD	75.50	0.00	131.10	38.00	(0.145)/[0.005]	38.00	82.00	SC 38 X 1.5			ESCORTS E-335 /E-345
0531PPC	ESCORT 335 NEW / S-312D	102.00	2	STD	75.50	0.00	131.10	38.00	(0.125)/[0.005]	38.00	84.00	SC 38X1.5			ESCORTS E-335 /E-345
0529PPC	ESCORT-335	102.00	2	STD	75.50	0.00	131.10	38.00	(0.145)/[0.0057]	38.00	82.00	SC 38 X 1.5			ESCORTS E-335 /E-345

Part Number	Name	Cylinder Diameter (mm)	Number of Cylinder	Size	CH	DH	TL	PHD	C	D	L	Circlip Details	Matching Ring	Matching Liner	Application
0530PPC	ESCORT 335 JOSH / E-312 D RC	102.00	2	STD	75.50	0.00	113.50	38.00	(0.125)/[0.005]	38.00	82.00	SC 38 X 1.5			ESCORTS E-335 S-312-C
0532PPC	ESCORTS 355/450	105.00	3	STD	62.30	0.00	98.20	34.00	(0.110)/[0.004]	34.00	84.00	SC 38 X 1.5			ESCORTS E-355 /340, 3CYL
0533PPC	ESCORTS 340 /440 DI AVL	105.00	3	STD	62.30	0.00	98.20	34.00	(0.110)/[0.004]	34.00	84.00	SC 38 X 1.5			ESCORTS E-355 /340, 3CYL
0516PPC	FORD 3600/FT 50	106.68	3	STD,0.20,0.30	70.60	0.00	129.00	38.10	(0.137)/[0.0054]	38.10	89.15	SC 38 X 1.5			FORD FORD 3600
0521PPC	FORD 3600 /FT 50	106.68	3	STD	70.60	0.00	129.00	38.10	(0.137)/[0.0054]	38.10	89.15	SC 38 X 1.5			FORD FORD 3600
0555PPC	FORD 3600/FT 55	106.70	3	STD	70.60	0.00	129.00	38.10	(0.157)/[0.006]	38.10	89.10	SC 38 X 1.5			FORD FORD 3600
0512PPC	ESCORTS 345/ E2-228	110.00	2	STD	75.50	0.00	132.10	42.00	(0.140)/[0.005]	42.00	90.00	SC 42X1.5			ESCORTS E-335 /E-345
0513PPC	ESCORTS 355/450	110.00	3	STD	75.50	0.00	132.10	42.00	(0.140)/[0.005]	42.00	90.00	SC 42X1.5			ESCORTS E-335 /E-345



Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PCH81700FPSC1FR00E	ESCORTS 335 - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8170	0531	STD		ESCORTS E-335 S-312-C
PFS81700FPSC1FR00E	ESCORTS 335 - FULL SET	Full Set	Fiber Perforated Steel Core		8170	0531	STD		ESCORTS E-335 S-312-C
PCH81760FPSC10000E	ESCORTS 340 TRACTOR - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8176	0533	STD		ESCORTS E-355 /340, 3CYL
PCH81720FPSC10000E	ESCORTS 345 - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8172	0512	STD		ESCORTS E-335 /E-345
PCH81760FPSC1FR00E	ESCORTS 355 - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8176	0532	STD	Head Gasket with Fire Ring	ESCORTS E-335 /E-345
PCH81820FPSC10000E	ESCORTS POWERTRAC 430/435 - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8182	0536	STD		ESCORTS E- 430/435
PFS81820FPSC10000E	ESCORTS POWERTRAC 430/435 - FULL SET	Full Set	Fiber Perforated Steel Core		8182	0536	STD		ESCORTS E- 430/435
PCH82730FPSC1F000E	FORD 3600 - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8273	0521	STD	Head Gasket with Fixed Culot	FORD FORD
PFS82730FPSC1F000E	FORD 3600 - FULL SET	Full Set	Fiber Perforated Steel Core		8273	0521	STD	Head Gasket with Fixed Culot	FORD FORD
PLG82730TC001RC00E	FORD 3600 - TAPPET COVER	Loose Gasket			8273	0521	STD	Rubberised Cork	FORD FORD
PCH82760FPSC10000E	FORD 3610 - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8276	0517	STD		FORD FORD
PCH82760MLG010000E	FORD 3610 - MLG CHG	Cylinder Haed Gasket	Multi Layer Graphite		8276	0517	STD		
PCH85730FPSC10000E	NEW HOLLAND(FORD-3600) - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8573	8573	STD		FORD FORD 3600
PCH85730MLG010000E	NEW HOLLAND(FORD-3600) - MLG CHG	Cylinder Haed Gasket	Multi Layer Graphite		8573	8573	STD		FORD FORD 3600
PFS85730MLG010000E	NEW HOLLAND(FORD-3600) - FULL SET	Full Set	Multi Layer Graphite		8573	8573	STD		FORD FORD 3600

Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PCH89060FPSC20000E	HMT 2511 - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8906	0591	STD		HMT ZETOR-2011/2511/2045
PCH89040FPSC30000E	HMT 3511 - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8904	8904	STD		HMT HMT ZETOR-3011/3511/3045
PFS89040FPSC30000E	HMT 3511 - FULL SET	Full Set	Fiber Perforated Steel Core		8904	8904	STD		HMT HMT ZETOR-3011/3511/3045
PCH89030FPSC40000E	HMT 5911 - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8903	0593	STD		HMT ZETOR -5911
PCH89110FPSC20000E	HMT AVL 2522 - CHG	Cylinder Haed Gasket	Fiber Perforated Steel Core		8911	0595	STD		HMT ZETOR-2011/2511/2045
PCH89041FPSC30000E	HMT AVL 3522 - CHG (1.9 MM)	Cylinder Haed Gasket	Fiber Perforated Steel Core		8904		STD		
PFS89041FPSC30000E	HMT AVL 3522 - FULL SET (1.9 MM)	Full Set	Fiber Perforated Steel Core		8904		STD		
PFS80130000010WTSE	SWARAJ 735/735FE - FULL SET WITHOUT SHIM	Full Set			8013	0527	STD	Without Seal	SWARAJ TRACTORS 735 FE
PCH84091CFS010000E	M&M B-275 - CS CHG	Cylinder Head Gasket	Copper Fiber Steel		8409	0554	STD		MAHINDRA B-275
PCH84091FPSC10000E	M&M B-275 - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		8409	0554	STD		MAHINDRA B-275
PFS84091CFS010000E	M&M B-275 - CS FULL SET	Full Set	Copper Fiber Steel		8409	0554	STD		MAHINDRA B-275
PFS84091CFS01NT00E	M&M B-275 - CS FULL SET (NEW TAPPET)	Full Set	Copper Fiber Steel		8409	0554	STD	New Model Tappet	MAHINDRA B-275
PHS84091CFS010000E	M&M B-275 - CS HALF SET	Half Set	Copper Fiber Steel		8409	0554	STD		MAHINDRA B-275
PCH84090FPSC10000E	M&M 265/275DI - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		8409	0505	STD		MAHINDRA B-275
PFS84090FPSC10000E	M&M 265/275DI - FULL SET	Full Set	Fiber Perforated Steel Core		8409	0505	STD		MAHINDRA B-275
PHS84090FPSC10000E	M&M 265/275DI - HALF SET	Half Set	Fiber Perforated Steel Core		8409	5050	STD		MAHINDRA B-275
PLG84090SG001RC00E	M&M 265/275DI - SUMP GASKET (CORK)	Loose Gasket			8409	5050	STD	Rubberised Cork	MAHINDRA B-275
PLG84090TC001RM00E	M&M 265/275DI - TAPPET COVER (OE TYPE)	Loose Gasket			8409	5050	STD	Rubber Moulded	MAHINDRA B-275
PCH84150FPSC10000E	M&M 575DI - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		8415	0547	STD		MAHINDRA 575DI

Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PLG84150SG001RC00E	M&M 575DI - SUMP GASKET (CORK)	Loose Gasket			8415	0547	STD	Rubberised Cork	MAHINDRA 575DI
PLG84150TC001RM00E	M&M 575DI - TAPPET COVER (OE TYPE)	Loose Gasket			8415	0547	STD	Rubber Moulded	MAHINDRA 575DI
PCH84200FPSC10000E	M&M 225DI - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		8420	0549	STD		MAHINDRA 225DI
PCH82480CFC010000E	PERKINS P3 - CC CHG	Cylinder Head Gasket	Copper Fiber Copper		8248	8248	STD		SIMPSON PERKINS SIMPSON PERKINS 3,CYL
PCH82480CFS010000E	PERKINS P3 - CS CHG	Cylinder Head Gasket	Copper Fiber Steel		8248	8248	STD		SIMPSON PERKINS SIMPSON PERKINS 3,CYL
PCH82480GPSC10000E	PERKINS P3 - GP CHG	Cylinder Head Gasket	Graphite Perforated Steel Core		8248	8248	STD		SIMPSON PERKINS SIMPSON PERKINS 3,CYL
PLG82480SS0010000E	PERKINS P3 - SUMP SET	Loose Gasket			8248	8248	STD		SIMPSON PERKINS SIMPSON PERKINS 3,CYL
PCH82570CFC010000E	PERKINS P4 - CC CHG	Cylinder Head Gasket	Copper Fiber Copper		8257	8257	STD		SIMPSON PERKINS SIMPSON PERKINS 4CYL
PCH82521FPSC10000E	SIMPSON S2 - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		8252	0566	STD		SIMPSON PERKINS SIMPSON S2
PCH82470CFC010000E	SIMPSON S3 - CC CHG	Cylinder Head Gasket	Copper Fiber Copper		8247	0570	STD		SIMPSON PERKINS SIMPSON S2 SIMPSON PERKINS SIMPSON S3
PCH82470CFS010000E	SIMPSON S3 - CS CHG	Cylinder Head Gasket	Copper Fiber Steel		8247	0570	STD		SIMPSON PERKINS SIMPSON S3
PCH82470GPSC10000E	SIMPSON S3 - GP CHG	Cylinder Head Gasket	Graphite Perforated Steel Core		8247	0570	STD		SIMPSON PERKINS SIMPSON S3
PCH82470GPSC1L000E	SIMPSON S3 - GP CHG	Cylinder Head Gasket	Graphite Perforated Steel Core		8247	5701	STD		SIMPSON PERKINS SIMPSON S3
PLG82470TC0010000E	SIMPSON S3 - TAPPET COVER	Loose Gasket			8247	0570	STD		SIMPSON PERKINS SIMPSON S3
PLG82470SG0010000E	SIMPSON S3 - SUMP GASKET	Loose Gasket			8247	0570	STD		SIMPSON PERKINS SIMPSON S3
PCH82490FPSC10000E	SIMPSON S4 - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		8249	5702	STD		SIMPSON PERKINS SIMPSON S4
PCH81880FPSC10000E	SONALIKA (097,100,102) BIG DIA - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		8188	0598	STD		SONALIKA 097,100,102

Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PCH81920FPSC10000E	SONALIKA SMALL DIA - CHG	Cylinder Head Gasket	Fiber Perforated Steel Core		8192	8192	STD		SONALIKA 097,100,102
PCH84170FPSC10000E	ARJUN TRACTOR - CHG	Cylinder Head Gasket	Multi Layer Graphite		8524	5273	STD		MAHINDRA ARJUN TRACTOR
PFS84150FPSC10000E	M&M 575DI - FULL SET	Full Set	Fiber Perforated Steel Core		8415	0547	STD		MAHINDRA 575DI
PFS84150FPSC1NT00E	M&M 575DI - FULL SET (NEW TAPPET)	Full Set	Fiber Perforated Steel Core		8415	0547	STD	New Model Tappet	MAHINDRA 575DI
PHS84150FPSC10000E	M&M 575DI - HALF SET	Half Set	Fiber Perforated Steel Core		8415	0547	STD		MAHINDRA 575DI
PFS84200FPSC10000E	M&M 225DI - FULL SET	Full Set	Fiber Perforated Steel Core		8420	0549	STD		MAHINDRA 575DI
PFS82480CFC010000E	PERKINS P3 - CC FULL SET (RUBBER TIMING)	Full Set	Fiber Perforated Steel Core		8248	8248	STD		MAHINDRA 575DI SIMPSON PERKINS SIMPSON PERKINS 3,CYL
PFS82480CFS010000E	PERKINS P3 - CS FULL SET	Full Set	Copper Fiber Steel		8248	8248	STD		SIMPSON PERKINS SIMPSON PERKINS 3,CYL
PFS82480GPSC10000E	PERKINS P3 - GP FULL SET	Full Set	Graphite Perforated Steel Core		8248	8248	STD		SIMPSON PERKINS SIMPSON PERKINS 3,CYL
PHS82480CFC010000E	PERKINS P3 - CC HALF SET	Half Set	Copper Fiber Steel		8248	8248	STD		SIMPSON PERKINS SIMPSON PERKINS 3,CYL
PFS82570CFC010000E	PERKINS P4 - CC FULL SET	Full Set	Copper Fiber Copper		8257	8257	STD		SIMPSON PERKINS SIMPSON PERKINS 4CYL
PHS82570CFC010000E	PERKINS P4 - CC HALF SET	Half Set	Copper Fiber Copper		8257	8257	STD		SIMPSON PERKINS SIMPSON PERKINS 4CYL
PFS82470CFC010000E	SIMPSON S3 - CC FULL SET	Full Set	Copper Fiber Copper		8247	0570	STD		SIMPSON PERKINS SIMPSON S3
PFS82470CFS010000E	SIMPSON S3 - CS FULL SET	Full Set	Copper Fiber Steel		8247	0570	STD		SIMPSON PERKINS SIMPSON S3
PFS82470CFS01NT00E	SIMPSON S3 - CS FULL SET (NEW TAPPET)	Full Set	Copper Fiber Steel		8247	0570	STD	New Model Tappet	SIMPSON PERKINS SIMPSON S3
PFS82470GPSC10000E	SIMPSON S3 - GP FULL SET	Full Set	Graphite Perforated Steel Core		8247	0570	STD		SIMPSON PERKINS SIMPSON S3
PFS82470GPSC1L000E	SIMPSON S3 - GP FULL SET	Full Set	Graphite Perforated Steel Core		8247	5701	STD		SIMPSON PERKINS SIMPSON S3

Part Number	Name	Type of Gasket	Type of Head Gasket	Technology	Matching Ring set number	Matching Piston set number	Size	Coating	Application
PHS82470CFC010000E	SIMPSON S3 - CC HALF SET	Half Set	Copper Fiber Copper		8247	0570	STD		SIMPSON PERKINS SIMPSON S3
PHS82470CFS010000E	SIMPSON S3 - CS HALF SET	Half Set	Copper Fiber Steel		8247	0570	STD		SIMPSON PERKINS SIMPSON S3
PFS82490FPSC10000E	SIMPSON S4 - FULL SET	FULL SET	Fiber Perforated Steel Core		82490	5702	STD		SIMPSON PERKINS SIMPSON S4
PFS82490FPSC10000E	SIMPSON S4 - FULL SET	FULL SET	Fiber Perforated Steel Core		82490	5702	STD		SIMPSON PERKINS SIMPSON S4